

Bibliography

- Bagaini, C., 2006, Overview of simultaneous vibroseis acquisition methods: SEG Technical Program Expanded Abstracts, **25**, 70–74.
- Ben-Hadj-Ali, H., S. Operto, and J. Vineux, 2009, Three-dimensional frequency-domain full waveform inversion with phase encoding: SEG Technical Program Expanded Abstracts, **28**, 2288–2292.
- Berkhout, A. J., 1997a, Pushing the limits of seismic imaging, PART I: Prestack migration in terms of double dynamic focusing: *Geophysics*, **62**, 937–953.
- , 1997b, Pushing the limits of seismic imaging, PART II: Integration of prestack migration, velocity estimation, and avo analysis: *Geophysics*, **62**, 954–969.
- Bernstein, M. A., K. E. King, X. J. Zhou, and W. Fong, 2005, Handbook of mri pulse sequences: *Medical Physics*, **32**, 1452–1452.
- Berryhill, J. R., 1979, Wave-equation datuming: *Geophysics*, **44**, 1329–1344.
- Bevc, D., 1997, Imaging complex structures with semirecursive kirchhoff migration: *Geophysics*, **62**, 577–588.
- Billette, F., G. Lambare, and P. Podvin, 1997, Velocity macromodel estimation by stereotomography: SEG Technical Program Expanded Abstracts, **16**, 1889–1892.
- Biondi, B., 2006, Prestack exploding-reflectors modeling for migration velocity analysis: 76th Ann. Internat. Mtg., Expanded Abstracts, 3056–3060, Soc. of Expl. Geophys.
- , 2007, Prestack modeling of image events for migration velocity analysis: **SEP-131**, 71–89.
- , 2008, Automatic wave-equation migration velocity analysis: **SEP-134**, 65–78.
- Biondi, B., S. Fomel, and N. Chemingui, 1998, Azimuth moveout for 3-D prestack

- imaging: *Geophysics*, **63**, 574–588.
- Biondi, B. and G. Palacharla, 1996, 3-D prestack migration of common-azimuth data: *Geophysics*, **61**, 1822–1832.
- Biondi, B. and P. Sava, 1999, Wave-equation migration velocity analysis: SEG Technical Program Expanded Abstracts, **18**, 1723–1726.
- Biondi, B. and G. Shan, 2002, Prestack imaging of overturned reflections by reverse time migration: SEG Technical Program Expanded Abstracts, **21**, 1284–1287.
- Biondi, B. and W. W. Symes, 2004, Angle-domain common-image gathers for migration velocity analysis by wavefield-continuation imaging: *Geophysics*, **69**, 1283–1298.
- Biondi, B. and T. Tisserant, 2004, 3D angle-domain common-image gathers for migration velocity analysis: *Geophysical Prospecting*, **52**, 575–591.
- Black, J. L. and M. S. Egan, 1988, True-amplitude DMO in 3-D: SEG Technical Program Expanded Abstracts, **7**, 1109–1112.
- Bleistein, N., J. Cohen, and H. Jaramillo, 1999, True-amplitude transformation to zero offset of data from curved reflectors: *Geophysics*, **64**, 112–129.
- Castoldi, P., 2002, Multiuser detection in CDMA mobile terminals: Artech House Publishers.
- Claerbout, J., 1985, *Imaging the Earth's Interior*: Blackwell Scientific Publications.
- Claerbout, J. F., 1971, Toward a unified theory of reflector mapping: *Geophysics*, **36**, 467–481.
- Clapp, R., 2003, Geologically constrained migration velocity analysis, *in* Ph.D. thesis, Stanford University.
- , 2005, AMO inversion to a common azimuth dataset: **SEP-123**, 91–101.
- Clapp, R. G., 2006, AMO inversion to a common azimuth dataset: SEG Technical Program Expanded Abstracts, **25**, 2097–2101.
- Clapp, R. G., D. M. Chen, and S. Luo, 2008, Hypercube viewer: **SEP-134**, 179–192.
- Cruz, J. C. R., P. Hubral, M. Tygel, J. Schleicher, and G. Höcht, 2000, The common reflecting element (CRE) method revisited: *Geophysics*, **65**, 979–993.
- Deregowski, S., 1990, Common offset migrations and velocity analysis: *First Break*, **8**, 224–234.

- Dinan, E. and B. Jabbari, 1998, Spreading codes for direct sequence CDMA and wideband CDMA cellular networks: *IEEE Communications Magazine*, **36**, 48–54.
- Duquet, B. and P. Lailly, 2006, Efficient 3D wave-equation migration using virtual planar sources: *Geophysics*, **71**, S185–S197.
- Fei, W., P. Williamson, and A. Khoury, 2009, 3-D common-azimuth wave-equation migration velocity analysis: *SEG Technical Program Expanded Abstracts*, **28**, 2283–2287.
- Gelchinsky, B., 1988, The common reflecting element (CRE) method (non-uniform asymmetric multifold system): *Exploration Geophysics*, **19**, 71–75.
- Gold, R., 1967, Optimal binary sequences for spread spectrum multiplexing: *IEEE Transactions on Information Theory*, **14**, 619–621.
- Guerra, C. and B. Biondi, 2008a, Phase encoding with gold codes for wave-equation migration: **SEP-136**, 23–42.
- , 2008b, Prestack exploding reflector modeling: The crosstalk problem: **SEP-134**, 79–92.
- Guerra, C., Y. Tang, and B. Biondi, 2009, Wave-equation tomography using image-space phase encoded data: *SEG Technical Program Expanded Abstracts*, **28**, 3964–3968.
- Hale, D., 1984, Dip-moveout by fourier transform: *Geophysics*, **49**, 741–757.
- Halpert, A., 2010, A new method for more efficient seismic image segmentation: **SEP-140**, 213–228.
- Howe, D., M. Foster, T. Allen, I. Jack, D. Buddery, A. Choi, R. Abma, T. Manning, and M. Pfister, 2009, Independent simultaneous sweeping in libya-full scale implementation and new developments: *SEG Technical Program Expanded Abstracts*, **28**, 109–111.
- Javidi, B., G. Zhang, and J. Li, 1996, Experimental demonstration of the random phase encoding technique for image encryption and security verification: *Optical Engineering*, **35**, 2506–2512.
- Kapoor, S. J., M. O’Brian, D. Desta, I. Atakishiyev, and M. Tomida, 2007, Subsalt imaging — the raz/waz experience: *SEG Technical Program Expanded Abstracts*, **26**, 926–930.

- Kosloff, D., J. Sherwood, Z. Koren, E. Machet, and Y. Falkovitz, 1996, Velocity and interface depth determination by tomography of depth migrated gathers: *Geophysics*, **61**, 1511–1523.
- Kosloff, D., U. I. Zackhem, and Z. Koren, 1997, Subsurface velocity determination by grid tomography of depth migrated gathers: SEG Technical Program Expanded Abstracts, **16**, 1815–1818.
- Krebs, J. R., J. E. Anderson, D. Hinkley, R. Neelamani, S. Lee, A. Baumstein, and M.-D. Lacasse, 2009, Fast full-wavefield seismic inversion using encoded sources: *Geophysics*, **74**, WCC177–WCC188.
- Lailly, P., 1983, The seismic inverse problem as a sequence of before stack migrations: Conference on Inverse Scattering, Theory and Application, Society for Industrial and Applied Mathematics, Expanded Abstracts, 206–220.
- Levanon, N. and E. Mozeson, 2004, Radar signals: Wiley, John & Sons, Inc.
- Liner, C. L., 1991, Born theory of wave-equation dip moveout: *Geophysics*, **56**, 182–189.
- Liu, F., D. W. Hanson, N. D. Whitmore, R. S. Day, and R. H. Stolt, 2006, Toward a unified analysis for source plane-wave migration: *Geophysics*, **71**, 129–139.
- Loewenthal, D., L. Lu, R. Roberson, and J. Sherwood, 1976, The wave equation applied to migration: *Geophysical Prospecting*, **24**, 380–399.
- Lomask, J., 2006, Seismic volumetric flattening and segmentation, *in* Ph.D. thesis, Stanford University.
- Martin, J. E., 1993, Simultaneous Vibroseis recording: *Geophysical Prospecting*, **41**, 943–967.
- Moldoveanu, N., J. Kapoor, and M. Egan, 2008, Full-azimuth imaging using circular geometry acquisition: *The Leading Edge*, **27**, 908–913.
- Mora, P., 1987, Nonlinear two-dimensional elastic inversion of multioffset seismic data: *Geophysics*, **52**, 1211–1228.
- Mulder, W. A. and A. P. E. ten Kroode, 2002, Automatic velocity analysis by differential semblance optimization: *Geophysics*, **67**, 1184–1191.
- Nocedal, J. and S. Wright, 2000, Numerical optimization: Springer Verlag, New York.
- Peles, O., A. Bartana, D. Kosloff, and Z. Koren, 2004, Limitations of the exploding

- reflector model in sub-salt imaging: SEG Technical Program Expanded Abstracts, **23**, 2455–2457.
- Plessix, R.-E., 2009, Three-dimensional frequency-domain full-waveform inversion with an iterative solver: *Geophysics*, **74**, WCC149–WCC157.
- Pratt, R. G., Z. Song, P.R. Williamson, and M. Warner, 1996, Two-dimensional velocity model from wide-angle seismic data by wavefield inversion: *Geophysical Journal International*, **124**, 323–340.
- Regone, C. J., 2007, Using 3d finite-difference modeling to design wide-azimuth surveys for improved subsalt imaging: *Geophysics*, **72**, SM231–SM239.
- Rickett, J., B. Biondi, and D. Lumley, 1996, Modeling heterogeneous reservoirs using the first order Born approximation: **SEP-92**, 75–82.
- Rickett, J. E. and P. C. Sava, 2002, Offset and angle-domain common image-point gathers for shot-profile migration: *Geophysics*, **67**, 883–889.
- Rietveld, W. E. A. and A. J. Berkhout, 1992, Prestack depth migration by means of controlled illumination: *Geophysics*, **59**, 801–809.
- Rietveld, W. E. A., A. J. Berkhout, and C. P. A. Wapenaar, 1992, Optimum seismic illumination of hydrocarbon reservoirs: *Geophysics*, **57**, 1334–1345.
- Romero, L., D. Ghiglia, C. Ober, and S. Morton, 2000, Phase encoding of shot records in prestack migration: *Geophysics*, **65**, 426–436.
- Sava, P., 2003, Prestack residual migration in frequency domain: *Geophysics*, **68**, 634–640.
- , 2004, Migration and velocity analysis by wavefield extrapolation, *in* Ph.D. thesis, Stanford University.
- Sava, P. and B. Biondi, 2004a, Wave-equation migration velocity analysis-I: Theory: *Geophysical Prospecting*, **52**, 593–606.
- , 2004b, Wave-equation migration velocity analysis-II: Examples: *Geophysical Prospecting*, **52**, 607–623.
- Sava, P. and S. Fomel, 2006, Time-shift imaging condition in seismic migration: *Geophysics*, **71**, S209–S217.
- Sava, P. C. and S. Fomel, 2003, Angle-domain common-image gathers by wavefield continuation methods: *Geophysics*, **68**, 1065–1074.

- Schultz, P. S. and J. Claerbout, 1978, Velocity estimation and downward continuation by wavefront synthesis: *Geophysics*, **43**, 691–714.
- Shen, P., 2004, Wave-equation Migration Velocity Analysis by Differential Semblance Optimization: PhD thesis, Rice University.
- Shen, P. and W. W. Symes, 2008, Automatic velocity analysis via shot profile migration: *Geophysics*, **73**, VE49–VE59.
- Stork, C., 1992, Reflection tomography in the postmigrated domain: *Geophysics*, **57**, 680–692.
- Sun, P., S. Zhang, and F. Liu, 2002, Prestack migration of areal shot records with phase encoding: 72nd Ann. Internat. Mtg. Soc. Expl. Geophys., Expanded Abstracts, 1172–1175.
- Symes, W. W. and J. J. Carazzone, 1991, Velocity inversion by differential semblance optimization: *Geophysics*, **56**, 654–663.
- Tang, Y., 2009, Target-oriented wave-equation least-squares migration/inversion with phase-encoded hessian: *Geophysics*, **74**, WCA95–WCA107.
- Tang, Y., C. Guerra, and B. Biondi, 2008, Image-space wave-equation tomography in the generalized source domain: **SEP-136**, 1–22.
- Tarantola, A., 1984, Inversion of seismic reflection data in the acoustic approximation: *Geophysics*, **49**, 1259–1266.
- , 1987, *Inverse problem theory: Methods for data fitting and model parameter estimation*: Elsevier.
- Teh, P. C., P. Petropoulos, M. Ibsen, and D. J. Richardson, 2001, A comparative study of the performance of seven and 63-chip optical code-division multiple-access encoders and decoders based on superstructured fiber bragg gratings: *Journal of Lightwave Technology*, **19**, 1352–1365.
- Thorbecke, J. and A. J. Berkhout, 2006, Recursive prestack depth migration using CFP gathers: *Geophysics*, **71**, S273–S283.
- Tygel, M., J. Schleicher, and P. Hubral, 1994, Pulse distortion in depth migration: *Geophysics*, **59**, 1561–1569.
- Tygel, M., J. Schleicher, P. Hubral, and L. T. Santos, 1998, 2.5-D true-amplitude kirchhoff migration to zero offset in laterally inhomogeneous media: *Geophysics*,

- 63**, 557–573.
- Valenciano, A. A., B. L. Biondi, and R. G. Clapp, 2009, Imaging by target-oriented wave-equation inversion: *Geophysics*, **74**, WCA109–WCA120.
- Vigh, D. and E. W. Starr, 2008, 3d prestack plane-wave, full-waveform inversion: *Geophysics*, **73**, VE135–VE144.
- Virieux, J. and S. Operto, 2009, An overview of full-waveform inversion in exploration geophysics: *Geophysics*, **74**, WCC1–WCC26.
- Wang, B., V. Dirks, P. Guillaume, F. Audebert, and D. Epili, 2006, A 3d subsalt tomography based on wave-equation migration-perturbation scans: *Geophysics*, **71**, E1–E6.
- Wang, R. K., I. A. Watson, and C. Chatwin, 1996, Random phase encoding for optical security: *Optical Engineering*, **35**, 2464–2469.
- Ward, R. M., R. H. Brune, A. Ross, and L. H. Kumamoto, 1990, Phase encoding of Vibroseis signals for simultaneous multisource acquisition: *SEG Technical Program Expanded Abstracts*, **9**, 938–941.
- Weishaupt, D., V. Koechli, and J. M. Froehlich, 2006, *How Does MRI Work? : An Introduction to the Physics and Function of Magnetic Resonance Imaging*.
- Whitmore, N. D., 1995, An imaging hierarchy for common angle plane wave seismograms, *in* Ph.D. thesis, University of Tulsa.
- Woodward, M. J., 1992, Wave-equation tomography: *Geophysics*, **57**, 15–26.
- Yamada, H., K. Takada, and S. Mitachi, 1998, Crosstalk reduction in a 10-ghz spacing arrayed-waveguide grating by phase-error compensation: *Journal of Lightwave Technology*, **16**, 364–371.
- Yang, T. and P. Sava, 2009, Wave-equation migration velocity analysis using extended images: *SEG Technical Program Expanded Abstracts*, **28**, 3715–3719.
- Zigangirov, K., 2004, *Theory of code division multiple access communication*: Wiley, John & Sons, Inc.