

Bibliography

- Aki, K., 1957, Space and time spectra of stationary stochastic waves, with special reference to microtremors: *Bulletin of the Earthquake Research Institute*, **35**, 415–456.
- Aki, K., and P. G. Richards, 2002, *Quantitative seismology*, 2nd ed.: University Science Books.
- Artman, B., 2002, A return to passive seismic imaging: *Stanford Exploration Project Report*, **111**, 359–366.
- , 2007, *Passive seismic imaging*: PhD thesis, Stanford University.
- Aster, R. C., B. Borchers, and C. H. Thurber, 2005, *Parameter Estimation and Inverse Problems*, 1st ed.: Academic Press.
- Barkved, O. I., 2012, *Seismic surveillance for reservoir delivery from a practitioner’s point of view*: EAGE Publications bv.
- Barkved, O. I., L. Amundsen, and M. Landrø, 2009, The Valhall LoFS project: *GeoExpro*, **6**, no. 5, 32–34.
- Barkved, O. I., and T. Kristiansen, 2005, Seismic time-lapse effects and stress changes: Examples from a compacting reservoir: *The Leading Edge*, **24**, 1244–1248.
- Baskir, E., and C. Weller, 1975, Sourceless reflection seismic exploration: *Geophysics*, **40**, 158–159.
- Bensen, G. D., M. H. Ritzwoller, M. P. Barmin, A. L. Levshin, F. Lin, M. P. Moschetti, N. M. Shapiro, and Y. Yang, 2007, Processing seismic ambient noise data to obtain reliable broad-band surface wave dispersion measurements: *Geophysical Journal International*, **169**, 1239–1260.
- Bensen, G. D., M. H. Ritzwoller, and N. M. Shapiro, 2008, Broadband ambient

- noise surface wave tomography across the United States: *Journal of Geophysical Research: Solid Earth*, **113**, no. B5, B05306–1–B05306–21.
- Biondi, B. L., 2006, 3D seismic imaging: Society of Exploration Geophysicists.
- Biondi, P. C., 2004, Aristotle, Posterior Analytics II.19: Les Presses de l'Université Laval. French version published by Vrin.
- Blackman, R. B., and J. W. Tukey, 1959, The measurement of power spectra from the point of view of communications engineering: Dover Publications.
- Bracewell, R. N., 2000, The Fourier transform and its applications, 3rd ed.: McGraw-Hill.
- Brenguier, F., M. Campillo, C. Hadziioannou, N. M. Shapiro, R. M. Nadeau, and E. Larose, 2008, Postseismic relaxation along the San Andreas fault at Parkfield from continuous seismological observations: *Science*, **321**, 1478–1481.
- Bromirski, P. D., F. K. Duennebieer, and R. A. Stephen, 2005, Mid-ocean microseisms: *Geochemistry, Geophysics, Geosystems*, **6**, no. 4, Q04009–1–Q04009–19.
- Bussat, S., and S. Kugler, 2009, Recording noise - Estimating shear-wave velocities: Feasibility of offshore ambient-noise surface-wave tomography (answt) on a reservoir scale: 79th Annual International Meeting, SEG, Technical Program Expanded Abstracts, 1627–1631.
- , 2011, Offshore ambient-noise surface-wave tomography above 0.1 Hz and its applications: *The Leading Edge*, **30**, 514–524.
- Butler, D. K., ed., 2005, Near-surface geophysics: Society of Exploration Geophysicists.
- Campillo, M., and A. Paul, 2003, Long-range correlations in the diffuse seismic coda: *Science*, **299**, 547–549.
- Claerbout, J. F., 1968, Synthesis of a layered medium from its acoustic transmission response: *Geophysics*, **33**, 264–269.
- , 1976, Fundamentals of geophysical data processing: With applications to petroleum prospecting: Blackwell Scientific Publications.
- Cole, S. P., 1995, Passive seismic and drill-bit experiments using 2-D arrays: PhD thesis, Stanford University.
- Cox, M. J. G., E. F. Scherrer, and R. Chen, 1999, Static corrections for seismic

- reflection surveys: Society of Exploration Geophysicists.
- Daneshvar, M. R., C. S. Clay, and M. K. Savage, 1995, Passive seismic imaging using microearthquakes: *Geophysics*, **60**, 1178–1186.
- de Hoop, A. T., 1995, *Handbook of radiation and scattering of waves*: Academic Press.
- de Ridder, S., 2011, Ambient seismic noise tomography at Valhall: 81st Annual International Meeting, SEG, Technical Program Expanded Abstracts, 1597–1601.
- , 2012, Ambient seismic noise correlations for reservoir monitoring: 82nd Annual International Meeting, SEG, Technical Program Expanded Abstracts, 1–5.
- de Ridder, S., and B. Biondi, 2010, Low frequency passive seismic interferometry for land data: 80th Annual International Meeting, Expanded Abstracts, 4041–4046.
- , 2012, Continuous passive seismic monitoring of CCS projects by correlating seismic noise - A feasibility study: 74th Conference and Exhibition, EAGE, Extended Abstracts, P253.
- de Ridder, S., and J. Dellinger, 2011, Ambient seismic noise eikonal tomography for near-surface imaging at Valhall: *The Leading Edge*, **30**, 506–512.
- de Ridder, S. A. L., and B. L. Biondi, 2013, Daily reservoir-scale subsurface monitoring using ambient seismic noise: *Geophysical Research Letters*, **40**, 2969–2974.
- Delgado, J., C. L. Casado, A. Estévez, J. Giner, A. Cuenca, and S. Molina, 2000, Mapping soft soils in the Segura river valley (SE Spain): a case study of microtremors as an exploration tool: *Journal of Applied Geophysics*, **45**, 19–32.
- Dellinger, J., 2008, Low frequencies using conventional sensors: “Sign-bit” recording revisited: 78th Annual International Meeting, Expanded Abstracts, 149–153.
- Dellinger, J. A., and J. Yu, 2009, Low-frequency virtual point-source interferometry using conventional sensors: 71st Conference and Exhibition, EAGE, Extended Abstracts, X047.
- Draganov, D., 2007, *Seismic and electromagnetic interferometry - Retrieving the Earth’s reflection response using crosscorrelation*: PhD thesis, Delft University of Technology.
- Draganov, D., X. Campman, J. Thorbecke, A. Verdel, and K. Wapenaar, 2009, Reflection images from ambient seismic noise: *Geophysics*, **74**, no. 5, A63–A67.

- Draganov, D., K. Wapenaar, and J. Thorbecke, 2006, Seismic interferometry: Reconstructing the earth's reflection response: *Geophysics*, **71**, no. 4, SI61–SI70.
- Duvall Jr., T. L., S. M. Jefferies, J. W. Harvey, and M. A. Pomerantz, 1993, Time-distance helioseismology: *Nature*, **362**, 430–432.
- Dziewonski, A., S. Bloch, and M. Landisman, 1969, A technique for the analysis of transient seismic signals: *Bulletin of the Seismological Society of America*, **59**, 427–444.
- Edme, P., and D. Halliday, 2011, Extracting reflectivity response from pointreceiver ambient noise: 81st Annual International Meeting, Expanded Abstracts, 1602–1607.
- Erbe, C., compiled by, 2011, *Underwater acoustics: Noise and the effects on marine mammals-A pocket handbook*, 3rd ed.: JASCO Applied Sciences.
- Eriksrud, M., 2010, Towards the optical seismic era in reservoir monitoring: *First Break*, **28**, no. 6, 105–111.
- Field, E., and K. Jacob, 1993, The theoretical response of sedimentary layers to ambient seismic noise: *Geophysical Research Letters*, **20**, 2925–2928.
- Field, E. H., S. E. Hough, and K. H. Jacob, 1990, Using microtremors to assess potential earthquake site response: A case study in Flushing Meadows, New York City: *Bulletin of the Seismological Society of America*, **80**, 1456–1480.
- Fitzgibbon, A., M. Pilu, and R. B. Fisher, 1999, Direct least square fitting of ellipses: *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **21**, 476–480.
- Folstad, P. G., L. Amundsen, and M. Landrø, 2010, Monitoring of the Ekofisk field: *GeoExpro*, **7**, no. 3, 72–74.
- Forghani, F., and R. Snieder, 2010, Underestimation of body waves and feasibility of surface-wave reconstruction by seismic interferometry: *The Leading Edge*, **29**, 790–794.
- Friedrich, A., F. Krüger, and K. Klinge, 1998, Ocean-generated microseismic noise located with the Gräfenberg array: *Journal of Seismology*, **2**, 47–64.
- Frigo, M., 1999, A fast Fourier transform compiler: *ACM SIGPLAN Notices*, **34**, no. 5, 169–180.
- Geospace Technologies, 2014a, *GeoRes SubSea Sensor Array Cable*:

- [http://www.geospacetech.com/wp-content/uploads/2012/10/592-03160-01-
ShallowWater4CSensorArray-Rev-A.pdf](http://www.geospacetech.com/wp-content/uploads/2012/10/592-03160-01-
ShallowWater4CSensorArray-Rev-A.pdf). (last visited: January 12, 2014).
- , 2014b, Geospace website: [http://www.geospacetech.com/product-
listings/reservoir-characterization/](http://www.geospacetech.com/product-
listings/reservoir-characterization/). (last visited: January 12, 2014).
- Gerstoft, P., K. G. Sabra, P. Roux, W. A. Kuperman, and M. C. Fehler, 2006, Green's functions extraction and surface-wave tomography from microseisms in southern California: *Geophysics*, **71**, no. 4, SI23–SI31.
- Gerstoft, P., P. M. Shearer, N. Harmon, and J. Zhang, 2008, Global P, PP, and PKP wave microseisms observed from distant storms: *Geophysical Research Letters*, **35**, L23306–1–L23306–6.
- Goodway, B., 2012, Introduction to this special section: Passive seismic and microseismic - Part 1: The Leading Edge, **31**, 1296–1299.
- Hadziioannou, C., E. Larose, A. Baig, P. Roux, and M. Campillo, 2011, Improving temporal resolution in ambient noise monitoring of seismic wave speed: *Journal of Geophysical Research: Solid Earth*, **116**, no. B7, B07304–1–B07304–10.
- Halliday, D., and A. Curtis, 2008, Seismic interferometry, surface waves and source distribution: *Geophysical Journal International*, **175**, 1067–1087.
- Hatchell, P. J., P. B. Wills, and C. Didraga, 2009, production induced effects on near-surface wave velocities at Valhall: 71st Conference and Exhibition, EAGE, Extended Abstracts, T016.
- Haubrich, R. A., and K. McCamy, 1969, Microseisms: Coastal and pelagic sources: *Reviews of Geophysics*, **7**, 539–571.
- Hermansen, H., L. K. Thomas, J. E. Sylte, and B. T. Aasbøe, 1997, Twenty five years of Ekofisk reservoir management: SPE Annual Technical Conference and Exhibition, SPE–38927–MS.
- Hons, M. S., and R. R. Stewart, 2006, Transfer functions of geophones and accelerometers and their effects on frequency content and wavelets: CREWES Research Report, **18**, 2006-03.
- Ibs-von Seht, M., and J. Wohlenberg, 1999, Microtremor measurements used to map thickness of soft sediments: *Bulletin of the Seismological Society of America*, **89**, 250–259.

- Jack, I., 1997, Time-lapse seismic in reservoir management: Society of Exploration Geophysicists.
- Kanai, K., 1957, The requisite conditions for predominant vibration of ground: Bulletin of the Earthquake Research Institute, **35**, 457–471.
- Keller, F., 2014, Seismometer Documentation: http://www.ifg.tu-clausthal.de/java/seis/seis_doc-e.html. (last visited: January 16, 2014).
- Kimman, W. P., 2011, Higher mode surface wave interferometry: PhD thesis, Utrecht University.
- Kimman, W. P., and J. Trampert, 2010, Approximations in seismic interferometry and their effects on surface waves: Geophysical Journal International, **182**, 461–476.
- Kommedal, J. H., O. I. Barkved, and D. J. Howe, 2004, Initial experience operating a permanent 4C seabed array for reservoir monitoring at Valhall: 74th Annual International Meeting, SEG, Technical Program Expanded Abstracts, 2239–2242.
- Konno, K., and T. Ohmachi, 1998, Ground-motion characteristics estimated from spectral ratio between horizontal and vertical components of microtremor: Bulletin of the Seismological Society of America, **88**, 228–241.
- Landès, M., N. M. Shapiro, S. Singh, and R. Johnston, 2009, Studying shallow seafloor structure based on correlations of continuous seismic records: 79th Annual International Meeting, SEG, Technical Program Expanded Abstracts, 1693–1697.
- Landrø, M., and L. Amundsen, 2011, Using water layer normal modes to detect shallow gas and CO₂ leakage: EAGE Workshop on Permanent Reservoir Monitoring (PRM), Extended Abstract, 10341.
- Larose, E., P. Roux, M. Campillo, and A. Derode, 2008, Fluctuations of correlations and Green's function reconstruction: Role of scattering: Journal of Applied Physics, **103**, 114907–1–114907–10.
- Lin, F.-C., and M. H. Ritzwoller, 2011, Helmholtz surface wave tomography for isotropic and azimuthally anisotropic structure: Geophysical Journal International, **186**, 1104–1120.
- Lin, F. C., M. H. Ritzwoller, and R. Snieder, 2009, Eikonal tomography: surface wave tomography by phase front tracking across a regional broad-band seismic

- array: *Geophysical Journal International*, **177**, 1091–1110.
- Lin, F.-C., M. H. Ritzwoller, J. Townend, S. Bannister, and M. K. Savage, 2007, Ambient noise Rayleigh wave tomography of New Zealand: *Geophysical Journal International*, **170**, 649–666.
- Lobkis, O. I., and R. L. Weaver, 2001, On the emergence of the Green's function in the correlations of a diffuse field: *Journal of the Acoustical Society of America*, **110**, 3011–3017.
- Longuet-Higgins, M. S., 1950, A theory of the origin of microseisms: *Philosophical Transactions of the Royal Society of London A*, **243**, 1–35.
- Lowrie, W., 2007, *Fundamentals of geophysics*, 2nd ed.: Cambridge University Press.
- Lyngnes, B., H. Landa, K. Ringen, and N. Haller, 2013, Life of Field Seismic at Ekofisk - Utilizing 4D seismic for evaluating well target: 75th Conference and Exhibition, EAGE, Extended Abstracts, We 12 09.
- McNamara, D. E., and R. I. Boaz, 2005, Seismic noise analysis system using power spectral density probability density functions: A stand-alone software package: USGS Open-File Report 2005-1438, 1–14.
- Mordret, A., M. Landès, N. M. Shapiro, S. C. Singh, P. Roux, and O. I. Barkved, 2013a, Near-surface study at the Valhall oil field from ambient noise surface wave tomography: *Geophysical Journal International*, **193**, 1627–1643.
- Mordret, A., N. Shapiro, S. Singh, P. Roux, and O. , 2013b, Helmholtz tomography of ambient noise surface wave data to estimate Scholte wave phase velocity at Valhall Life of the Field: *Geophysics*, **78**, no. 2, WA99–WA109.
- Mordret, A., N. Shapiro, S. Singh, P. Roux, J.-P. Montagner, and O. I. Barkved, 2013c, Azimuthal anisotropy at Valhall: The Helmholtz equation approach: *Geophysical Research Letters*, **40**, 2636–2641.
- Moschetti, M. P., M. H. Ritzwoller, and N. M. Shapiro, 2007, Surface wave tomography of the western United States from ambient seismic noise: Rayleigh wave group velocity maps: *Geochemistry, Geophysics, Geosystems*, **8**, Q08010–1–Q08010–10.
- Munk, W. H., 1950, Origin and generation of waves: Council of Wave Research, Proceedings of the First Conference on Coastal Engineering, 1–4.

- Muyzert, E., J. H. Kommedal, K. Iranpour, and B. Olofsson, 2002, Near-surface S-velocities, statics, and anisotropy estimated from Scholte waves: 64th Conference and Exhibition, EAGE, Extended Abstracts, F28.
- Nakamura, Y., 1989, A method for dynamic characteristics estimation of subsurface using microtremor on the ground surface: Quarterly Report of the Railway Technical Research Institute, **30**, 25–33.
- Nakata, N., and R. Snieder, 2012, Estimating near-surface shear wave velocities in Japan by applying seismic interferometry to KiK-net data: Journal of Geophysical Research: Solid Earth, **117**, no. B1, B03108–1–B01308–13.
- Ohmi, S., K. Hirahara, H. Wada, and K. Ito, 2008, Temporal variations of crustal structure in the source region of the 2007 Noto Hanto earthquake, central Japan, with passive image interferometry: Earth Planets Space, **60**, 1069–1074.
- Olofsson, B., 2010, Marine ambient seismic noise in the frequency range 1-10 Hz: The Leading Edge, **29**, 418–435.
- Olofsson, B., T. Probert, J. H. Kommedal, and O. I. Barkved, 2003, Azimuthal anisotropy from the Valhall 4C 3D survey: The Leading Edge, **22**, 1228–1235.
- Prieto, G. A., M. Denolle, J. F. Lawrence, and G. C. Beroza, 2011, On amplitude information carried by the ambient seismic field: Comptes Rendus Geoscience, **343**, 600 – 614.
- Prieto, G. A., J. F. Lawrence, and G. C. Beroza, 2009a, Anelastic Earth structure from the coherency of the ambient seismic field: Journal of Geophysical Research (Solid Earth), **114**, B07303–1–B07303–15.
- Prieto, G. A., R. L. Parker, and F. L. Vernon III, 2009b, A Fortran 90 library for multitaper spectrum analysis: Computers & Geosciences, **35**, 1701 – 1710.
- Rhie, J., and B. Romanowicz, 2004, Excitation of Earth’s continuous free oscillations by atmosphere-ocean-seafloor coupling: Nature, **431**, 552–556.
- , 2006, A study of the relation between ocean storms and the Earth’s hum: Geochemistry Geophysics Geosystems, **7**, Q10004–1–Q10004–23.
- Rickett, J., and J. Claerbout, 1999, Acoustic daylight imaging via spectral factorization: Helioseismology and reservoir monitoring: The Leading Edge, **18**, 957–960.
- Ritzwoller, M. H., N. M. Shapiro, M. P. Barmin, and A. L. Levshin, 2002, Global

- surface wave diffraction tomography: *Journal of Geophysical Research: Solid Earth*, **107**, no. B12, ESE 4–1–ESE 4–13.
- Ruigrok, E., X. Campman, and K. Wapenaar, 2011, Extraction of P-wave reflections from microseisms: *Comptes Rendus Geoscience*, **343**, 512–525.
- Ruigrok, E., and K. Wapenaar, 2012, Global-phase seismic interferometry unveils P-wave reflectivity below the Himalayas and Tibet: *Geophysical Research Letters*, **39**, L11303–1–L11303–6.
- Sabra, K. G., P. Gerstoft, P. Roux, W. A. Kuperman, and M. C. Fehler, 2005a, Extracting time-domain Green's function estimates from ambient seismic noise: *Geophysical Research Letters*, **32**, L03310–1–L03310–5.
- , 2005b, Surface wave tomography from microseisms in Southern California: *Geophysical Research Letters*, **32**, L14311–1–L14311–4.
- Sabra, K. G., P. Roux, and W. A. Kuperman, 2005c, Emergence rate of the time-domain Green's function from the ambient noise cross-correlation function: *The Journal of the Acoustical Society of America*, **118**, 3524–3531.
- Sandwell, D. T., 1987, Biharmonic spline interpolation of GEOS-3 and SEASAT altimeter data: *Geophysical Research Letters*, **14**, 139–142.
- Scheimer, J. F., and I. Y. Borg, 1984, Deep seismic sounding with nuclear explosives in the Soviet Union: *Science*, **226**, 787–792.
- Scherbaum, F., 1987, Levinson inversion of earthquake geometry SH-transmission seismograms in the presence of noise: *Geophysical Prospecting*, **35**, 787–802.
- Scholte, J. G., 1942a, On the Stoneley wave equation I: *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen*, **45**, 20–25.
- , 1942b, On the Stoneley wave equation II: *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen*, **45**, 159–164.
- Seats, K. J., J. F. Lawrence, and G. A. Prieto, 2012, Improved ambient noise correlation functions using Welch's method: *Geophysical Journal International*, **188**, 513–523.
- Sens-Schönfelder, C., and U. Wegler, 2006, Passive image interferometry and seasonal variations of seismic velocities at Merapi Volcano, Indonesia: *Geophysical Research Letters*, **33**, L21302–1–L21302–5.

- Shapiro, N. M., and M. Campillo, 2004, Emergence of broadband Rayleigh waves from correlations of the ambient seismic noise: *Geophysical Research Letters*, **31**, L07614–1–L07614–4.
- Shapiro, N. M., M. Campillo, L. Stehly, and M. H. Ritzwoller, 2005, High-resolution surface-wave tomography from ambient seismic noise: *Science*, **307**, 1615–1618.
- Shemeta, J., B. Goodway, M. Willis, and W. Heigl, 2012, Introduction to this special section: Passive seismic and microseismic-Part 2: The Leading Edge, **31**, 1428–1435.
- Sieminski, A., J.-J. Lvque, and E. Debayle, 2004, Can finite-frequency effects be accounted for in ray theory surface wave tomography?: *Geophysical Research Letters*, **31**, L24614–1–L24614–4.
- Singh, S. K., J. Lermo, T. Dominguez, M. Ordaz, J. M. Espinosa, E. Mena, and R. Quass, 1988, The Mexico earthquake of September 19, 1985: A study of amplification of seismic waves in the valley of Mexico with respect to a hill zone site: *Earthquake Spectra*, **4**, 653–673.
- Sirgue, L., O. I. Barkved, J. Dellinger, J. Etgen, U. Albertin, and J. H. Kommedal, 2010, Full waveform inversion: the next leap forward in imaging at Valhall: *First Break*, **28**, 65–70.
- Smith, M. L., and F. A. Dahlen, 1973, The azimuthal dependence of Love and Rayleigh wave propagation in a slightly anisotropic medium: *Journal of Geophysical Research*, **78**, 3321–3333.
- Snieder, R., 2002, *Scattering of surface waves*, in *Scattering: Scattering and inverse scattering in pure and applied science*: Academic Press.
- , 2004, Extracting the Green’s function from the correlation of coda waves: A derivation based on stationary phase: *Physics Review E*, **69**, 046610–1–046620–8.
- , 2007, Extracting the Green’s function of attenuating heterogeneous acoustic media from uncorrelated waves: *J. Acoust. Soc. Am.*, **121**, 2637 – 2643.
- Snieder, R., Y. Fan, E. Slob, and K. Wapenaar, 2010, Equipartitioning is not sufficient for green’s function extraction: *Earthquake Science*, **23**, 403–415.
- Snieder, R., and A. Lomax, 1996, Wavefield smoothing and the effect of rough velocity perturbations on arrival times and amplitudes: *Geophysical Journal International*,

- 125**, 796–812.
- Stewart, P., 2006, Interferometric imaging of ocean bottom noise: 76th Annual International Meeting, Expanded Abstracts, 1555–1559.
- Stockwell, R. G., L. Mansinha, and R. P. Lowe, 1996, Localization of the complex spectrum: the S transform: *IEEE Transactions on Signal Processing*, **44**, 998–1001.
- Tanimoto, T., 2007a, Excitation of microseisms: *Geophysical Research Letters*, **34**, L05308–1–L05308–4.
- , 2007b, Excitation of normal modes by non-linear interaction of ocean waves: *Geophysical Journal International*, **168**, 571–582.
- Telford, W. M., L. P. Geldart, and R. E. Sheriff, 1990, *Applied geophysics*, 2nd ed.: Cambridge University Press.
- Toksöz, M. N., and R. T. Lacoss, 1968, Microseisms: Mode structure and sources: *Science*, **159**, 872–873.
- Trampert, J., and J. Spetzler, 2006, Surface wave tomography: finite-frequency effects lost in the null space: *Geophysical Journal International*, **164**, 394–400.
- Tromp, J., Y. Luo, S. Hanasoge, and D. Peter, 2010, Noise cross-correlation sensitivity kernels: *Geophysical Journal International*, **183**, 791–819.
- Ugalde, A., A. Villaseñor, B. Gaite, S. Casquero, D. Martí, A. Calahorrano, I. Marzán, R. Carbonell, and A. P. Estaún, 2013, Passive seismic monitoring of an experimental CO₂ geological storage site in hontomn (Northern Spain): *Seismological Research Letters*, **84**, 75–84.
- Van Dok, R., J. Gaiser, and G. Byerley, 2003, Near-surface shear-wave birefringence in the North Sea: Ekofisk 2D/4C test: *The Leading Edge*, **22**, 1236–1242.
- Vasconcelos, I., and R. Snieder, 2008a, Interferometry by deconvolution: Part 1 - Theory for acoustic waves and numerical examples: *Geophysics*, **73**, no. 3, S115–S128.
- , 2008b, Interferometry by deconvolution: Part 2 - Theory for elastic waves and application to drill-bit seismic imaging: *Geophysics*, **73**, no. 3, S129–S141.
- Walpole, R. E., R. H. Myers, S. L. Myers, and K. E. Ye, 2011, *Probability and statistics for engineers and scientists*, 9th ed.: Prentice Hall.

- Wapenaar, K., 2003, Synthesis of an inhomogeneous medium from its acoustic transmission response: *Geophysics*, **68**, 1756–1759.
- , 2004, Retrieving the elastodynamic Green’s function of an arbitrary inhomogeneous medium by cross correlation: *Physics Review Letters*, **93**, 254301–1–254301–4.
- , 2007, General representations for wavefield modeling and inversion in geophysics: *Geophysics*, **72**, no. 5, SM5–SM17.
- Wapenaar, K., and J. Fokkema, 2004, Reciprocity theorems for diffusion, flow, and waves: *Journal of Applied Mechanics*, **71**, 145–150.
- , 2006, Green’s function representations for seismic interferometry: *Geophysics*, **71**, no. 4, SI33–SI46.
- , 2010, Erratum: “Reciprocity theorems for diffusion, flow, and waves” [*Journal of Applied Mechanics*, 2004, **71**, p. 145–150]: *Journal of Applied Mechanics*, **77**, 067001–1.
- Wapenaar, K., E. Slob, and R. Snieder, 2006, Unified Green’s function retrieval by cross correlation: *Physics Review Letters*, **97**, 234301–1–234301–4.
- Weather Underground, Inc., 2013, The Weather Channel Companies: <http://www.wunderground.com/>. (last visited: October 15, 2013).
- Weaver, R. L., and O. I. Lobkis, 2001, Ultrasonics without a source: Thermal fluctuation correlations at MHz frequencies.: *Physics Review Letters*, **87**, 134301–1–134301–4.
- , 2002, On the emergence of the Green’s function in the correlations of a diffuse field: pulse-echo using thermal phonons: *Ultrasonics*, **40**, 435–439.
- , 2005, Fluctuations in diffuse field-field correlations and the emergence of the Green’s function in open systems: *The Journal of the Acoustical Society of America*, **117**, 3432–3439.
- Webb, S. C., 2007, The Earth’s ‘hum’ is driven by ocean waves over the continental shelves: *Nature*, **445**, 754–756.
- Webb, S. C., and C. S. Cox, 1986, Observations and modeling of seafloor microseisms: *Journal of Geophysical Research: Solid Earth*, **91**, 7343–7358.
- Wegler, U., H. Nakahara, C. Sens-Schönfelder, M. Korn, and K. Shiomi, 2009, Sudden

- drop of seismic velocity after the 2004 M_w 6.6 mid-Niigata earthquake, Japan, observed with passive image interferometry: *Journal of Geophysical Research: Solid Earth*, **114**, B06305.
- Wegler, U., and C. Sens-Schönfelder, 2007, Fault zone monitoring with passive image interferometry: *Geophysical Journal International*, **168**, 1029–1033.
- Welch, B. L., 1947, The generalization of Student's problem when several different population variances are involved: *Biometrika*, **34**, 28–35.
- Welch, P. D., 1967, The use of fast Fourier transform for the estimation of power spectra: A method based on time averaging over short, modified periodograms: *IEEE Transactions on Audio and Electroacoustics*, **15**, 70–73.
- Wessel, P., and D. Bercovici, 1998, Interpolation with splines in tension: A Green's function approach: *Mathematical Geosciences*, **30**, 77–93.
- Wielandt, E., 1993, Propagation and structural interpretation of non-plane waves: *Geophysical Journal International*, **113**, 45–53.
- Wills, P. B., P. J. Hatchell, and S. J. Bourne, 2008, Time-lapse measurements of shallow horizontal wave velocity over a compacting field: 70th Conference and Exhibition, EAGE, Extended Abstracts, G039.
- Yang, Y., and D. W. Forsyth, 2006, Regional tomographic inversion of the amplitude and phase of Rayleigh waves with 2-D sensitivity kernels: *Geophysical Journal International*, **166**, 1148–1160.
- Yao, H., R. D. Van Der Hilst, and M. V. De Hoop, 2006, Surface-wave array tomography in SE Tibet from ambient seismic noise and two-station analysis - I. Phase velocity maps: *Geophysical Journal International*, **166**, 732–744.
- Zhang, J., P. Gerstoft, and P. M. Shearer, 2009, High-frequency P-wave seismic noise driven by ocean winds: *Geophysical Research Letters*, **36**, L09302–1–L09302–5.
- Zhou, Y., F. A. Dahlen, and G. Nolet, 2004, Three-dimensional sensitivity kernels for surface wave observables: *Geophysical Journal International*, **158**, 142–168.
- Zwartjes, P. M., P. Willis, J. W. de Maag, and P. Hatchell, 2008, Shallow and deep time-lapse effects on Valhall LoFS converted wave data: 70th Conference and Exhibition, EAGE, Extended Abstracts, G040.