Bibliography

Akaike, H., 1973, Information theory and an extension of the maximum likelihood principle: Proc. 2nd Int. Symp. Inform. Theory, suppl. Problems of Control and Inform. Theory: 267–281.

Al-Yahya, K.M., 1989, Velocity analysis by iterative profile migration: Geophysics, **54**, 718–729.

Anderson, T. W., 1963, Asymptotic theory for principal component analysis: Ann. J. Math. Stat., **34**, 122–148.

Bienvenu, G., and Kopp, L., 1983, Optimality of high resolution array processing using the eigensystem approach: IEEE Trans. Acoust. Speech, Signal Processing, **31**, 1235–1248.

Biondi, B.L., and Kostov, C., 1989, High-resolution velocity spectra using eigenstructure methods: Geophysics, **54**, 832–842.

Bishop, T.N., Bube, K.P., Cutler, R.T., Langan, R.T., Love, P.L., Resnick, J.R., Shuey, R.T., Spindler, D.A., and Wyld, H.W., 1985, Tomographic determination of velocity and depth in laterally varying media: Geophysics, **50**, 903–923.

Bois, P., La Porte, M., Lavergne, M., and Thomas, G., 1972, Well-to-well seismic measurements: Geophysics, **37**, 471–480.

Bolondi, G., Loinger, E., and Rocca, F., 1982, Offset continuation of seismic sections: Geophysical Prospecting, **30**, 813–828.

Burg, J. P., 1975, Maximum entropy spectral analysis: Ph.D. thesis, Stanford University.

Capon, J., 1969, High-resolution frequency-wavenumber spectral analysis: IEEE Proceedings, **57**, 1408–1418.

Červený, V., 1987, Ray tracing algorithms in three-dimensional laterally varying layered structures: Seismic Tomography, edited by G. Nolet, Riedel Publishing Co., 99–134.

Claerbout, J.F., 1975, Slant stacks and radial traces: SEP–5.

Claerbout, J. F., 1976, Fundamentals of geophysical data processing: McGraw-Hill Inc., 20-23.

Claerbout, J.F., 1984, Imaging the Earth's interior: Balckwell Scientific Publications Ltd.

Etgen, J.T., 1989, Velocity analysis using prestack migration: applying the linear theory: SEP-**60**, 25-40.

Dix, C.H., 1955, Seismic velocities from surface measurements: Geophysics, **20**, 68–86.

Dudgeon, D.E., and Merserau, R.M., 1984, Multidimensional digital signal processing: Prentice -Hall Inc.

Faye, J.P., and Jeannot, J.P., 1986, Prestack migration velocities from focusing depth analysis: paper presented at the 56th Annual International SEG Meeting, Houston, TX.

Fawcett, J., 1983, I. Three-dimensional ray-tracing and ray-inversion in layered media. II. Inverse scattering and curved ray tomography with applications to seismology: Ph.D. thesis, California Institute of Technology.

Fowler, P., 1988, Seismic velocity estimation using prestack time migration: Ph.D. thesis, Stanford University.

Gardner G.H.F., French, W.S., and Matzuk, T., 1974, Elements of migration and velocity analysis: Geophysics, 39, 811–825.

Gill, P.E., Murray, W., and Wright, M.H., 1981, Practical optimization: Academic Press Inc.

Kaveh, M., and Barabell, A., 1986, The statistical performance of the MUSIC and the minimum-norm algorithms in resolving plane waves in noise: IEEE Trans. Acoust. Speech, Signal Processing, 34, 331–341.

Kostov, C., and Biondi, B., 1987, Improving resolution of slant stacks using beam stacks: paper presented at the 57th Annual International SEG Meeting, New Orleans, LA.

Kostov, C., 1989, Finite-aperture slant-stack transforms: SEP-61, 261–279.

Inoue H.,1986, A least-squares smooth fitting for irregular spaced data: finite element approach using the cubic B-spline basis: Geophysics, 51, 2051–2066.

Ivansson S.,1985, A study of methods for tomographic velocity estimation in the presence of low-velocity zones: Geophysics, 50, 969–988.

Hale, D., 1984, Dip moveouts by Fourier transform: Geophysics, 49, 741–757.

Harlan, B., and Burridge, R., 1983, A tomographic velocity inversion of unstacked data: SEP-37, 1-7.

Harlan, W.S., 1989, Tomographic estimation of seismic velocities from reflected raypaths: paper presented at the 61th Annual International SEG Meeting, Dallas, TX.

Hermont, A.J., 1979, Letter to the editor: Seismic controllable directional reception as practiced in the U.S.S.R.: Geophysics, 44, 1601–1602.

Leger, M., Nguyen, L.L., Carlini, A., and Cornini, S., 1989, Reflection traveltime inversion; a gas detection method: paper presented at the 61th Annual International SEG Meeting, Dallas, TX.

Levin, F.K., 1971, Apparent velocity from dipping interfaces: Geophysics, 36, 510–516.

Luenberger, D.G., 1984, Linear and nonlinear programming (2nd edition): Addison-Wesley Publishing Company Inc. .

Neidell N.S., and Taner, M.T., 1971, Semblance and other coherency measures for multi-channel data: Geophysics, 36, 482–497.

Paige, C.C., and Saunders, M.A., 1982, LSQR: An algorithm for sparse linear equations and sparse least squares: ACM Transactions on Mathematical Software, 8, 43–71.

Pan, N.D., and Gardner, G.H.F., 1985, The p,q algorithm for seismic data analysis: 56th Annual International SEG Meeting, Houston, Texas.

Pisarenko, V. F., 1972, On the estimation of spectra by means of non-linear functions of the covariance matrix: Geophys. J. R. astr. Soc., 28, 511–531.

Rissanen, J., 1978, Modeling by shortest data description: Automatica, 14, 465–471.

Schmidt, R., 1986, Multiple emitter location and signal parameter estimation: IEEE Trans. Antennas Propagat., 34, 276–280.

Sguazzero, P., and Vesnaver, A., 1987, A comparative analysis of algorithms for stacking velocity estimation: in Bernabini, M., Carrion, P., Jacovitti, G., Rocca, F., Treitel, S., Eds., Deconvolution and inversion: Blackwell Scientific Publications, 267-286.

Shan, T. J., Paulraj, A., and Kailath, T., 1987, On smoothed rank profile tests in eigenstructure methods for detection-of-arrival estimation: IEEE Trans. Acoust. Speech, Signal Processing, 35, 1377–1385.

Shan, T. J., Wax, M., and Kailath, T., 1985, On spatial smoothing for direction-of-arrival estimation of coherent signals: IEEE Trans. Acoust. Speech, Signal Processing, 33, 806–811.

Stork, C., 1988, Travel time tomography velocity analysis of seismic reflection data: Ph.D. thesis, California Institute of Technology.

Sword, C.H., 1987, Tomographic determination of interval velocities from reflection seismic data: The method of controlled directional reception: Ph.D. thesis, Stanford University.

Sword, C.H., 1988, Interval velocity analysis using s-g downward-continued data: SEP-59, 151-161.

Taner, M.T., and F. Koehler 1969, Velocity spectra – digital computers derivation and applications of velocity functions: Geophysics, 34, 859–881.

Thorson, J.R., 1985, Velocity stack and slant-stack inversion methods: Ph.D. thesis, Stanford University.

Toldi, J.L., 1985, Velocity analysis without picking: Ph.D. thesis, Stanford University.

Trorey, A.W., The information content of Rieber sonogram: Geophysics, 26, 761–764.

Van Trier, J., 1988, Vectorized initial-value ray tracing for arbitrary velocity models: SEP-57, 279–287.

Van Trier, J., 1989, Structural-velocity analysis using migrated seismic data: SEP-60, 41–65.

Wang, H., and Kaveh, M., 1985, Coherent signal-subspace processing for the detection and estimation of angles of arrival of multiple wide-band sources: IEEE Trans. Acoust. Speech, Signal Processing, 33, 823–831.

Wang, H., and Kaveh, M., 1986, On the performance of signal-subspace processing Part 1: Narrow band systems: IEEE Trans. Acoust. Speech, Signal Processing, 34, 1201–1209.

Wax, M., and Kailath, T., 1985, Detection of signals by information theory criteria: IEEE Trans. Acoust. Speech, Signal Processing, 33, 387–392.

Wax, M., Shan, T. J., and Kailath, T., 1984, Spatio-temporal spectral analysis by eigenstructure methods: IEEE Trans. Acoust. Speech, Signal Processing, 32, 817–827.

Woodward, M.J., 1989, Wave-equation tomograpy: Ph.D. thesis, Stanford University.