Appendix A

VISCOELASTIC MODELS

In the literature on viscoelasticity, it is common to describe the behavior of materials through networks of springs and dashpots, often characterized by either relaxation or retardation spectra. It has been claimed that only attenuation models given in terms of such networks are physically realizable, and models derived by other means have been termed "ad hoc" [e.g. Minster, 1978a].

While it is possible to give physical models for attenuation that can not be modelled by spring-dashpot networks, [e.g. Nur and Mavko, 1979], the formulation of viscoelastic models in terms of relaxation spectra is often useful. Gross [1953] has summarized the relationships between the various functions that have been used to characterize viscoelastic materials. In his notation the retardation frequency density function, N(s), is related to the creep function according to

$$\Psi(t) = -\int_0^\infty N(s)e^{-ts}\,ds \qquad \text{(A-1)}$$

and the relaxation frequency density function, $\bar{N}(s)$, is related to the relaxation function according to

$$\bar{\Psi}(t) = \int_0^\infty \bar{N}(s)e^{-ts}\,ds \qquad \text{(A-2)}$$

Kanamori and Anderson [1977] used a a relaxation function of the form

$$\bar{N}(s) = As^{-1} \qquad s_1 < s < s_2 \qquad \text{(A-3)}$$

$$\bar{N}(s) = 0 \qquad \text{elsewhere}$$

to derive an absorption band NCQ model. The constant Q model may be specified

by

$$\bar{N}(s) = \frac{M_o \sin(2\pi\gamma)}{\pi} (st_o)^{2\gamma} s^{-1} \qquad \text{(A-4)}$$

Using the definition of the gamma function and the identity

$$\Gamma(z)\Gamma(1-z) = \frac{\pi}{\sin(\pi z)} \qquad \text{(A-5)}$$

the constant Q relaxation function (2.20) is readily obtained. Since the constant Q model is mathematically a special case of the power law models of Strick [1967] and Azimi et al. [1968], it follows that those models also have spring-dashpot representations.

Appendix B

LISTING OF FINITE-DIFFERENCE PROGRAMS

```
c       The programs listed here were used to obtain the results
c       shown in figure 6.8. These programs should be portable,
c     except for the input-output routines.
c
c     Finite-difference modeling program, that
c     uses the monochromatic wave equation:
c
c        1
c      ---- Q     +    Q     +     2 m i  Q        =   0
c      2 m    xxz        xx                 z
c
c     Velocity, anelasticity and reflectivity may be
c     arbitrary functions of x and z.
c     An improved approximation for the second derivative
c     is used (variable beta), see FGDP, p. 222.
c     A zero-offset time section is obtained by inversely
c     Fourier transforming the output of this program.
c     Dip filtering is included (see FGDP, p. 225).
c
c        Einar Kjartansson, September 1978.
c
      complex wave(64,64),t(64),d(64),a(64),b(64),e(64),f(64)
      complex aa(64),bb(64)
      complex cv0(64), cexp,cmplx
      complex m,shift,cc3,cc1,rr3,rr1,bab,ra,dipflt
      complex abp(64),cbp(64)
      real q1(64),vel(64),ref(64),gam(64)
      equivalence (a(2),abp(1))  ,  (a(1),cbp(2))
c
c     Read in parameters and set constants.
c
      call rdparm(nom,nx,nz,dom,dx,dz,vis)
      rr1 = (0.,.5)/dz
      rr3 = (0.,2.)*dx*dx/dz
      dipflt = (0.,1.)*vis
      beta = .14
c
c     Clear upgoing wave field.
c
      do 20 iom = 1,nom
         do 20 ix = 1,nx
20          wave (ix,iom) = (0.,0.)
c
c     Take the wave field up through the structure.
c
      do 100 izinv = 1,nz
         iz = nz - izinv + 1
c
```

```
c       Get velocity, 1/Q and reflectivity.
c
        call rdvst(iz,nx,vel)
        call rdqst(iz,nx,ql)
        call rdrst(iz,nx,ref)
        do 40 ix = 1,nx
           gampi =  atan(ql(ix))
           cv0(ix) = cexp((0.,-.5)*gampi)/vel(ix)
40         gam(ix) = gampi/3.141592654
        do 100 iom = 2,nom
           om = (iom-1)*dom
c
c          Apply time shift and
c          compute coefficients.
c
           do 50 ix = 1,nx
              m = -om**(1.-gam(ix))*cv0(ix)
              shift = cexp((0.,1.)*m*dz)
              t(ix) = shift*(wave(ix,iom)+ref(ix))
           m = m + dipflt/vel(ix)
              cc3 = rr3*m
              cc1 = rr1/m + beta*cc3
              aa(ix)= (.5,0.) - cc1
              a(ix) = aa(ix)- (1.,0.)
              bb(ix)  = cc1 + cc1 - (1.,0.) - cc3
50            b(ix) = bb(ix) + (2.,0.)
c
c          Absorbing side condition.
c
           bab = m*cmplx(0.,dx*.25)
           ra = ((1.,0.)+bab) / ((1.,0.)-bab)
           b(1) = b(1) + ra*a(1)
           bb(1) = bb(1) + ra*aa(1)
           b(nx) = b(nx) + ra*a(nx)
           bb(nx) = bb(nx) + ra*aa(nx)
c
c          Solve Crank-Nicolson matrix equation.
c
           d(1) = bb(1)*t(1) + aa(2)*t(2)
              d(nx) = bb(nx)*t(nx) + aa(nx-1)*t(nx-1)
           do 70 ix = 2, nx-1
70            d(ix) = bb(ix)*t(ix)+aa(ix-1)*t(ix-1)+aa(ix+1)*t(ix+1)
           call cvtri(abp,b,cbp,nx,t,d,e,f)
           do 100 ix = 1,nx
100           wave(ix,iom) = t(ix)
c
c     Output the result.
c
      call wrwave(nx,nom,wave)
      stop
      end
```

```
c
c
c     Finite-difference migration program, that
c     uses the monochromatic wave equation:
c
c
c        i
c      ---- Q      +     Q      +      2 m i  Q          =    0
c      2 m     xxz          xx                   z
c
c
c     Velocity may be an arbitrary function of x and z.
c     Anelasticity is not included in this program.
c     An improved approximation for the second derivative
c     is used (variable beta), see FGDP, p. 222.
c     The input to this program is the Fourier tranform of a
c     zero-offset section.
c     Dip filtering is included (see FGDP, p. 225).
c
c        Einar Kjartansson, September 1978.
c
c     Bullet proof version, E.K. april 1979.
c
      complex wave(64,64),t(64),d(64),a(64),b(64),e(64),f(64)
      complex aa(64),bb(64),ref(64)
      complex  cexp,cmplx
      complex shift,cc3,cc1,rr3,rr1,bab,ra,dipflt
      complex abp(64),cbp(64)
      equivalence (a(2),abp(1)) , (a(1),cbp(2))
      real m,vel(64)
c
c     Read in parameters and set constants.
c
      call rdparm(nom,nx,nz,dom,dx,dz,vis)
      rr1 = (0.,.5)/dz
      rr3 = (0.,2.)*dx*dx/dz
      dipflt = (0.,1.)*vis
      beta = .14
c
c     Read the Fourier transform of the surface wave field.
c
      call rdwave(nx,nom,wave)
c
c     Continue the wave field down.
c
      do 150 iz = 1,nz
c
c        Get the velocity and clear the reflector sum.
c        The velocity is taken to be negative in migration.
c
         call rdvst(iz,nx,vel)
         do 40 ix = 1,nx
40          ref(ix) = (0.,0.)
         do 100 iom = 2,nom
```

```
            om = (iom-1)*dom
c
c           Apply time shift and
c           compute coefficients.
c
            do 50 ix = 1,nx
               m = om/vel(ix)
               shift = cexp((0.,1.)*m*dz)
               t(ix) = shift*wave(ix,iom)
                  m = m + dipflt/vel(ix)
               cc3 = rr3*m
               cc1 = rr1/m + beta*cc3
               aa(ix)= (.5,0.) - cc1
               a(ix) = aa(ix)- (1.,0.)
               bb(ix)  = cc1 + cc1 - (1.,0.) - cc3
50             b(ix) = bb(ix) + (2.,0.)
c
c           Absorbing side condition.
c
            bab = m*cmplx(0.,dx*.25)
            ra = ((1.,0.)+bab) / ((1.,0.)-bab)
            b(1) = b(1) + ra*a(1)
            bb(1) = bb(1) + ra*aa(1)
            b(nx) = b(nx) + ra*a(nx)
            bb(nx) = bb(nx) + ra*aa(nx)
c
c           Solve Crank-Nicolson matrix equation.
c
            d(1) = bb(1)*t(1) + aa(2)*t(2)
            d(nx) = bb(nx)*t(nx) + aa(nx-1)*t(nx-1)
            do 70 ix = 2, nx-1
70          d(ix) = bb(ix)*t(ix) + aa(ix-1)*t(ix-1) + aa(ix+1)*t(ix+1)
            call cvtri(abp,b,cbp,nx,t,d,e,f)
            do 100 ix = 1,nx
c
c              Sum to get wave field at t = 0.
c
               ref(ix) = ref(ix) + t(ix)
100            wave(ix,iom) = t(ix)
         do 110 ix = 1,nx
c
c           Subtract wave field at t = 0 to remove wraparound.
c
            ref(ix) = ref(ix)/nom
            do 110 iom = 1,nom
110            wave(ix,iom) = wave(ix,iom) - ref(ix)
150      call wrref(iz,nx,ref)
      stop
      end
```

```
      subroutine rdparm(nom,nx,nz,dom,dx,dz,vis)
c           Suboutine to generate parameters.
      nom = 64
      nx = 64
      nz = 64
      dt = .06
      dom = 2.*3.141592654/(nom*dt)
      dx = .1
      dz = .06
      vis = dom
      return
      end
      subroutine rdvst(iz,nx,vel)
c           Subroutine to generate velocity model
      real vel(nx)
      do 10 ix = 1,nx
10    vel(ix) = 1.
      do 20 ix = 1,iz
20    vel(ix) = 2.
      return
      end
      subroutine rdqst(iz,nx,ql)
c           Subroutine to generate Q model
      real ql(nx)
      do 10 ix = 1,nx
10    ql(ix) = 1./20.
      return
      end
      subroutine rdrst(iz,nx,ref)
c           Subroutine to generate reflector structure.
      real ref(nx)
      if (iz .ne. 48 ) goto 20
      do 10 ix = 1,nx
      xx = (nx + 1.)*.5 - ix
10    ref(ix) = exp(-1.*xx*xx)
      return
20    do 30 ix = 1,nx
30    ref(ix) = 0.
      return
      end
      subroutine rdwave(nx,nom,wave)
c           Subroutine to read in the Fourier transformed wave field.
      complex wave(64,64)
      integer uopen, uread
      logical*1 fn(100)
      call fname('.frq',fn)
      if = uopen(fn,0)
      do 10 iom = 1,nom
10    ir = uread(if,wave(1,iom),512)
      return
      end
      subroutine wrwave(nx,nom,wave)
c           Subroutine to write on disk the wave field.
      complex wave(64,80)
```

```
      integer uwrite,ucreat
      logical*1 fn(100)
      call fname('.frq',fn)
      if = ucreat(fn,"0664)
      do 10 iom = 1,nom
10    ir = uwrite(if,wave(1,iom),512)
      return
      end
      subroutine wrref(iz,nx,ref)
c          Subroutine to write reflector structure on disk.
      complex ref(nx)
      real rref(64)
      logical*1 fn(100)
      integer ucreat,uwrite
      if (iflag .eq. 1) goto 20
      iflag = 1
      call fname('.rst',fn)
      if = ucreat(fn,"0644)
20    do 30 ix = 1,nx
30    rref(ix) = ref(ix)
      nw = uwrite(if,rref,nx*4)
      return
      end
      subroutine cvtri(a,b,c,n,t,d,e,f)
c     Solve a tridiagonal matrix equation with
c     complex and variable coefficients
      implicit complex ( a-h,o-z)
      dimension t(n),d(n),f(n),e(n),a(n),b(n),c(n)
      n1 = n-1
      e(1) = -a(1)/b(1)
      f(1) = d(1)/b(1)
      do 10 i = 2,n1
      den = b(i)+c(i)*e(i-1)
      e(i) = -a(i)/den
10    f(i) = (d(i) - c(i)*f(i-1))/den
      t(n) = (d(n)- c(n)*f(n1))/(b(n)+c(n)*e(n1))
      do 20 j = 1,n1
      i = n-j
20    t(i) = e(i) *t(i+1) + f(i)
      return
      end
```

REFERENCES

Anderson, D.L., H. Kanamori, R.S. Hart and H.-P. Liu, The earth as a seismic absorption band, ***Science***, ***196***, 1104-1106, 1977.

Armstrong, B.H. Background internal friction of heterogenous solids (abstract), ***Geophysics***, ***44***, 334, 1979.

Azimi, S.A., A.V. Kalinin, V.V. Kalinin and B.L. Pivovarov, Impulse and transient characteristics of media with linear and quadratic absorption laws, ***Phys. Solid Earth (Engl. Ed.)***, ***1968***, 88-93, 1968.

Balch A.H. and F.R. Smolka, Plane and spherical transient Voigt waves, ***Geophysics***, ***35***, 745-761, 1970.

Bland, D.R., ***The Theory of Linear Viscoelasticity***, Pergamon Press, New York, 1960.

Bless, S.J. and T.J. Ahrens, Measurements of the longitudinal modulus of Pierre clay shale at varying strain rates, ***Geophysics***, ***42***, 34-40, 1977.

Boltzmann, L., Zur Theorie der elastiche Nachwirkung, ***Annalen der Physik und Chemie, Erganzung***, ***7***, 624-654, 1876.

Boore, D.M., K.L. Larner and K. Aki, Comparison of two independent methods for the solution of wave-scattering problems: response of a sedimentary basin to vertiacally incident SH waves, ***J. Geophys. Res.***, ***76***, 558-569, 1971.

Born, W.T., The attenuation constant of earth materials, ***Geophysics***, ***6***, 132-148, 1941.

Bracewell, R., ***The Fourier Transform and its Applications***, 381 pp., McGraw-Hill, New York, 1965.

Brennan, B.J. and F.D. Stacey, Frequency dependence of elasticity of rock -- test of seismic velocity dispersion, ***Nature***, ***268***, 220-222, 1977.

Brown, R.J.S., and J. Korringa, On the dependence of the elastic prproperties of a porous rock on the compressibility of the pore fluid, ***Geophysics***, ***40***, 608-616, 1975.

Carmichael, I.S.E., J. Nicholls, F.J. Sperra, B.J. Wood, and S. A. Nelson, High-temperature properies of silicate liquids: applications to the equilibration and ascent of basic magma, ***Phil. Trans. R. Soc. Lond. A.***, ***286***, 373-421, 1977.

Claerbout, J.F., Coarse grid calculations of waves in inhomogeneous media with application to delineation of complicated seismic structure, ***Geophysics***,

35,, 407-418, 1970.

Claerbout J.F., and F. Muir, Robust modeling with erratic data, ***Geophysics***, *38*,, 826-844, 1973.

Claerbout, J.F., ***Fundamentals of Geophysical Data Processing***, McGraw-Hill, New York, 1976.

Clark, G.B. and G.B. Rupert, Plane and spherical waves in a Voigt medium, ***J. Geophys. Res.***, *71*, 2047-2053, 1966.

Clark, S.P., ***Handbook of Physical Constants***, Geol. Soc. Am. mem 97, New York, 1966.

Collins, F. and C.C. Lee, Seismic wave attenuation characteristics from pulse experiments, ***Geophysics***, *21*, 16-40, 1956.

Collins, F., Plane compressional Voigt waves, ***Geophysics***, *25*, 483-504, 1960.

Dines, K.A. and Lytle, R.J., Computerized gephysical tomography, ***Proceedings of the IEEE***, *67*, 1065-1073, 1979.

Dobrin, M.B., ***Introduction to Geophysical Prospecting***, 3rd edition, McGraw-Hill, New York, 630p, 1976.

Domenico, S.N., Effect of water saturation on seismic reflectivity of sand reservoirs encased in shale, ***Geophysics***, *39*, 759769, 1974.

Domenico, S.N., Effect of brine-gas mixture on velocity in an unconsolidated sand reservoir, ***Geophysics***, *41*, 882-894, 1976.

Dutta, N.C., and H. Ode, Attenuation and dispersion of compressional waves in fluid-filled rocks with partial gas saturation (White model) - Part I: Biot theroy, ***Geophysics***, *44*, 1777-1788, 1979.

Eshelby, J.D., The determination of the elastic field of an ellipsoidal inclusion, and related problems, ***Proc. Roy. Soc., Ser. A***, *241*, 376-396, 1957.

Frisillo, A.L., and T.J. Stewart, Effect of partial gas/brine saturations on ultrasonic absorption in sandstone (abstract), ***Stanford University publications in Geological Sciences***, *17*, 24, 1979.

Futterman, W.I., Dispersive body waves, ***J. Geophys. Res.***, *67*, 5279-5291, 1962.

Gassmann, F., Elastic waves through a packing of spheres, ***Geophysics***, *16*, 673-685, 1951b

Gassmann, F., Uber die Elastizitat poroser Medien, ***Vierteljarhsschrift der Naturforsechenden Gesellshaft in Zurich***, *96*,, 1-21, 1951a.

Gladwin, M.T. and F.D. Stacey, Anelastic degradation of acoustic pulses in

rock, *Phys Earth Planet. Int.*, *8*, 332-336, 1974.

Gordon, R.B. and L.A. Davis, Velocity and attenuation of seismic waves in imperfectly elastic rock, *J. Geophys. Res.*, *73*, 3917-3935, 1968.

Gretener, P.E.F., An analysis of the observed time discrepancies between continuous and conventional well velocity surveys, *Geophysics*, *26*, 1-11, 1961.

Gross, B., *Matematical Structure of the Theories of Viscoelasticity*, 74 pp.,Hermann, Paris, 1953.

Hanks, T.C., Earthquake stress drops, ambient tectionc stresses and stresses tat drive plate motions, *Pure Appl. Geophys.*, *115*, 441-458, 1977.

Hill, D.P., Structure of Lomg Valey Caldera, California, from a seismic refraction experiment, *J.Geophys. Res.*, *81*, 745-753, 1976.

Jaramillo, E.E. and J.D. Colvin, Transient waves in a Voigt medium, *J. Geophys. Res.*, *75*, 5767-5773, 1970.

Johnston, D.H. and N. Toksoz, Attenuation of seismic waves in dry and satruated rocks (abstract), *Geophysics*, *42* 1511, 1977.

Jonscher, A.K., The "universal" dielectic response, *Nature*, *267*, 673-679,1977.

Jordan, T.H. and S.A. Sipkin, Estimation of the attenuation operator for multiple ScS waves, *Geophys. Res. Lett.*, *4*, 167-170, 1977.

Kanamori, H. and D.L. Anderson, Importance of physical dispersion in surface wave and free oscillation problems: review, *Rev. Geophys. Space. Phys.*, *15*, 105-112, 1977.

Keenan, J.H., F.G. Keyes, P.G. Hill, and J. G. Moore, *Steam Tables*, John Wiley, New York, 1969.

Kelly, D.C., *Thermodynamics and Statistical Physics*, p. 142-143, Academic Press, New York, 1973.

Kjartansson, E., Constant Q - wave propagation and attenuation, *J.Geophys. Res.*, *84*, 4737-4748, 1979.

Kjartansson, E., Thermal relaxation, an attenuation mechanism for porous rocks (abstract), *EOS Trans. AGU*, *59*, 324, 1978.

Knopoff, L., Q, *Rev. Geophys. Space Phys.*, *2*, 625-660, 1964.

Kogan, S.Y., A brief review of seismic wave absorption theories II *Phys. Solid Earth (Engl. Ed.)*, *1966*, 678-683, 1966.

Kolsky, H., The propagation of stress pulses in viscoelastic solids, *Phyl.*

Mag., *1*, 693-710, 1956.

Korringa, J., R.J. Brown, D.D. Thompson and R.J. Runge, Self-consistent imbedding and the ellipsoidal model for porous rocks, *J.Geophys. Res.*, *84*, 5591-5598, 1979.

Liu, H.-P., D.L. Anderson and H. Kanamori, Velocity dispersion due to anelasticity; implications for seismology and mantle composition, *Geophys. J. Roy. Astron. Soc.*, *47*, 41-58, 1976.

Lockner, D.A., J.B. Walsh and J.D. Byerlee, Changes in seismic velocity and attenuation during defromation of grainite, *J. Geophys. Res.*, *82*, 5374-5378, 1977.

Lomnitz, C., Creep measurements in igneous rocks, *J. Geol.*, *64*, 473-479, 1956.

Lomnitz, C., Linear dissipation in solids, *J. Appl. Phys.*, *28*, 201-205, 1957.

Lomnitz, C., Application of the logarithmic creep law to stress wave attenuation in the solid earth, *J. Geophys. Res. 67*, 365-368, 1962.

Lundquist, G., Evidence for a frequency dependent Q (abstract), *EOS Trans. AGU*, *58*, 1182, 1977.

Lynn, H.B, Migration and interpretation of deep crustal seismic reflection data, Ph.D. dissertation, Stanford University, Stanford, Calif., 1979.

Lynn, H.B., L. Gagnon, E., Kjartansson, and D. Seeburger, Migrations and interpretations in latrally varying media, Wind River Thrust, Wyoming, paper presented at 49th annual meeting of the SEG, New Orleans, Nov 6th, 1979.

Majer, E.L., and T.V. McEvilly, Seismological investigations at the Geysers geothermal field, *Geophysics*, *44*, 246-269, 1979.

Mavko, G.M., Frictional attenuation: an inherent amplitude dependence, *J. Geophys. Res.*, *84*, 4769-4776, 1979.

Mavko, G.M., and A. Nur, The effect of nonelliptical cracks on the compressibility of rocks, *J.Geophys. Res.*, *83*, 4459-4468, 1978.

Mavko, G.M., and A. Nur, Wave attenuation in partially saturated rocks, *Geophysics*, *44*, 161-178, 1979.

Mavko, G.M., E. Kjartansson and K. Winkler, Seismic wave attenuation in rocks, *Rev. of Geophys. and Space Phys.*, *17*, 1155-1164, 1979.

Mavko, G.M., Velocity and attenuation in partially molten rocks, submitted to *J. Geophys. Res.* 1979.

McDonal, F.J., F.A. Angona, R.L. Mills, R.L. Sengbush, R.G. van Nostrand and J.E. White, Attenuation of shear and compressional waves in Pierre shale,

Geophysics, *23*, 421-439, 1958.

McKavanagh, B.M. and F.D. Stacey, Mechanical hysteresis in rocks at low strain amplitudes and seismic frequencies, *Phys. Earth Plan. Int.*, *8*, 246-250, 1974.

Mindlin, R.D., and H. Deresiewicz, Elastic spheres in contact under varying oblique forces, *J. Appl. Mech.*, *20*, 327-344, 1953.

Minster J.B., Transient and impulse responses of a one-dimensional linearly attenuating medium - I. Analytical results, *Geophys. J. Roy. Astron. Soc.*, *52*, 479-501, 1978a.

Minster J.B., Transient and impulse responses of a one-dimensional linearly attenuating medium - II. A parametric study, *Geophys. J. Roy. Astron. Soc.*, *52*, 503-524, 1978b.

Munasinghe, M. and G.W. Farnell, Finite difference analysis of Rayleigh wave scattering at vertical discontinuities, *J. Geophys. Res.*, *78*, 2454-2466, 1973.

Nur, A., and G. Simmons, The effect of saturation on velocity in low porosity rocks, *Earth. Plan. Sci. Lett.*, *7*, 183-193, 1969.

O'Connell, R.J. and B. Budiansky, Measures of dissipation in viscoelastic media, *Geophys. Res. Lett.*, *5*, 5-8 1978.

O'Connell, R.J., and B.Budinasky, Seismic velocities in dry and saturated cracked solids, *J.Geophys. Res.*, *79*, 5412-5426, 1974.

Pandit, B.I. and J.C. Savage, An experimnetal test of Lomnitz's theory of internal friction in rocks, *J. Geophys. Res.*, *78*, 6097-6099, 1973.

Pandit, B.I., and C.C. Tozer, Anamalous propagation of elastic energy within the moon, *Nature*, *226*, 335, 1970.

Reiter, L. and M.E. Monfort, Variataions in initial pulse width as a function of anelastic properies and surface geology in central California, *Bull. Seismol. Soc. Am.*, *67*, 1319-1338, 1977.

Ricker, N., The form and laws of propagation of seismic wavelets, *Geophysics*, *18*, 10-40, 1953.

Ricker, N., *Transient Waves in Visco-Elastic Media*, 278 pp., Elsevier, Amsterdam, 1977.

Robinson, J.C., A technique for the continous representation of dispersion in seismic data, *Geophysics*, *44*, 1345-1251, 1979.

Savage, J.C., Attenuation of elastic waves in granular mediums, *J. Geophys.*

Res., *70*, 3935-3942, 1965.

Savage, J.C., Thermoelastic attenuation of elastic waves by cracks, *J. Geophys. Res.*, *71*, 3929-3938, 1966.

Savage, J.C., Comments on paper by R.B. Gordan and L.A. Davis, "Velocity and attenuation of seismic waves in imperfectly elastic rock", *J. Geophys. Res.*, *74*, 726-728, 1969.

Savage, J.C. and H.S. Hasegawa, Evidence for a linear attenuation mechanism, *Geophysics*, *32*, 1003-1014, 1967.

Schoenberger, M. and F.K. Levin, Apparent atteunuation due to intrabed multiples, II, *Geophysics*, *43*, 730-737, 1978.

Sheriff, R.E., Factors affecting seismic amplitudes, *Geophys. Pros.*, *23*, 125-138, 1975.

Simmons, G. and W.F. Brace, Comparison of static and dynamic measurements of compressibility of rocks, *J. Geophys. Res.*, *70*, 5649-5656, 1965.

Strick, E., The determination of Q, dynamic viscosity and creep curves from wave propagation measurements, *Geophys. J. Roy. Astron. Soc.*, *13*, 197-218, 1967.

Strick, E., A predicted pedestal effect for pulse propagation in constant-Q solids, *Geophysics*, *35*, 387-403, 1970.

Strick, E., An explanation of observed time discrepancies beween continuous and conventional well velocity surveys, *Geophysics*, *36*, 285-295, 1971.

Tittmann, B.R., Intermal friction measurements and their implications in seismic Q structure models of the earth's crus, in *The Earth's Crust*, Geophys. Monog. Series, Vol. 20, ed. by J.Heacock, 197-213, 1978.

Tittmann, B.R., M. Abdel-Gawad, and R.M. Housley, Elastic velocity and Q measurements on Apollo 12, 14, 15 rocks, *Proc. Lunar Sci. Conf. 3rd*, 2565-2575, 1972.

Vaisnys, J.R., Propgataion of acoustic waves through a system undergoing phase transformations, *J. Geophys. Res.* , *73*, 7675-7683, 1968.

Voigt, W., Uber innere Ribung fester Korper, insbesondere der Metalle, *Annalen der Physik und Chemie, Neue Folge*, *47*, 671-693, 1892.

Walsh, J.B., Seismic wave attenuation in rock due to friction, *J. Geophys. Res.*, *71*., 2591-2599, 1966.

Walsh, J.B., The effect of cracks on the compressibility of rock, *J. Geophys. Res.*, *70*, 381-389, 1965.

Weast, R.C. ed., *Handbook of Chemistry and Physics*, 46th edition, The Chemical

Rubber Company, Cleveland, 1966.

White, J.E., Computed seismic speeds and attenuation in rocks with partial gas saturation, ***Geophysics***, ***40***, 224-232, 1975.

Wiggins, R., K. Larner and R.,D. Wisecup, Residual statics analysis as a general linear inverse problem, ***Geophysics***, ***41***, 922-938, 1976.

Winkler, K. and A. Nur, Pore fluids and seismic attenuation in rocks, ***Geophys. Res. Lett.***, ***6***, 1-4, 1979.

Winkler, K., A. Nur and M. Gladwin, Friction and seismic attenuation in rocks, ***Nature***, ***277***, 528-531, 1979.

Winkler, K., The effects of pore fluids and frictional sliding on seismic attenuation, Ph.D. dissertation, 188pp., Stanford Univ., Stanford, Calif., 1979.

Wong, T.-F., and W.F. Brace, Thermal expansion of rocks: some measurements at high pressure, ***Tectonophysics***, ***57***, 95-117, 1979.

Zener, C.M., ***Elasticity and Anelasticity of Metals***, Univ. of Chicago Press, 1948.