

Testing SEG bibliography from 5001 to 6001

Sergey Fomel

January 13, 2004

References

- Acosta, J. E., and Worthington, M. H., 1983, A borehole magnetometric resistivity experiment: *Geophys. Prosp.*, **31**, 800–809.
- Acworth, R. I., and Griffiths, D. H., 1985, Simple data-processing of tripotential apparent resistivity measurements as an aid to the interpretation of subsurface structure: *Geophys. Prosp.*, **33**, 861–887.
- Adam, A., 1984, Fractures as conducting dykes and corresponding two-dimensional models: *Geophys. Prosp.*, **32**, 543–553.
- , 1985, Reply to comments on 'Fractures as conducting dykes and corresponding two-dimensional models', by Adam, A. (GPR-32-04-0543-0553): *Geophys. Prosp.*, **33**, 891–894.
- Adams, W. M., 1978, A triggering digital seismograph utilizing micro-processor with memory for preserving first-motion information: *Geophys. Prosp.*, **26**, 433–441.
- Agarwal, B. N. P., and Singh, J., 1977, A comparative study of the Shortening operators used in various data-processing techniques in gravity interpretation: *Geophys. Prosp.*, **25**, 1–12.
- Agarwal, B. N. P., and Sivaji, C., 1992, Separation of regional and residual anomalies by least-squares orthogonal polynomial and relaxation techniques: A performance evaluation: *Geophys. Prosp.*, **40**, 143–156.
- Al-Chalabi, M., 1992, When 'Least-squares' squares least: *Geophys. Prosp.*, **40**, 359–378.
- Al-Yahya, K. M., 1991, Application of the partial Karhunen-Loeve transform to suppress random noise in seismic sections: *Geophys. Prosp.*, **39**, 77–94.
- Albright, J. N., and Johnson, P. A., 1990, Cross-borehole observation of mode conversion from borehole Stoneley waves to channel waves at a coal layer: *Geophys. Prosp.*, **38**, 607–620.

- Aldridge, D. F., 1992, Comments on 'Conversion points and traveltimes of converted waves in parallel dipping layers' by Gisa Tessmer and Alfred Behle (GPR-39-3-387-405): *Geophys. Prosp.*, **40**, 101–103.
- Alessandrello, E., Bichara, M., and Lakshmanan, J., 1983, Automatic three-layer three-dimensional deconvolution of the Pays de Bray anticline: *Geophys. Prosp.*, **31**, 608–626.
- Alfano, L., 1979, Presidential address - Unity in our profession: *Geophys. Prosp.*, **27**, 499–506.
- , 1980, Dipole-dipole deep geoelectric soundings over geological structures: *Geophys. Prosp.*, **28**, 283–296.
- Almossawi, H. I. H., 1988a, Physical properties of synthetic sandstone rocks: *Geophys. Prosp.*, **36**, 689–699.
- , 1988b, Seismic modelling - High-frequency range: *Geophys. Prosp.*, **36**, 719–732.
- , 1988c, Ultrasonic spectroscopy in rocks - An experimental study of highly porous synthetic sandstones: *Geophys. Prosp.*, **36**, 700–718.
- Alumbaugh, D. L., and Morrison, H. F., 1995, Monitoring subsurface changes over time with cross-well electromagnetic tomography: *Geophys. Prosp.*, **43**, 873–902.
- Ameely, L., Edelmann, H. A. K., and Fertig, J., 1985, How do shear wave events affect normal P-wave records: *Geophys. Prosp.*, **33**, 201–211.
- Ameely, L., Krey, T., Muhtadie, F., Rau, H. F., and Rist, H., 1983, Migration in the presence of a rugged interface with high-velocity contrast: *Geophys. Prosp.*, **31**, 561–573.
- Aminzadeh, F., 1982, Comment on 'Synthetic seismograms at non-vertical incidence', by Douze, E. J. (GPR-27-03-0564-0575): *Geophys. Prosp.*, **30**, 232–234.
- , 1984, Derivation of layer parameters of an elastic medium from reflection coefficient matrices: *Geophys. Prosp.*, **32**, 819–827.
- Aminzadeh, F., and Mendel, J. M., 1980, On the Bremmer-series decomposition - Equivalence between two different approaches: *Geophys. Prosp.*, **28**, 71–84.
- , 1981, Filter design for suppression of surface multiples in a non-normal incidence seismogram: *Geophys. Prosp.*, **29**, 835–852.
- de Amorim, W. N., Hubral, P., and Tygel, M., 1987, Computing field statics with the help of seismic tomography: *Geophys. Prosp.*, **35**, 907–919.
- Amundsen, L., Arntsen, B., and Mittet, R., 1993, Depth imaging of offset vertical seismic profile data: *Geophys. Prosp.*, **41**, 1009–1032.
- Andersen, F. H., and Pedersen, L. B., 1979, Some relations between potential fields and the strength and center of their sources: *Geophys. Prosp.*, **27**, 761–774.

- Anderson, R. G., and McMechan, G. A., 1990, Weighted stacking of seismic data using amplitude-decay rates and noise amplitudes: *Geophys. Prosp.*, **38**, 365–380.
- Anderson, W. L., 1991, Comment on 'Optimized fast Hankel transform filters' by Niels Boie Christensen (GPR-38-5-545-568): *Geophys. Prosp.*, **39**, 445–450.
- Angeleri, G. P., 1983, A statistical approach to the extraction of the seismic propagating wavelet: *Geophys. Prosp.*, **31**, 726–747.
- Angeleri, G. P., Burrascano, P., Martinelli, G., and Orlandi, G., 1990, Shear-wave velocity estimation from full sonic waveform by the extended-lattice predictor: *Geophys. Prosp.*, **38**, 449–464.
- Angeleri, G. P., and Loinger, E., 1984, Phase distortion due to absorption in seismograms and vertical-seismic-profiles: *Geophys. Prosp.*, **32**, 406–424.
- Apparao, A., 1979, Model tank experiments on resolution of resistivity anomalies obtained over buried conducting dykes - Inline and broadside profiling: *Geophys. Prosp.*, **27**, 835–847.
- , 1981, Reply to comments on 'A theorem for direct-current regimes and some of its consequences', by Roy, A. (GPR-26-02-0442): *Geophys. Prosp.*, **29**, 822–823.
- , 1983, Comment on 'Bedrock depth from surface potential measurements', by Roy, A. (GPR-16-04-0447-0453): *Geophys. Prosp.*, **31**, 1000–1002.
- Apparao, A., Rao, T. G., and Sarma, V. S., 1991, Field results with downward continuation technique in induced polarization profiling using point electrodes: *Geophys. Prosp.*, **39**, 119–139.
- Apparao, A., Rao, T. G., Sastry, R. S., and Sarma, V. S., 1992, Depth of detection of buried conductive targets with different electrode arrays in resistivity prospecting: *Geophys. Prosp.*, **40**, 749–760.
- Apparao, A., Sastry, R. S., and Sarma, V. S., 1995, Downward continuation of (Vs)L profile in IP (time-domain) with linear excitation using point electrodes (short note): *Geophys. Prosp.*, **43**, 903–904.
- Arntsen, B., 1988, Numerical ray generation in the computation of synthetic vertical seismic profiles: *Geophys. Prosp.*, **36**, 478–503.
- Asakawa, E., and Kawanaka, T., 1993, Seismic ray tracing using linear traveltime interpolation: *Geophys. Prosp.*, **41**, 99–112.
- Ass'ad, J. M., Tatham, R. H., McDonald, J. A., Kusky, T. M., and Jech, J., 1993, A physical model study of scattering of waves by aligned cracks: Comparison between experiment and theory: *Geophys. Prosp.*, **41**, 323–340.
- Asten, M. W., Drake, L. A., and Edwards, S., 1984, In-seam seismic Love wave scattering modeled by the finite-element method: *Geophys. Prosp.*, **32**, 649–661.

- Aubert, M., Camus, G., and Fournier, C., 1984, Resistivity and magnetic surveys in groundwater prospecting in volcanic areas - Case-history Maar de Beaunit Puy de Dome France: *Geophys. Prosp.*, **32**, 554–563.
- Baars, B., Hoogeveen, H. J., Helbig, K., and Goudswaard, W., 1984, Obituary - A. van Weelden: *Geophys. Prosp.*, **32**, 157–158.
- Bacon, C. W. M., and Martin, J. E., 1993, Simultaneous Vibroseis recording: *Geophys. Prosp.*, **41**, 943–968.
- Baeten, G. J. M., Fokkema, J. T., and Ziolkowski, A. M., 1988, Seismic vibrator modelling: *Geophys. Prosp.*, **36**, 22–65.
- Balch, A. H., Chang, H., Hofland, G. S., Ranzinger, K. A., and Erdemir, C., 1991, The use of forward- and back-scattered P-,S- and converted waves in cross-borehole imaging: *Geophys. Prosp.*, **39**, 887–914.
- Balch, A. H., and Erdemir, C., 1994, Sign-change correction for prestack migration of P-S converted wave reflections: *Geophys. Prosp.*, **42**, 637–663.
- Baldi, P., 1981, New aspects in the inversion of gravity profiles by polynomial-method: *Geophys. Prosp.*, **29**, 426–431.
- Baldi, P., and Unguendoli, M., 1978, Inversion of gravity profiles by polynomial method: *Geophys. Prosp.*, **26**, 247–251.
- Bamford, D., and Nunn, K. R., 1979, In-situ seismic measurements of crack anisotropy in the Carboniferous limestone of northwest England: *Geophys. Prosp.*, **27**, 322–338.
- Banerjee, B., and Gupta, S. K., 1978, Reply to comments on 'Hidden layer problem in seismic refraction work', by Banerjee, B., et al (GPR-23-04-0642): *Geophys. Prosp.*, **26**, 637.
- Banerjee, B., and Sengupta, B. J., 1987, Transformation of dipolar Wenner and two-electrode curves to Schlumberger apparent resistivity sounding curves: *Geophys. Prosp.*, **35**, 445–453.
- Banerjee, B., Sengupta, B. J., and Pal, B. P., 1980a, Apparent resistivity of a multilayered-earth with a layer having exponentiality varying conductivity: *Geophys. Prosp.*, **28**, 435–452.
- , 1980b, Resistivity sounding on a multilayered-earth containing transition layers: *Geophys. Prosp.*, **28**, 750–758.
- Bardan, V., 1977, Comments on 'Dynamic predictive deconvolution', by Robinson, E. A. (GPR-23-04-0779-0797): *Geophys. Prosp.*, **25**, 569–571.
- , 1987, Trace interpolation in seismic data-processing: *Geophys. Prosp.*, **35**, 343–358.

- Barker, R. D., 1981a, The offset system of electrical resistivity sounding and its use with a multicore cable: *Geophys. Prosp.*, **29**, 128–143.
- , 1981b, Reply to comments on 'The offset system of electrical resistivity sounding and its use with a multicore cable', by Barker, R. D. (GPR-29-01-0128-0143): *Geophys. Prosp.*, **29**, 958.
- Barongo, J. O., 1987, Geophysical detection of mineral conductors in tropical terrains with target conductors partly embedded in the conductive overburden: *Geophys. Prosp.*, **35**, 568–589.
- , 1988, Reply to comments on 'Geophysical detection of mineral conductors in tropical terrains with target conductors partly embedded in the conductive overburden', by Barongo, J. O. (GPR-35-05-0568-0589): *Geophys. Prosp.*, **36**, 94.
- Barzaghi, A., Gandino, A., Sanso, F., and Zenucchini, C., 1992, The collocation approach to the inversion of the gravity data: *Geophys. Prosp.*, **40**, 429–452.
- Basokur, A. T., 1982, Comment on 'The quantitative interpretation of dipole soundings by means of the resistivity transform-function', by Patella, D. (GPR-28-06-0956-0960): *Geophys. Prosp.*, **30**, 235–236.
- , 1983, Transformation of resistivity sounding measurements obtained in one electrode configuration to another configuration by means of digital linear filtering: *Geophys. Prosp.*, **31**, 649–663.
- , 1984a, A numerical direct interpretation method of resistivity soundings using the Pekeris model: *Geophys. Prosp.*, **32**, 1131–1146.
- , 1984b, The use of two-electrode and Schlumberger filters for computing resistivity and electromagnetic sounding curves: *Geophys. Prosp.*, **32**, 132–138.
- , 1994, Definitions of apparent resistivity for the presentation of magnetotelluric sounding data: *Geophys. Prosp.*, **42**, 141–149.
- de Bazelaire, E., and Viallix, J. R., 1994, Normal moveout in focus: *Geophys. Prosp.*, **42**, 477–499.
- Beamish, D., and Travassos, J. M., 1993, A study of magnetolectric static distortion in the context of intrusive volcanism: *Geophys. Prosp.*, **41**, 61–82.
- Beaumont, C. M., Boyce, J. F., and Silva, R., 1987, Phase errors of finite-difference migration: *Geophys. Prosp.*, **35**, 267–280.
- Belay, R., and Rasmussen, T. M., 1995, One dimensional non-linear inversion of magnetotelluric data: The importance of data errors: *Geophys. Prosp.*, **43**, 905–918.
- Benderitter, Y., Herisson, C., Korhonen, H., and Pernu, T., 1978, Magnetotelluric experiments in northern Finland: *Geophys. Prosp.*, **26**, 562–571.

- Benhama, A., Cllet, C., and Dubesset, M., 1988, Study and applications of spatial directional filtering in three-component recordings: *Geophys. Prosp.*, **36**, 591–613.
- Benoliel, S. D., Schneider, W. A., and Shurtleff, R. N., 1987, Frequency wavenumber approach of the tau-p transform - Some applications in seismic data-processing: *Geophys. Prosp.*, **35**, 517–538.
- Beresford-Smith, G., and Mason, I. M., 1980, A parametric approach to the compression of seismic signals by frequency transformation: *Geophys. Prosp.*, **28**, 551–571.
- Berg, P., If, F., Nielsen, P., and Skovgaard, O., 1993, Diffraction by a wedge in an acoustic constant density medium: *Geophys. Prosp.*, **41**, 803–832.
- Berge, A. M., and Beskow, B., 1985, A method to determine the velocities of the seafloor and near-surface sediments: *Geophys. Prosp.*, **33**, 377–399.
- Berge, A. M., Drivenes, G., Kanestrom, R., and Beskow, B., 1986a, Acoustic modeling of the seafloor: *Geophys. Prosp.*, **34**, 11–29.
- , 1986b, Reply to comments on 'Acoustic modeling of the seafloor', by Berge, A. M., et al (GPR-34-01-0011-0029): *Geophys. Prosp.*, **34**, 143–144.
- Berkhout, A. J., 1979, Steep dip finite-difference migration: *Geophys. Prosp.*, **27**, 196–213.
- Berkhout, A. J., and de Jong, B. A., 1981, Recursive migration in three-dimensions: *Geophys. Prosp.*, **29**, 758–781.
- Berkhout, A. J., and Palthe, D. W. V., 1979, Migration in terms of spatial deconvolution: *Geophys. Prosp.*, **27**, 261–291.
- , 1980, Migration in the presence of noise: *Geophys. Prosp.*, **28**, 372–383.
- Berkhout, A. J., and Zaanen, P. R., 1976, A comparison between Wiener filtering Kalman filtering and deterministic least-squares estimation: *Geophys. Prosp.*, **24**, 141–197.
- Bernabini, M., Brizzolari, E., and Piro, S., 1988, Improvement of signal-to-noise ratio in resistivity profiles: *Geophys. Prosp.*, **36**, 559–570.
- Bernabini, M., and Cardarelli, E., 1978, The use of filtered Bessel functions in direct interpretation of geoelectrical soundings: *Geophys. Prosp.*, **26**, 841–852.
- , 1991, Geoelectrical surveys of dipping structures: *Geophys. Prosp.*, **39**, 953–966.
- Bernhardt, T., and Peacock, J. H., 1978, Encoding techniques for the Vibroseis system: *Geophys. Prosp.*, **26**, 184–193.
- Best, A. I., McCann, C., and Southcott, J., 1994, The relationships between the velocities, attenuations and petrophysical properties of reservoir sedimentary rocks: *Geophys. Prosp.*, **42**, 151–178.

- Best, M. E., 1985, A systematic approach for evaluating airborne electromagnetic systems: *Geophys. Prosp.*, **33**, 577–599.
- Bezveda, V., and Segeth, K., 1987, An application of fast algorithms to numerical electromagnetic modeling: *Geophys. Prosp.*, **35**, 312–322.
- Bhattacharya, B. B., and Biswas, D., 1992, IP response for a 2D horizontal cylinder: *Geophys. Prosp.*, **40**, 651–670.
- Bhattacharya, B. B., and Roy, N., 1986, Reply to comments on 'A note on the use of a nomogram for self-potential anomalies', by Bhattacharya, B. B., et al (GPR-29-01-0102-0107): *Geophys. Prosp.*, **34**, 1294–1295.
- Bhimasankaram, V. L., Mohan, N. L., and Rao, S. V. S., 1978, Reply to comments on 'Analysis of the gravity effect of two-dimensional trapezoidal prisms using Fourier transform', by Bhimasankaram, V. L. S., et al (GPR-25-02-0334): *Geophys. Prosp.*, **26**, 477–480.
- Bhimasankaram, V. L. S., Mohan, N. L., and Rao, S. V. S., 1977, Analysis of the gravity effect of two-dimensional trapezoidal prisms using Fourier transform: *Geophys. Prosp.*, **25**, 334–341.
- Bibby, H. M., and Hohmann, G. W., 1993, Three-dimensional interpretation of multiple-source bipole-dipole resistivity data using the apparent resistivity tensor: *Geophys. Prosp.*, **41**, 697–724.
- Bichara, M., Erling, J. C., and Lakshmanan, J., 1981, Measurement and interpretation procedure for minimization of microgravimetric errors: *Geophys. Prosp.*, **29**, 782–789.
- Bichara, M., and Lakshmanan, J., 1979, Automatic deconvolution of gravimetric anomalies: *Geophys. Prosp.*, **27**, 798–807.
- Biewinga, D. T., 1977, Electromagnetic depth sounding experiment: *Geophys. Prosp.*, **25**, 13–28.
- Bilgeri, D., and Carlini, A., 1981, Non-linear estimation of reflection coefficients from seismic data: *Geophys. Prosp.*, **29**, 672–686.
- , 1984, Limits of structural inversion of seismic horizons: *Geophys. Prosp.*, **32**, 581–607.
- Biondi, B., and Palacharla, G., 1995, 3D depth migration by rotated McClellan filters: *Geophys. Prosp.*, **43**, 1005–1020.
- Bishop, I., and Styles, P., 1990, Seismic tomographic imaging of a buried concrete target: *Geophys. Prosp.*, **38**, 169–188.
- Bleistein, N., and Cohen, J. K., 1992, The Cagniard method in complex time revisited: *Geophys. Prosp.*, **40**, 619–650.

- Bleistein, N., and Gray, S. H., 1985, An extension of the Born inversion method to a depth dependent reference profile: *Geophys. Prosp.*, **33**, 999–1022.
- Blizkovsky, M., 1979, Processing and applications in microgravity surveys: *Geophys. Prosp.*, **27**, 848–861.
- Blondin, E., and Mari, J. L., 1986, Detection of gas bubble boundary movement: *Geophys. Prosp.*, **34**, 73–93.
- Bogoslovsky, V. A., Ilina, E. B., Kuzmina, E. N., and Ogilvy, A. A., 1983, Problems in the use of geophysical information when interpreting the data of spacecraft observations: *Geophys. Prosp.*, **31**, 351–360.
- Bogoslovsky, V. A., and Ogilvy, A. A., 1970, Natural potential anomalies as a quantitative index of the rate of seepage from water reservoirs: *Geophys. Prosp.*, **18**, 261–268.
- Bogoslovsky, V. A., Ogilvy, A. A., and Strakhova, N. A., 1977, Magnetometric and electrometric methods for the investigation of the dynamics of landslide processes: *Geophys. Prosp.*, **25**, 280–291.
- Bois, P., 1980, Autoregressive pattern recognition applied to the delimitation of oil and gas reservoirs: *Geophys. Prosp.*, **28**, 572–591.
- , 1981, Determination of the nature of reservoirs by use of pattern recognition algorithm with prior learning: *Geophys. Prosp.*, **29**, 687–701.
- Boisse, S., 1978, Calculation of velocity from seismic reflection amplitude: *Geophys. Prosp.*, **26**, 163–174.
- Bolondi, G., Loinger, E., and Rocca, F., 1984, Offset continuation in theory and practice: *Geophys. Prosp.*, **32**, 1045–1073.
- Bolondi, G., Rocca, F., and Savelli, S., 1978, A frequency-domain approach to two-dimensional migration: *Geophys. Prosp.*, **26**, 750–772.
- Bolondi, G., Rocca, F., and Zanoletti, S., 1977, Methods for contouring irregularly spaced data: *Geophys. Prosp.*, **25**, 96–119.
- Bondar, I., 1992, Seismic horizon detection using image processing algorithms: *Geophys. Prosp.*, **40**, 785–800.
- Borner, F., Gruhne, M., and Schon, J., 1993, Contamination indications derived from electrical properties in the low frequency ranges: *Geophys. Prosp.*, **41**, 83–98.
- Bortfeld, R., and Kiehn, M., 1992, Reflection amplitudes and migration amplitudes (zero-offset situation): *Geophys. Prosp.*, **40**, 873–884.
- Bosum, W., Eberle, D., and Rehli, H. J., 1988, A gyro-oriented three-component borehole magnetometer for mineral prospecting with examples of its application: *Geophys. Prosp.*, **36**, 933–961.

- Bowen, A. N., 1986, A comparison of statistical and deterministic Wiener deconvolution of deep-tow seismic data: *Geophys. Prosp.*, **34**, 366–382.
- Brandsaeter, H., and Ursin, B., 1979, Adaptive long-period multiple attenuation: *Geophys. Prosp.*, **27**, 709–725.
- Brass, G., Flathe, H., and Schulz, R., 1981, Resistivity profiling with different electrode arrays over a graphite deposit: *Geophys. Prosp.*, **29**, 589–600.
- Brauner, W., Durschner, H., Koopmann, B., Marschall, R., and Peters, K., 1988, Moving source profiling MSP: *Geophys. Prosp.*, **36**, 6–21.
- Bregman, N. D., Chapman, C. H., and Bailey, R. C., 1985, A noniterative procedure for inverting plane-wave reflection data at several angles-of-incidence using the Riccati-equation: *Geophys. Prosp.*, **33**, 185–200.
- Breitzke, M., 1992, Seismogram synthesis and recompression of dispersive in-seam seismic multimode data using a normal-mode superposition approach: *Geophys. Prosp.*, **40**, 31–70.
- Breitzke, M., Dresen, L., Csokas, J., Gyulai, A., and Ormos, T., 1987, Parameter estimation and fault detection by three-component seismic and geoelectrical surveys in a coal mine: *Geophys. Prosp.*, **35**, 832–863.
- Brizzolari, E., and Bernabini, M., 1979, Comparison between Schlumberger electrode arrangement and some focused electrode arrangements in resistivity profiles: *Geophys. Prosp.*, **27**, 233–244.
- Brotz, R., Marschall, R., and Knecht, M., 1987, Signal adjustment of Vibroseis and impulsive source data: *Geophys. Prosp.*, **35**, 739–766.
- Brown, A. R., Dahm, C. G., and Graebner, R. J., 1981, A stratigraphic case history using three-dimensional seismic data in the Gulf of Thailand: *Geophys. Prosp.*, **29**, 327–349.
- Brown, R. J., 1985, Electromagnetic coupling in multifrequency induced-polarization and a generalization of the Cole-Cole impedance model: *Geophys. Prosp.*, **33**, 282–302.
- Brown, R. J., Anderson, N. L., and Hills, L. V., 1990, Seismic interpretation of upper Elk Point (Givetian) carbonate reservoirs of western Canada: *Geophys. Prosp.*, **38**, 719–736.
- Brown, R. J., Friesen, G. H., Hall, D. H., and Stephenson, O. G., 1977, Weighted vertical stacking in crustal seismic reflection studies on the Canadian Shield: *Geophys. Prosp.*, **25**, 251–268.
- Bruckl, E., 1987, The interpretation of travelttime fields in refraction seismology: *Geophys. Prosp.*, **35**, 973–992.

- de Bruin, J. A., 1993, Comment on 'secondary shear waves from source boreholes' (GPR-41-3-287-312) by J. A. Meredith, M. N. Toksoz and C. H. Cheng: *Geophys. Prosp.*, **41**, 1067–1072.
- Buchanan, D. J., 1977, Comments on 'The radiation of acoustic waves from an air-gun', by Safar, M. H. (GPR-24-04-0756-0772): *Geophys. Prosp.*, **25**, 564–568.
- , 1978, The propagation of attenuated shear channel waves: *Geophys. Prosp.*, **26**, 16–28.
- , 1986, The scattering of SH-channel waves by fault in a coal seam: *Geophys. Prosp.*, **34**, 343–365.
- , 1987, Dispersion calculations for SH and P-SV waves in multilayered coal seams: *Geophys. Prosp.*, **35**, 62–70.
- Bunch, A. W. H., and White, R. E., 1985, Least-squares filters without transient errors - An examination of the errors in least-squares filter design: *Geophys. Prosp.*, **33**, 657–673.
- Busby, J. P., 1985, Data quality assessment of time-domain induced-polarization decay curves: *Geophys. Prosp.*, **33**, 1023–1028.
- Busby, J. P., and Dabek, Z. K., 1986, Resistivity and IP-modeling of the three-array down-hole prospecting technique: *Geophys. Prosp.*, **34**, 130–140.
- Busby, J. P., Peart, R. J., Green, C. A., Ogilvy, R. D., and Williamson, J. P., 1991, A search for direct hydrocarbon indicators in the Formby area: *Geophys. Prosp.*, **39**, 691–710.
- Buttkus, B., 1979, Coherency weighting - An effective approach to the suppression of long leg multiples: *Geophys. Prosp.*, **27**, 29–39.
- Camacho, A. G., Vieira, R., Montesinos, F. G., and Cuellar, V., 1994, A gravimetric 3D global inversion for cavity detection: *Geophys. Prosp.*, **42**, 113–130.
- Campillo, M., 1987, Modeling of SH-wave propagation in an irregularly layered medium - Application to seismic profiles near a dome: *Geophys. Prosp.*, **35**, 236–249.
- Carcione, J. M., 1992, Anisotropic Q and velocity dispersion of finely layered media: *Geophys. Prosp.*, **40**, 761–783.
- Carrion, P., Vesnaver, A., Boehm, G., and Pettenati, F., 1993, Aperture compensation tomography: *Geophys. Prosp.*, **41**, 367–380.
- Carrion, P. M., 1986, A layer-stripping technique for the suppression of water-bottom multiple reflections: *Geophys. Prosp.*, **34**, 330–342.
- , 1990, Enhanced migration of seismic data: *Geophys. Prosp.*, **38**, 689–704.

- Carrion, P. M., Kuo, J. T., and Stoffa, P. L., 1984, Inversion method in the slant stack domain using amplitudes of reflection arrivals: *Geophys. Prosp.*, **32**, 375–391.
- Cassinis, R., 1970, Presidential address - Geophysical exploration - A broadening spectrum: *Geophys. Prosp.*, **18**, 335–342.
- , 1977, Use of remote sensing from space platforms for regional geologic evaluation and for planning ground exploration: *Geophys. Prosp.*, **25**, 636–657.
- Casten, U., and Fajkiewicz, Z., 1993, Induced gravity anomalies and rock-burst risk in coal mines: A case history: *Geophys. Prosp.*, **41**, 1–14.
- Casten, U., and Haussmann, U., 1990, Improvement of observation accuracy of the Lacoste-Romberg (model D) gravity meter by supplementary installation of electronic feedback: *Geophys. Prosp.*, **38**, 489–498.
- Cecchini, A., and Rocroi, J. P., 1980, Effect topographique en prospection électrique: *Geophys. Prosp.*, **28**, 977–993.
- Chakraborty, K., and Agarwal, B. N. P., 1992, Mapping of crustal discontinuities by wavelength filtering of the gravity field: *Geophys. Prosp.*, **40**, 801–822.
- Chakridi, R., and Chouteau, M., 1988, Design of models for electromagnetic scale modelling: *Geophys. Prosp.*, **36**, 537–550.
- Chan, S. H., 1970, A study on the direct interpretation of resistivity sounding data measured by Wenner electrode configuration: *Geophys. Prosp.*, **18**, 215–235.
- Chander, R., 1977, On tracing seismic rays with specified end points in layers of constant-velocity and plane interfaces: *Geophys. Prosp.*, **25**, 120–124.
- , 1978, Depth estimation from residual Bouguer anomalies - A procedure based on the Backus-Gilbert minimum-distance criterion: *Geophys. Prosp.*, **26**, 595–599.
- Chander, R., and Bhat, C. R., 1984, Simulations of reflections and diffractions from targets buried in a medium with linear variation of velocity with distance: *Geophys. Prosp.*, **32**, 920–928.
- Chang, W. F., and McMechan, G. A., 1990, 3D acoustic prestack reverse-time migration: *Geophys. Prosp.*, **38**, 737–756.
- Chavez, R. E., Bailey, R. C., and Garland, G. D., 1987, Joint interpretation of gravity and magnetic data over axial symmetric bodies with application to the Darnley Bay anomaly NWT Canada: *Geophys. Prosp.*, **35**, 374–391.
- Chavez, R. E., and Garland, G. D., 1983, On the applications of inverse-theory to gravity interpretation: *Geophys. Prosp.*, **31**, 119–130.
- Chen, S. J., and Dalton, C., 1983, Theoretical and experimental approaches to the geophone spurious frequency: *Geophys. Prosp.*, **31**, 574–590.

- Cheng, N., Zhu, Z., Cheng, C. H., and Toksoz, M. N., 1994, Experimental and finite difference modelling of borehole mach waves: *Geophys. Prosp.*, **42**, 303–319.
- Choudhury, K., 1982, Statistical analysis of airborne electromagnetic signatures of different conductor groups in tropical terrain of Karnataka India: *Geophys. Prosp.*, **30**, 217–231.
- Chouteau, M., 1985, Comment on 'Fractures as conducting dykes and corresponding two-dimensional models', by Adam, A. (GPR-32-04-0543-0553): *Geophys. Prosp.*, **33**, 888–890.
- Christensen, N. B., 1990, Optimized fast Hankel transform filters: *Geophys. Prosp.*, **38**, 545–568.
- Chunduru, R. K., Sen, M. K., Stoffa, P. L., and Nagendra, R., 1995, Non-linear inversion of resistivity profiling data for some regular geometrical bodies: *Geophys. Prosp.*, **43**, 979–1003.
- Chyba, J., 1983, On the interpretation of resistivity soundings by the least-squares method: *Geophys. Prosp.*, **31**, 795–799.
- Cianciara, B., and Marcak, H., 1979, Geophysical anomaly interpretation of potential fields by means of singular points method and filtering: *Geophys. Prosp.*, **27**, 251–260.
- Cinq-Mars, A., Mwenifumbo, C. J., Killeen, P. G., and Chouteau, M., 1992, Multiparameter geophysical logging at the Yava lead deposit: A statistical approach: *Geophys. Prosp.*, **40**, 829–848.
- Clarke, J., Gamble, T. D., Goubau, W. M., Koch, R. H., and Miracky, R. F., 1983, Remote-reference magnetotellurics - Equipment and procedures: *Geophys. Prosp.*, **31**, 149–170.
- Clayton, C. R. I., Hope, V. S., and Howe, S. J., 1991, Comment on 'Seismic tomographic imaging of a buried concrete target' by I. Bishop and P. styles (GPR-38-2-169-188): *Geophys. Prosp.*, **39**, 711–718.
- Coppens, F., 1985, First-arrival picking on common-offset trace collections for automatic estimation of static corrections: *Geophys. Prosp.*, **33**, 1212–1231.
- Coppens, F., and Mari, J. L., 1984, Spectrum equalization as a tool for improving the quality of seismic data: *Geophys. Prosp.*, **32**, 258–281.
- Corwin, R. F., 1976, Offshore use of the self-potential method: *Geophys. Prosp.*, **24**, 79–90.
- Cote, P., Degauque, P., Lagabriell, R., and Levent, N., 1995, Detection of underground cavities with monofrequency electromagnetic tomography between boreholes in the frequency range 100 MHz to 1 GHz: *Geophys. Prosp.*, **43**, 1083–1107.

- Cox, K. B., and Mason, I. M., 1988, Velocity analysis of the SH-channel wave in the Schwalbach seam at Ensdorf colliery: *Geophys. Prosp.*, **36**, 298–317.
- Crampin, S., 1986, Anisotropy and transverse isotropy: *Geophys. Prosp.*, **34**, 94–99.
- , 1990, Alignment of near-surface inclusions and appropriate crack geometries for geothermal hot-dry rock experiments: *Geophys. Prosp.*, **38**, 621–632.
- Cull, J. P., 1985, Self-potential and current channelling: *Geophys. Prosp.*, **33**, 460–467.
- Dahl, T., and Ursin, B., 1992, Non-linear AVO inversion for a stack of anelastic layers: *Geophys. Prosp.*, **40**, 243–265.
- Daley, P. F., and Hron, F., 1988, A non geometrical SH-arrival: *Geophys. Prosp.*, **36**, 430–445.
- Dampney, C. N. G., and Whiteley, R. J., 1980, Velocity determination and error analysis for the seismic refraction method: *Geophys. Prosp.*, **28**, 1–17.
- Dankbaar, J. W. M., 1983, The wavefield generated by two vertical vibrators in phase and in counterphase: *Geophys. Prosp.*, **31**, 873–887.
- , 1985, Separation of P-waves and S-waves: *Geophys. Prosp.*, **33**, 970–986.
- , 1987, Vertical seismic profiling - Separation of P-waves and S-waves: *Geophys. Prosp.*, **35**, 803–814.
- Das, U. C., 1985a, Comment on 'Boundary element method for the arbitrary inhomogeneities problem in electrical prospecting', by Okabe, M. (GPR-29-01-0039-0059): *Geophys. Prosp.*, **33**, 468.
- , 1985b, Comment on 'Reciprocal averaging techniques in the geoelectrical boundary element approach', by Okabe, M. (GPR-30-05-0653-0672): *Geophys. Prosp.*, **33**, 468–471.
- Das, U. C., and Parasnis, D. S., 1987, Resistivity and induced-polarization responses of arbitrarily shaped Three-D bodies in a two-layered earth: *Geophys. Prosp.*, **35**, 98–109.
- Das, U. C., and Singh, R. D., 1982, Bipole-dipole field difference - A new resistivity sounding technique: *Geophys. Prosp.*, **30**, 323–330.
- Das, U. C., and Verma, S. K., 1980a, Digital linear filter for computing type curves for the two-electrode system of resistivity sounding: *Geophys. Prosp.*, **28**, 610–619.
- , 1980b, Theory for the bipole-dipole method of resistivity sounding: *Geophys. Prosp.*, **28**, 297–313.
- Dasgupta, S. P., 1987, Mathematical analysis of DC resistivity sounding over a paraboloid: *Geophys. Prosp.*, **35**, 924–931.

- Datta, S., and Bhowmick, A. N., 1976, Reply to comments on 'Seismic model studies on diffraction of waves by edges of varying radius of curvature and depth', by Datta, S., et al (GPR-22-03-0534-0545): *Geophys. Prosp.*, **24**, 203–204.
- Debye, H. W. J., and van Riel, P., 1990, LP-norm deconvolution: *Geophys. Prosp.*, **38**, 381–404.
- Delaplanche, J., Lafet, Y., Sineriz, B. G., and Gil, H. A. R., 1982, Seismic reflection applied to sedimentology and gas discovery in the Gulf of Cadiz: *Geophys. Prosp.*, **30**, 1–24.
- Deluchi, L., 1994, Comment on 'Simultaneous Vibroseis recording', by J. E. Martin and C. W. M. Bacon (GPR-41-8-943-968) and reply by authors: *Geophys. Prosp.*, **42**, 521–526.
- Deregowski, S. M., 1978, Self-matching deconvolution in the frequency-domain: *Geophys. Prosp.*, **26**, 252–290.
- , 1982, Dip moveout and reflector point dispersal: *Geophys. Prosp.*, **30**, 318–322.
- Deregowski, S. M., and Brown, S. M., 1983, A theory of acoustic diffractors applied to Two-D models: *Geophys. Prosp.*, **31**, 293–333.
- Deregowski, S. M., and Rocca, F., 1981, Geometrical optics and wave theory of constant offset sections in layered media: *Geophys. Prosp.*, **29**, 374–406.
- Dey, A., and Morrison, H. F., 1979, Resistivity modelling for arbitrarily shaped two-dimensional structures: *Geophys. Prosp.*, **27**, 106–136.
- Dietrich, M., and Cohen, J. K., 1993, Migration to zero offset (DMO) for a constant velocity gradient: An analytical formulation: *Geophys. Prosp.*, **41**, 621–644.
- Dillahunt, R. C., Fash, J. L., Parsley, L. R., and Townsend, D. W., 1980, Geophysical data bases - Systems considerations: *Geophys. Prosp.*, **28**, 495–512.
- Dillon, P. B., 1990, A comparison between Kirchhoff and GRT migration on VSP data: *Geophys. Prosp.*, **38**, 757–778.
- Dillon, P. B., Ahmed, H., and Roberts, T., 1988, Migration of mixed mode VSP wavefields: *Geophys. Prosp.*, **36**, 825–846.
- Dillon, P. B., and Collyer, V. A., 1985, On timing the vertical-seismic-profile (VSP) first-arrival: *Geophys. Prosp.*, **33**, 1174–1194.
- Dillon, P. B., and Thomson, R. C., 1984, Offset-source vertical-seismic-profile (VSP) surveys and their image reconstruction: *Geophys. Prosp.*, **32**, 790–811.
- Dimri, V. P., and Srivastava, K., 1987, Ideal performance criteria for deconvolution operators: *Geophys. Prosp.*, **35**, 539–547.
- , 1990, The optimum gate length for the time-varying deconvolution operator: *Geophys. Prosp.*, **38**, 405–410.

- Dobroka, M., 1987, Love seam-waves in a horizontally inhomogeneous three-layered medium: *Geophys. Prosp.*, **35**, 502–516.
- , 1988, On the absorption-dispersion characteristics of channel waves propagating in coal seams of varying thickness: *Geophys. Prosp.*, **36**, 318–331.
- Dobroka, M., Dresen, L., Gelbke, C., and Ruter, H., 1992, Tomographic inversion of normalized data: Double-trace tomography algorithms: *Geophys. Prosp.*, **40**, 1–14.
- Dobroka, M., Gyulai, A., Ormos, T., Csokas, J., and Dresen, L., 1991, Joint inversion of seismic and geoelectric data recorded in an underground coal mine: *Geophys. Prosp.*, **39**, 643–666.
- Doherty, J., 1988, EM modelling using surface integral equations: *Geophys. Prosp.*, **36**, 644–668.
- Dohr, G., and Janle, H., 1980, Improvements in the observation of shear-waves: *Geophys. Prosp.*, **28**, 208–220.
- Doicin, D., 1980, Comment on 'Direct resistivity interpretation by accumulation of layers', by Szaraniec, E. (GPR-28-02-0257-0268): *Geophys. Prosp.*, **28**, 994.
- , 1994, Comment on 'Three-dimensional interpretation of multiple-source bipole-dipole resistivity data using the apparent resistivity tensor', by H. M. Bibby and G. W. Hohmann (GPR-41-6-697-724) and reply by authors: *Geophys. Prosp.*, **42**, 531–540.
- Domenico, S. N., 1979, Multiple reflections and head-waves in the Gulf of Suez: *Geophys. Prosp.*, **27**, 539–563.
- Doucet, D., and van Ngoc, P., 1984, Generalization and optimization of the finite-difference method for magnetotelluric (MT) modeling: *Geophys. Prosp.*, **32**, 292–316.
- , 1985, Reply to comments on 'Generalization and optimization of the finite-difference method for magnetotelluric (MT) modeling', by Doucet, D., et al (GPR-32-02-0292-0316): *Geophys. Prosp.*, **33**, 308–311.
- Douma, J., 1988, The effect of the aspect ratio on crack induced anisotropy: *Geophys. Prosp.*, **36**, 614–632.
- Douze, E. J., 1979, Synthetic seismograms at non-vertical incidence: *Geophys. Prosp.*, **27**, 564–575.
- , 1985, Tutorial - Linear inverse filters in orthogonal coordinates: *Geophys. Prosp.*, **33**, 1093–1102.
- Dragasevic, T., 1970, Earth crust investigation using converted waves: *Geophys. Prosp.*, **18**, 281–299.

- Draskovits, P., and Simon, A., 1992, Application of geoelectric methods using buried electrodes in exploration and mining: *Geophys. Prosp.*, **40**, 573–586.
- Dresen, L., Kerner, C., and Kuhbach, B., 1985, The influence of an asymmetry in the sequence rock/coal/rock on the propagation of Rayleigh seam waves: *Geophys. Prosp.*, **33**, 519–539.
- Drijkoningen, G. G., 1991, Tunnelling and the generalized ray method in piecewise homogeneous media: *Geophys. Prosp.*, **39**, 757–782.
- Drijkoningen, G. G., and Fokkema, J. T., 1987a, The exact seismic response of an ocean and a n-layer configuration: *Geophys. Prosp.*, **35**, 33–61.
- , 1987b, Reply to comments on 'The exact seismic response of an ocean and a n-layer configuration', by Drijkoningen, G. G., et al (GPR-35-01-0033-0061): *Geophys. Prosp.*, **35**, 1068–1069.
- Dubrule, A. A., 1983, On numerical methods for migration in layered media: *Geophys. Prosp.*, **31**, 237–264.
- Dubus, J. P., Clicque, D., Baudet, J., and Gabillard, R., 1978, Filtering and field focussing procedures for electromagnetic detection of underground quarries: *Geophys. Prosp.*, **26**, 407–420.
- Duckworth, K., and Bays, A. R., 1984, A modified mode of operation for the Turam electromagnetic exploration system with benefits for deep exploration: *Geophys. Prosp.*, **32**, 317–335.
- Duckworth, K., and Cummins, C., 1990, A physical scale model study of the comparative performance of two modes of operation for fixed-loop Turam-type EM systems: *Geophys. Prosp.*, **38**, 423–446.
- Duijndam, A. J. W., 1988a, Bayesian estimation in seismic inversion part I - Principles: *Geophys. Prosp.*, **36**, 878–898.
- , 1988b, Bayesian estimation in seismic inversion part II - Uncertainty analysis: *Geophys. Prosp.*, **36**, 899–918.
- Duprat, A., Roudot, M., and Spitz, S., 1986, Testing the transiel method in mineral and geothermal explorations: *Geophys. Prosp.*, **34**, 445–462.
- Dutta, N. P., 1984, Seismic refraction method to study the foundation rock of a dam: *Geophys. Prosp.*, **32**, 1103–1110.
- Dyer, B., and Worthington, M. H., 1988, Some sources of distortion in tomographic velocity images: *Geophys. Prosp.*, **36**, 209–222.
- East, R. J. R., Worthington, M. H., and Gouly, N. R., 1988, Convolution back-projection imaging of physical models with cross-hole seismic data: *Geophys. Prosp.*, **36**, 139–148.

- Eckhardt, W., 1994, Velocity model updating using image gathers: *Geophys. Prosp.*, **42**, 975–986.
- Edelmann, H. A. K., 1981, Shover - Shear-wave generation by vibration orthogonal to the polarization: *Geophys. Prosp.*, **29**, 541–549.
- , 1983, Comment on 'The amplitude and phase response of a seismic vibrator', by Lerwill, W. E. (GPR-29-04-0503-0528): *Geophys. Prosp.*, **31**, 995–996.
- Edwards, R. N., 1984, The cross-hole magnetometric resistivity (MMR) response of a disc conductor: *Geophys. Prosp.*, **32**, 955–969.
- Eiges, R., and Raz, S., 1985, Inversion from finite-offset data and the simultaneous reconstruction of the velocity and density profiles: *Geophys. Prosp.*, **33**, 339–358.
- Eiken, O., 1987, Comment on 'Extended marine arrays versus simulated extended arrays', by Roksandic, M. M. (GPR-34-08-1154-1166): *Geophys. Prosp.*, **35**, 932–933.
- Eisner, E., 1981, The Kunetz relations: *Geophys. Prosp.*, **29**, 529–532.
- , 1984, Tutorial - Minimum-phase for continuous time and discrete time functions: *Geophys. Prosp.*, **32**, 533–542.
- Ellender, S. A., 1986, Considerations in estimating the minimum-phase properties of sampled data: *Geophys. Prosp.*, **34**, 1200–1212.
- Elliot, C. L., and Lauritsen, E., 1977, Induced-polarization response of a horizontally multi-layered earth with no resistivity contrast: *Geophys. Prosp.*, **25**, 76–95.
- Endres, A. L., and Knight, R., 1992, A theoretical treatment of the effect of microscopic fluid distribution on the dielectric properties of partially saturated rocks: *Geophys. Prosp.*, **40**, 307–324.
- Ensing, L., 1983, The autobalancer - An automatic system for the reduction of power-line interference with seismic signals: *Geophys. Prosp.*, **31**, 591–607.
- Ercan, A., Drahor, M., and Atasoy, E., 1986, Natural polarization studies at Balcova geothermal field: *Geophys. Prosp.*, **34**, 475–491.
- Eskola, L., 1978, Comments on papers discussing the principles underlying the computation of induced-polarization parameters in a heterogeneous medium: *Geophys. Prosp.*, **26**, 644–653.
- , 1979, Calculation of galvanic effects by means of the method of sub-areas: *Geophys. Prosp.*, **27**, 616–627.
- , 1984, Addendum to 'The solution of the stationary electric field strength and potential of a point current source in a two-and-a-half-dimensional environment', by Eskola, L., et al (GPR-29-02-0260-0273): *Geophys. Prosp.*, **32**, 510–511.

- Eskola, L., Eloranta, E., and Puranen, R., 1984, A method for calculating induced-polarization anomalies for models with surface polarization: *Geophys. Prosp.*, **32**, 79–87.
- Eskola, L., and Hongisto, H., 1981, The solution of the stationary electric field strength and potential of a point current source in a two-and-a-half-dimensional environment: *Geophys. Prosp.*, **29**, 260–273.
- Fajkiewicz, Z., 1983, Rock-burst forecasting and genetic research in coal mines by microgravity method: *Geophys. Prosp.*, **31**, 748–765.
- , 1986, Origin of the anomalies of gravity and its vertical gradient over cavities in brittle rock: *Geophys. Prosp.*, **34**, 1233–1254.
- Fedi, M., Florio, G., and Rapolla, A., 1994, A method to estimate the total magnetization direction from a distortion analysis of magnetic anomalies: *Geophys. Prosp.*, **42**, 261–274.
- Ferber, R. G., 1985a, Normal-incidence wavefield computation using vector-arithmetic: *Geophys. Prosp.*, **33**, 540–542.
- , 1985b, Stabilization of normal-incidence seismogram inversion removing the noise-induced bias: *Geophys. Prosp.*, **33**, 212–223.
- , 1986, Reply to comments on 'Stabilization of normal-incidence seismogram inversion removing the noise-induced bias', by Ferber, R. G. (GPR-33-02-0212-0223): *Geophys. Prosp.*, **34**, 241.
- , 1987, The generalized spectral function of a plane layered medium: *Geophys. Prosp.*, **35**, 129–134.
- , 1988, Time-domain computation of non-normal incidence wavefields in plane layered media: *Geophys. Prosp.*, **36**, 857–877.
- Ferber, R.-G., 1991, A filter, delay and spread technique for 3-D DMO: *Geophys. Prosp.*, **39**, 737–756.
- , 1994, Migration to multiple offset and velocity analysis: *Geophys. Prosp.*, **42**, 99–112.
- Ferber, R.-G., and Koitka, H., 1991, Sequential Wiener deconvolution to improve seismic resolution: *Geophys. Prosp.*, **39**, 183–192.
- Fertig, J., 1984, Shear-waves by an explosive point-source - The Earth surface as a generator of converted P-S waves: *Geophys. Prosp.*, **32**, 1–17.
- Fertig, J., and Hentschke, M. K., 1987, Data acquisition and processing of converted PS-waves: *Geophys. Prosp.*, **35**, 148–166.
- Fertig, J., and Muller, G., 1978, Computations of synthetic seismograms for coal seams with the reflectivity method: *Geophys. Prosp.*, **26**, 868–883.

- Finzi-Contini, G., 1970, On the electrical behaviour of a polarizable sample studied by the normalized time-integral and ballistic methods: *Geophys. Prosp.*, **18**, 320–328.
- Fischer, G., 1985, Some remarks on the behavior of the magnetotelluric phase: *Geophys. Prosp.*, **33**, 716–722.
- Fischer, G., Le, Q. B. V., and Muller, I., 1983, Very-low-frequency (VLF) ground surveys - A powerful tool for the study of shallow two-dimensional structures: *Geophys. Prosp.*, **31**, 977–991.
- Foster, D. J., and Carrion, P. M., 1985, Full wave equation downward-continuation of seismic reflection data: *Geophys. Prosp.*, **33**, 929–942.
- Fraser, D. C., 1981, Contour map presentation of dipole-dipole induced-polarization data: *Geophys. Prosp.*, **29**, 639–651.
- Freystatter, S., and Dresen, L., 1978, The influence of obliquely dipping discontinuities on the use of Rayleigh channel waves for the in-seam seismic reflection method: *Geophys. Prosp.*, **26**, 1–15.
- Furness, P., 1992, An integral equation for the geoelectric response of thin resistive bodies: *Geophys. Prosp.*, **40**, 701–720.
- , 1993a, Gradient array profiles over thin resistive veins: *Geophys. Prosp.*, **41**, 113–130.
- , 1993b, A reconciliation of mathematical models for spontaneous mineralization potentials: *Geophys. Prosp.*, **41**, 779–790.
- , 1994, A physical approach to computing magnetic fields: *Geophys. Prosp.*, **42**, 405–416.
- Gabriels, P., Snieder, R., and Nolet, G., 1987, In-situ measurements of shear-wave velocity in sediments with higher-mode Rayleigh waves: *Geophys. Prosp.*, **35**, 187–196.
- Gazdag, J., 1980, Wave equation migration with the accurate space derivative method: *Geophys. Prosp.*, **28**, 60–70.
- Gazdag, J., and Sguazzero, P., 1984, Interval velocity analysis by wave extrapolation: *Geophys. Prosp.*, **32**, 454–479.
- Gelchinsky, B., and Shtivelman, V., 1983, Automatic picking of first arrivals and parameterization of traveltimes curves: *Geophys. Prosp.*, **31**, 915–928.
- Gelius, L. J., 1987, Inverse Q-filtering - A spectral balancing technique: *Geophys. Prosp.*, **35**, 656–667.
- Gelius, L. J., Stamnes, J. J., and Heier, H., 1991, Pulse distortion in caustic regions: *Geophys. Prosp.*, **39**, 51–60.

- Gendzwill, D. J., 1978, A method of weathering correction: *Geophys. Prosp.*, **26**, 525–537.
- Ghosh, N., Wadhwa, R. S., Shrotri, B. S., and Patella, D., 1986, Low-pass filtering of noisy field Schlumberger sounding curves part II - Application: *Geophys. Prosp.*, **34**, 124–129.
- Gibson, B., Lamer, K., and Levin, S., 1983, Efficient three-dimensional migration in two steps: *Geophys. Prosp.*, **31**, 1–33.
- Gibson, R. L., Sena, A. G., and Toksoz, M. N., 1991, Paraxial ray tracing in 3-D inhomogeneous, anisotropic media: *Geophys. Prosp.*, **39**, 473–504.
- Gjoystdal, H., Reinhardsen, J. E., and Astebol, K., 1985, Computer representation of complex three-dimensional geological structures using a new solid modeling technique: *Geophys. Prosp.*, **33**, 1195–1211.
- Godfrey, R., and Rocca, F., 1981, Zero memory non-linear deconvolution: *Geophys. Prosp.*, **29**, 189–228.
- Goldberg, S., and Rotstein, Y., 1982, A simple form of presentation of magnetotelluric data using the Bostick-transform: *Geophys. Prosp.*, **30**, 211–216.
- Goldman, M., 1987, Forward modelling for frequency-domain marine electromagnetic systems: *Geophys. Prosp.*, **35**, 1042–1064.
- Goldman, M., Plooy, A. D., and Eckard, M., 1994, On reducing ambiguity in the interpretation of transient electromagnetic sounding data: *Geophys. Prosp.*, **42**, 3–25.
- Goldman, M. M., 1983, The integral finite-difference method for calculating transient electromagnetic fields in a horizontally stratified medium: *Geophys. Prosp.*, **31**, 664–686.
- , 1984, Addendum to 'The integral finite-difference method for calculating transient electromagnetic fields in a horizontally stratified medium', by Goldman, M. M. (GPR-31-04-0664-0686): *Geophys. Prosp.*, **32**, 507–509.
- Gomez-Trevino, E., 1987, Should the electric line be straight in magnetotelluric surveys: *Geophys. Prosp.*, **35**, 920–923.
- Goodacre, A. K., 1980, Estimation of the minimum density contrast of a homogeneous body as an aid to the interpretation of gravity anomalies: *Geophys. Prosp.*, **28**, 408–414.
- Granser, H., 1983, Comment on 'Potential field continuation between general surfaces', by Syberg, F. J. R. (GPR-20-02-0267-0282): *Geophys. Prosp.*, **31**, 992–994.
- , 1987a, Three-dimensional interpretation of gravity data from sedimentary basins using an exponential density vs. depth function: *Geophys. Prosp.*, **35**, 1030–1041.

- , 1987b, Topographic reduction of gravity measurements by numerical integration of boundary integrals: *Geophys. Prosp.*, **35**, 71–82.
- Grau, G., 1977, Presidential address - A short history of ideas concerning the earth's crust - The contribution of a Mohorovicic: *Geophys. Prosp.*, **25**, 405–416.
- Gray, S. H., 1992, Frequency-selective design of the Kirchhoff migration operator: *Geophys. Prosp.*, **40**, 565–572.
- Green, R., 1980, Field processing of magnetic data: *Geophys. Prosp.*, **28**, 384–391.
- Greenberg, M. L., and Castagna, J. P., 1992, Shear-wave velocity estimation in porous rocks: Theoretical formulation, preliminary verification and applications: *Geophys. Prosp.*, **40**, 195–210.
- Greene, J. R., 1977, Short range distance measurement by electromagnetic phase comparison technique: *Geophys. Prosp.*, **25**, 269–279.
- Greenhalgh, S. A., 1977, Comments on 'Hidden layer problem in seismic refraction work', by Banerjee, B., et al (GPR-23-04-0642-0652): *Geophys. Prosp.*, **25**, 179–181.
- Greenhalgh, S. A., Burns, D., and Mason, I., 1986, A cross-hole and face-to-borehole in-seam seismic experiment at Invincible colliery Australia: *Geophys. Prosp.*, **34**, 30–55.
- Greenhalgh, S. A., and King, D. W., 1981, Curved raypath interpretation of seismic refraction data: *Geophys. Prosp.*, **29**, 853–882.
- Greenhalgh, S. A., and Suprajitno, M., 1985, Vertical-seismic-profiling in coal: *Geophys. Prosp.*, **33**, 696–715.
- Gritto, R., and Dresen, L., 1992, Seismic modelling of seam waves excited by energy transmission into a seam: *Geophys. Prosp.*, **40**, 671–699.
- Grubb, H. J., and Walden, A. T., 1995, Smoothing seismically derived velocities: *Geophys. Prosp.*, **43**, 1061–1082.
- Guerreiro, S. C., 1983, Comment on 'A theorem for direct-current regimes and some of its consequences', by Roy, A. (GPR-26-02-0442-0463): *Geophys. Prosp.*, **31**, 192–195.
- Gupta, O. P., Joshi, M. S., and Negi, J. G., 1980, Scale model electromagnetic response to inline and broadside systems at skew traverses of a dipping half-plane embedded in a conducting host rock: *Geophys. Prosp.*, **28**, 119–134.
- Gupta, S. K., 1976, Comments on 'Seismic model studies on diffraction of waves by edges of varying radius of curvature and depth', by Datta, S., et al (GPR-22-03-0534-0545): *Geophys. Prosp.*, **24**, 200–202.

- , 1977, Reply to comments on 'Hidden layer problem in seismic refraction work', by Banerjee, B., et al (GPR-23-04-0642): *Geophys. Prosp.*, **25**, 385–387.
- , 1978, Reflections and refractions from curved interfaces - Model study: *Geophys. Prosp.*, **26**, 82–96.
- Gupta, V. K., and Ramani, N., 1978, A note on convolution and padding for two-dimensional data: *Geophys. Prosp.*, **26**, 214–217.
- Guptasarma, D., 1981, Comments on 'A theorem for direct-current regimes and some of its consequences', by Roy, A. (GPR-26-02-0442-0463): *Geophys. Prosp.*, **29**, 308–311.
- , 1982, Optimization of short digital linear filters for increased accuracy: *Geophys. Prosp.*, **30**, 501–514.
- Gurbuz, B. M., 1982, Upsweep signals with high-frequency attenuation and their use in the construction of Vibroseis synthetic seismograms: *Geophys. Prosp.*, **30**, 432–443.
- Gutowski, P. R., and Frisillo, A. L., 1981, ARMA processing of ultrasonic data for absorption measurements: *Geophys. Prosp.*, **29**, 241–259.
- Haas, A. G., and Viallix, J. R., 1976, Krigeage applied to geophysics - The answer to the problem of estimates and contouring: *Geophys. Prosp.*, **24**, 49–69.
- Haase, A. B., 1992, Slope data water-bottom multiple attenuation: *Geophys. Prosp.*, **40**, 403–428.
- Habberjam, G. M., 1970, The association of resistivity soundings: *Geophys. Prosp.*, **18**, 199–214.
- Hake, H., Helbig, K., and Mesdag, C. S., 1984, Three-term Taylor-series for time-squared minus distance-squared curves of P-waves and S-waves over layered transversely isotropic ground: *Geophys. Prosp.*, **32**, 828–850.
- Hall, S. H., and Davis, J., 1977, The rotating current dipole method - A field test: *Geophys. Prosp.*, **25**, 308–320.
- Hall, S. H., and Olhoeft, G. R., 1986, Nonlinear complex resistivity of some nickel sulphides from Western Australia: *Geophys. Prosp.*, **34**, 1255–1276.
- Hamdi, F. A. I., and Smith, D. T., 1981, Soil consolidation behavior assessed by seismic velocity measurements: *Geophys. Prosp.*, **29**, 715–729.
- Hanitzsch, C., Schleicher, J., and Hubral, P., 1994, True-amplitude migration of 2D synthetic data: *Geophys. Prosp.*, **42**, 445–462.
- Hardee, H. C., 1983, Downhole periodic seismic sources: *Geophys. Prosp.*, **31**, 57–71.
- Harding, A. J., 1985, Inversion methods for tau-rho maps of near-offset data - Linear inversion: *Geophys. Prosp.*, **33**, 674–695.

- Helbig, K., 1977, Units and dimensions in scientific publications: *Geophys. Prosp.*, **25**, 382–384.
- , 1981, Systematic classification of layer-induced transverse isotropy: *Geophys. Prosp.*, **29**, 550–577.
- , 1983, Editorial: *Geophys. Prosp.*, **31**, 859–860.
- , 1987, Editorial: *Geophys. Prosp.*, **35**, 127–128.
- , 1990, Rays and wavefront charts in gradient media: *Geophys. Prosp.*, **38**, 189–220.
- Helbig, K., and Mesdag, C. S., 1982, The potential of shear-wave observations: *Geophys. Prosp.*, **30**, 413–431.
- Helgesen, J., 1991, Prestack inversion of group-filtered seismic data: *Geophys. Prosp.*, **39**, 313–336.
- Helgesen, J., and Kolb, P., 1993, Multi-offset acoustic inversion of a laterally invariant medium: Application to real data: *Geophys. Prosp.*, **41**, 517–534.
- Helgesen, J., and Landro, M., 1993, Estimation of elastic parameters from AVO effects in the tau-p domain: *Geophys. Prosp.*, **41**, 341–366.
- Hemon, C., 1978, Wave equations and models: *Geophys. Prosp.*, **26**, 790–821.
- Hemon, C., and Mace, D., 1978, The use of the Karhunen-Loeve transformation in seismic data-processing: *Geophys. Prosp.*, **26**, 600–626.
- Henriet, J. P., Schittekat, J., and Heldens, P., 1983, Borehole seismic profiling and tube-wave applications in a dam site investigation: *Geophys. Prosp.*, **31**, 72–86.
- Hestholm, S., and Ruud, B., 1994, 2D finite-difference elastic wave modelling including surface topography: *Geophys. Prosp.*, **42**, 371–390.
- Hildebrand, S. T., and Carroll, R. J., 1993, Radon depth migration: *Geophys. Prosp.*, **41**, 229–240.
- Hjelt, S. E., 1976, A new approach to magnetic profile interpretation: *Geophys. Prosp.*, **24**, 1–18.
- Hobbs, B. A., and Reading, A. M., 1994, Shallow fault location in coal measures using offset Wenner resistivity profiling: *Geophys. Prosp.*, **42**, 343–356.
- Holberg, O., 1987, Computational aspects of the choice of operator and sampling interval for numerical differentiation in large-scale simulation of wave phenomena: *Geophys. Prosp.*, **35**, 629–655.
- , 1988, Towards optimum one-way wave propagation: *Geophys. Prosp.*, **36**, 99–114.
- Hood, P., 1978, Finite-difference and wave-number migration: *Geophys. Prosp.*, **26**, 773–789.

- Hoogervorst, G. H. T. C., 1979, Geological information from fluctuating Earth-currents: *Geophys. Prosp.*, **27**, 214–232.
- de Hoop, A. T., 1988, Tutorial - Large-offset approximations in the modified Cagniard method for computing synthetic seismograms - A survey: *Geophys. Prosp.*, **36**, 465–477.
- Horne, S., and MacBeth, C., 1994, Inversion for seismic anisotropy using genetic algorithms: *Geophys. Prosp.*, **42**, 953–974.
- Hosken, J. W. J., and Deregowski, S. M., 1985, Tutorial - Migration strategy: *Geophys. Prosp.*, **33**, 1–33.
- Hospers, J., 1985, Sideswipe reflections and other external and internal reflections from salt plugs in the Norwegian-Danish basin: *Geophys. Prosp.*, **33**, 52–71.
- Hospers, J., Finnstrom, E. G., and Rathore, J. S., 1985, A regional gravity study of the northern North Sea: *Geophys. Prosp.*, **33**, 543–566.
- Hospers, J., and Rathore, J. S., 1984, Interpretation of aeromagnetic data from the Norwegian-sector of the North Sea: *Geophys. Prosp.*, **32**, 929–942.
- , 1985, Reply to comments on 'Interpretation of aeromagnetic data from the Norwegian-sector of the North Sea', by Hospers, J., et al (GPR-32-05-0929-0942): *Geophys. Prosp.*, **33**, 904.
- Hron, F., and Covey, J. D., 1983, Wavefront divergence multiples and converted waves in synthetic-seismograms: *Geophys. Prosp.*, **31**, 436–456.
- Huang, H., and Palacky, G. J., 1991, Damped least-squares inversion of time-domain airborne EM data based on singular value decomposition: *Geophys. Prosp.*, **39**, 827–844.
- Hubral, P., 1977, Time migration - Some ray theoretical aspects: *Geophys. Prosp.*, **25**, 738–745.
- , 1978, On getting reflection coefficients from waves: *Geophys. Prosp.*, **26**, 627–630.
- , 1980, Computation of the normal movement velocity in three-dimensional laterally inhomogeneous media with curved interfaces: *Geophys. Prosp.*, **28**, 221–239.
- Hubral, P., and Tygel, M., 1986, Transient finite integral point source response from a planar acoustic interface - The causality approach: *Geophys. Prosp.*, **34**, 1–10.
- Hun, F., 1978, Correlation between seismic reflection amplitude and well productivity - A case study: *Geophys. Prosp.*, **26**, 157–162.
- Hurley, D. G., and Siew, P. F., 1991, A first-order correction to the theory for the electromagnetic response of a thin conducting sheet: *Geophys. Prosp.*, **39**, 527–542.

- Hussain, A., Walach, G., and Weber, F., 1981, Underground gravity survey in Alpine regions: *Geophys. Prosp.*, **29**, 407–425.
- Hutton, G. D., 1987, The perfectly reflecting wedge used as a control model in seismic diffraction modelling: *Geophys. Prosp.*, **35**, 681–699.
- Hvozدارa, H., 1993, On the computation of the magnetic field due to a DC point electrode at the vertical boundary between two quarter-spaces: *Geophys. Prosp.*, **41**, 767–778.
- Ikelle, L. T., Kitchenside, P. W., and Schultz, P. S., 1992, Parametrization of GRT inversion for acoustic and P-P scattering: *Geophys. Prosp.*, **40**, 71–84.
- Iliceto, V., 1977, Quelques considerations sur la digitalisation des signaux magnetotelluriques - Description d'un equipement: *Geophys. Prosp.*, **25**, 292–301.
- Iliceto, V., Santarato, G., and Veronese, S., 1982, An approach to the identification of fine sediments by induced-polarization laboratory measurements: *Geophys. Prosp.*, **30**, 331–347.
- Ilkisik, O. M., and Jones, A. G., 1984, Statistical evaluation of magnetotelluric (MT) and audiomagnetotelluric (AMT) methods applied to a basalt-covered-area in south-eastern Anatolia Turkey: *Geophys. Prosp.*, **32**, 706–724.
- Ingre, B. R., and Khan, Z. A., 1977, Comments on 'Compatibility of electromagnetic and induced-polarization surveys', by Vogelsang, D. (GPR-22-04-0781-0791): *Geophys. Prosp.*, **25**, 182–185.
- Ivan, M., 1990, Comment on 'Optimum expression for computation of the gravity field of a homogeneous polyhedral body', by V. Pohanka, (GPR-36-7-733-751) with reply by author: *Geophys. Prosp.*, **38**, 331–336.
- , 1994a, Line integrals of potential field data: *Geophys. Prosp.*, **42**, 735–743.
- , 1994b, Upward continuation of potential fields from a polyhedral surface: *Geophys. Prosp.*, **42**, 391–404.
- Jackson, G. M., Mason, I. M., and Lee, D., 1991, Multicomponent common-receiver gather migration of single-level walk-away seismic profiles: *Geophys. Prosp.*, **39**, 1015–1030.
- Jackson, P. D., 1981, Focussed electrical resistivity arrays - Some theoretical and practical experiments: *Geophys. Prosp.*, **29**, 601–626.
- Jakubowicz, H., 1990, A simple efficient method of dip-moveout correction: *Geophys. Prosp.*, **38**, 221–246.
- Jakubowicz, H., and Levin, S., 1983, A simple exact method of three-dimensional migration - Theory: *Geophys. Prosp.*, **31**, 34–56.

- , 1984, Reply to comments on 'A simple exact method of three-dimensional migration - Theory', by Jakubowicz, H., et al (GPR-31-01-0034-0056): *Geophys. Prosp.*, **32**, 350.
- Jankowsky, W. J., 1981, Presidential address - Communication between geophysicists: *Geophys. Prosp.*, **29**, 669–671.
- Jannsen, D., Voss, J., and Theilen, F., 1985, Comparison of methods to determine Q in shallow marine sediments from vertical reflection seismograms: *Geophys. Prosp.*, **33**, 479–497.
- Jastram, C., and Behle, A., 1992, Acoustic modelling on a grid of vertically varying spacing: *Geophys. Prosp.*, **40**, 157–170.
- , 1993, Accurate finite-difference operators for modelling the elastic wave equation: *Geophys. Prosp.*, **41**, 453–458.
- Jastram, C., and Tessmer, E., 1994, Elastic modelling on a grid with vertically varying spacing: *Geophys. Prosp.*, **42**, 357–370.
- Jensen, P. K., 1983, Calculations on the thermal conditions around a salt Diapir: *Geophys. Prosp.*, **31**, 481–489.
- Johansen, H. K., 1977, A man computer interpretation system for resistivity soundings over a horizontally stratified earth: *Geophys. Prosp.*, **25**, 667–691.
- Johansen, H. K., and Sorensen, K., 1979, Fast Hankel transforms: *Geophys. Prosp.*, **27**, 876–901.
- Johnson, I., and Doborzynski, Z., 1988, A novel fixed-source electromagnetic system: *Geophys. Prosp.*, **36**, 167–193.
- Johnston, R. C., 1980, Performance of 2000 and 6000 PSI air-guns - Theory and experiment: *Geophys. Prosp.*, **28**, 700–715.
- Jones, F. W., Kushigbor, C., Lam, H. L., Majorowicz, J. A., and Rahman, M., 1984a, Estimates of terrestrial thermal gradients and heat-flow variations with depth in the Hinton-Edson-area of the Alberta basin derived from petroleum bottom-hole temperature data: *Geophys. Prosp.*, **32**, 1111–1130.
- Jones, F. W., Rahman, M., and Leblanc, Y., 1984b, A three-dimensional numerical bottom-hole temperature stabilization model: *Geophys. Prosp.*, **32**, 18–36.
- Jones, I. F., and Levy, S., 1987, Signal-to-noise ratio enhancement in multichannel seismic data via the Karhunen-Loeve transform: *Geophys. Prosp.*, **35**, 12–32.
- Jongmans, D., 1991, Near-source pulse propagation: Application to Q-determination: *Geophys. Prosp.*, **39**, 943–952.
- Joshi, M. S., Gupta, O. P., and Negi, J. G., 1988, On the effects of thickness of the half-plane model in Hlem induction prospecting over sulphide dykes in a highly resistive medium: *Geophys. Prosp.*, **36**, 551–558.

- Jupp, D. L. B., and Vozoff, K., 1977, Resolving anisotropy in layered media by joint inversion: *Geophys. Prosp.*, **25**, 460–470.
- Kahler, S., and Meissner, R., 1983, Radiation and receiver pattern of shear-waves and compressional-waves as a function of Poisson's-ratio: *Geophys. Prosp.*, **31**, 421–435.
- Kaikkonen, P., 1979, Numerical VLF modeling: *Geophys. Prosp.*, **27**, 815–834.
- Kang, I. B., and McMechan, G. A., 1993, Viscoelastic seismic responses of 2D reservoir models: *Geophys. Prosp.*, **41**, 149–164.
- Karous, M., and Hjelt, S. E., 1983, Linear filtering of very-low-frequency (VLF) dip-angle measurements: *Geophys. Prosp.*, **31**, 782–794.
- Karous, M., and Pernu, T. K., 1985, Combined sounding-profiling resistivity measurements with the three-electrode arrays: *Geophys. Prosp.*, **33**, 447–459.
- Karwatowski, J., and Habberjam, G. M., 1981, A tunnel resolution investigation using an automated resistivity tank analog: *Geophys. Prosp.*, **29**, 891–905.
- Kaufman, A. A., 1985, Tutorial - Distribution of alternating electrical charges in a conducting medium: *Geophys. Prosp.*, **33**, 171–184.
- Keating, P., 1993, The fractal dimension of gravity data sets and its implication for gridding: *Geophys. Prosp.*, **41**, 983–994.
- Keceli, A., 1978, Vertical frequency effect sounding in induced-polarization and galvanic resistivity methods: *Geophys. Prosp.*, **26**, 202–213.
- Kelamis, P. G., 1987, Comment on 'The exact seismic response of an ocean and a n-layer configuration', by Drijkoningen, G. G., et al (GPR-35-01-0033-0061): *Geophys. Prosp.*, **35**, 1065–1067.
- Kelamis, P. G., and Chiburis, E. F., 1988, Post critical wavelet estimation and deconvolution: *Geophys. Prosp.*, **36**, 504–522.
- Kelamis, P. G., and Kjartansson, E., 1985, Forward modeling in the frequency-space domain: *Geophys. Prosp.*, **33**, 252–262.
- Kennett, B. L. N., 1979a, The suppression of surface multiples on seismic records: *Geophys. Prosp.*, **27**, 584–600.
- , 1979b, Theoretical reflection seismograms for elastic media: *Geophys. Prosp.*, **27**, 301–321.
- , 1984, An operator approach to forward modeling data-processing and migration: *Geophys. Prosp.*, **32**, 1074–1090.
- Kennett, B. L. N., and Harding, A. J., 1984, Guided low-frequency noise from airgun sources: *Geophys. Prosp.*, **32**, 690–705.

- Kennett, P., Ireson, R. L., and Conn, P. J., 1980, Vertical-seismic-profiles - Their applications in exploration geophysics: *Geophys. Prosp.*, **28**, 676–699.
- Kerner, C., 1990, Modelling of soft sediments and liquid-solid interfaces: Modified wave number summation method and application: *Geophys. Prosp.*, **38**, 111–138.
- Kesmarky, I., 1977, Estimation of reflector parameters by the virtual image technique: *Geophys. Prosp.*, **25**, 621–635.
- Kessels, W., Flentge, I., and Kolditz, H., 1985, DC geoelectric sounding to determine water content in the salt mine Asse Federal Republic-of-Germany: *Geophys. Prosp.*, **33**, 436–446.
- Khatti, K., Mithal, R., and Gaur, V., 1979a, Pattern space of seismic anomalies associated with hydrocarbon deposits: *Geophys. Prosp.*, **27**, 339–359.
- Khatti, K., Sinval, A., and Awasthi, A. K., 1979b, Seismic discriminants of stratigraphy derived from Monte Carlo simulation of sedimentary formations: *Geophys. Prosp.*, **27**, 168–195.
- Khatti, K., Vig, P. K., and Rao, N. D. J., 1980, An optimized technique for determining stacking velocity from seismic reflection data: *Geophys. Prosp.*, **28**, 825–839.
- Kilty, K. T., 1984, On the origin and interpretation of self-potential anomalies: *Geophys. Prosp.*, **32**, 51–62.
- Kim, J. Y., and Behrens, J., 1986, Experimental evidence of S-wave: *Geophys. Prosp.*, **34**, 100–108.
- King, M. S., Myer, L. R., and Rezowalli, J. J., 1986, Experimental studies of elastic-wave propagation in a columnar jointed rock mass: *Geophys. Prosp.*, **34**, 1185–1199.
- King, M. S., Zimmerman, R. W., and Corwin, R. F., 1988, Seismic and electrical properties of unconsolidated permafrost: *Geophys. Prosp.*, **36**, 349–364.
- Kirchheimer, F., 1990, Residual statics by CDP-localized stack optimization: *Geophys. Prosp.*, **38**, 577–606.
- Klaassen, K. B., and van Peppen, J. C. L., 1983, Electronic acceleration sensitive geophone for seismic prospecting: *Geophys. Prosp.*, **31**, 457–480.
- Kleyn, A. H., 1977, On the migration of reflection-time contour maps: *Geophys. Prosp.*, **25**, 125–140.
- Klimentos, T., 1991, Geometric corrections in attenuation measurements: *Geophys. Prosp.*, **39**, 193–218.
- Klinge, E. E., Marson, I., and Kahle, H. G., 1991, Automatic interpretation of gravity gradiometric data in two dimensions: Vertical gradient: *Geophys. Prosp.*, **39**, 407–434.

- Knecht, M., and Edelmann, H. A. K., 1987, Processing shear-wave VSP data: *Geophys. Prosp.*, **35**, 955–972.
- Koefoed, O., 1976, Error propagation and uncertainty in the interpretation of resistivity sounding data: *Geophys. Prosp.*, **24**, 31–48.
- , 1977, Comments on 'Transformation of dipole to Schlumberger sounding curves by means of digital linear filters', by Kumar, R., et al (GPR-25-04-0780-0789): *Geophys. Prosp.*, **25**, 790.
- , 1979, Resistivity sounding on an Earth model containing transition layers with linear change of resistivity with depth: *Geophys. Prosp.*, **27**, 862–868.
- Koefoed, O., and Dirks, F. J. H., 1979, Determination of resistivity sounding filters by the Wiener-Hopf least-squares method: *Geophys. Prosp.*, **27**, 245–250.
- Kohlbeck, F., 1985, Computing the kernel function in resistivity sounding with an arbitrary electrode configuration: *Geophys. Prosp.*, **33**, 128–137.
- Koren, Z., 1990, An advanced CMP ray-tracing: *Geophys. Prosp.*, **38**, 779–794.
- Kovalevsky, E. V., and Kharchenko, V. I., 1992, Integrated interpretation of marine engineering geological and geophysical data on the principles of expert system technology: *Geophys. Prosp.*, **40**, 909–923.
- Krajewski, P., Dresen, L., Schott, W., and Ruter, H., 1987, Studies of roadway modes in a coal seam by dispersion and polarization analysis - A case-history: *Geophys. Prosp.*, **35**, 767–786.
- Kravis, S. P., 1985, Estimation of marine-source signatures from direct arrivals to hydrophone groups: *Geophys. Prosp.*, **33**, 987–998.
- Krcmar, B., and Masin, J., 1970, Prospecting by the geothermic method: *Geophys. Prosp.*, **18**, 255–260.
- Krey, T., 1976, Computation of interval velocities from common-reflection-point moveout times for n-layers with arbitrary dips and curvatures in three dimensions when assuming small shot-geophone distances: *Geophys. Prosp.*, **24**, 91–111.
- , 1980, Mapping non-reflecting velocity interfaces by normal moveout velocities of underlying horizons: *Geophys. Prosp.*, **28**, 359–371.
- Krey, T. C., 1987, Attenuation of random noise by Two-D and Three-D CDP stacking and Kirchhoff migration: *Geophys. Prosp.*, **35**, 135–147.
- Krollpfeiffer, D., Dresen, L., Hsieh, C. H., and Chern, C. C., 1988, Detection and resolution of thin layers - A model seismic study: *Geophys. Prosp.*, **36**, 244–264.
- Kuhn, M., and Drach, V., 1984, On the possibility of seismic exploration using surface torque source and related topics: *Geophys. Prosp.*, **32**, 198–227.

- Kuhn, M. J., 1979, Acoustical imaging of source-receiver coincident profiles: *Geophys. Prosp.*, **27**, 62–77.
- , 1985, A numerical study of Lamb's problem: *Geophys. Prosp.*, **33**, 1103–1137.
- , 1987, Evanescent effects in acoustical wave propagation: *Geophys. Prosp.*, **35**, 167–186.
- Kulenkampff, J. M., and Yaramanci, U., 1993, Frequency-dependent complex resistivity of rock-salt samples and related petrophysical parameters: *Geophys. Prosp.*, **41**, 995–1008.
- Kumar, G. N., and Raghava, M. S. V., 1981, On the significance of amplitude studies in shallow refraction seismics: *Geophys. Prosp.*, **29**, 350–362.
- Kumar, R., and Chowdary, V. R., 1977, Effect of vertical contact on Wenner resistivity soundings: *Geophys. Prosp.*, **25**, 471–480.
- Kumar, R., and Das, U. C., 1977, Transformation of dipole to Schlumberger sounding curves by means of digital linear filters: *Geophys. Prosp.*, **25**, 780–789.
- , 1978, Transformation of Schlumberger apparent resistivity to dipole apparent resistivity over layered earth by the application of digital linear filters: *Geophys. Prosp.*, **26**, 352–358.
- Kunaratnam, K., 1981, Simplified expressions for the magnetic anomalies due to vertical rectangular prisms: *Geophys. Prosp.*, **29**, 883–890.
- Kurtulus, C., 1993, Seismic stratigraphy in high resolution shallow marine seismic data of the Gemlik Gulf: *Geophys. Prosp.*, **41**, 913–926.
- Kuster, G. T., 1977, An interaction model for elastic-wave propagation in two-phase media: *Geophys. Prosp.*, **25**, 481–495.
- Kuth, C., and Neubauer, F. M., 1988, Multifrequency inversion of induction logs: *Geophys. Prosp.*, **36**, 66–82.
- Kwok, Y. K., 1991, Gravity gradient tensors due to a polyhedron with polygonal facets: *Geophys. Prosp.*, **39**, 435–444.
- Lamer, A., 1970, Couplage sol-geophone: *Geophys. Prosp.*, **18**, 300–319.
- , 1977, Attenuation of the multiples in marine seismic by antiaveraging: *Geophys. Prosp.*, **25**, 141–164.
- Landa, E., Kosloff, D., Keydar, S., Koren, Z., and Reshef, M., 1988, A method for determination of velocity and depth from seismic reflection data: *Geophys. Prosp.*, **36**, 223–243.
- Landa, E., Shtivelman, V., and Belchinsky, B., 1987, A method for detection of diffracted waves on common-offset sections: *Geophys. Prosp.*, **35**, 359–373.

- Landa, E., Thore, P., and Reshef, M., 1993, Model-based stack: A method for constructing an accurate zero-offset section for complex overburdens: *Geophys. Prosp.*, **41**, 661–670.
- Landro, M., 1992, Modelling of GI gun signatures: *Geophys. Prosp.*, **40**, 721–747.
- Langhammer, J., and Landro, M., 1993, Temperature effects on airgun signatures: *Geophys. Prosp.*, **41**, 737–750.
- Lapenna, V., Macchiato, M., Patella, D., Satriano, C., Serio, C., and Tramutoli, V., 1994, Statistical analysis of non-stationary voltage recordings in geoelectrical prospecting: *Geophys. Prosp.*, **42**, 917–952.
- Laski, J. D., 1970, Simultaneous estimation of parameters of reflection events (depth dip velocity) and relative static corrections: *Geophys. Prosp.*, **18**, 269–276.
- , 1978, Transformation of time-distance curves of diving waves into a multilayered model: *Geophys. Prosp.*, **26**, 48–81.
- Lavergne, M., and Willm, C., 1977, Inversion of seismograms and pseudo velocity logs: *Geophys. Prosp.*, **25**, 231–250.
- Laws, R., Parkes, G., and Hatton, L., 1988, Energy interaction - The long-range interaction of seismic sources: *Geophys. Prosp.*, **36**, 333–348.
- Leblanc, Y., Lam, H. L., Pascoe, L. J., and Jones, F. W., 1982, A comparison of two methods of estimating static formation temperature from well-logs: *Geophys. Prosp.*, **30**, 348–357.
- Lee, S. K., and Buselli, G., 1988, Transient EM analogue modelling for Korean treasure hunting with the SIROTEM system: *Geophys. Prosp.*, **36**, 976–994.
- Lee, T., 1977, Estimation of depth to conductors by the use of electromagnetic transients: *Geophys. Prosp.*, **25**, 61–75.
- , 1981, Direct interpretation of resistivity data over two-dimensional structures: *Geophys. Prosp.*, **29**, 462–469.
- , 1983, The transient electromagnetic response of a conducting sphere in an imperfectly conducting half-space: *Geophys. Prosp.*, **31**, 766–781.
- , 1984, The effect of a superparamagnetic layer on the transient electromagnetic response of a ground: *Geophys. Prosp.*, **32**, 480–496.
- Lee, T., Richardson, R. L., and Vozoff, K., 1979, Numerical modelling of a new multi-frequency electromagnetic system: *Geophys. Prosp.*, **27**, 601–615.
- Lee, T., and Thomas, L., 1992, The transient electromagnetic response of a polarizable sphere in a conducting half space: *Geophys. Prosp.*, **40**, 541–564.
- Leggett, M., Goulty, N. R., and Kragh, J. E., 1993, Study of traveltimes and amplitude time-lapse tomography using physical model data: *Geophys. Prosp.*, **41**, 599–620.

- Lehmann, H. J., and Houba, W., 1985, Practical aspects of the determination of three-dimensional stacking velocities: *Geophys. Prosp.*, **33**, 34–51.
- Lerwill, W. E., 1981, The amplitude and phase response of a seismic vibrator: *Geophys. Prosp.*, **29**, 503–528.
- , 1983, Reply to comments on 'The amplitude and phase response of a seismic vibrator', by Lerwill, W. E. (GPR-29-04-0503-0528): *Geophys. Prosp.*, **31**, 997–999.
- Levin, F. K., 1984, Anisotropy due to bedding - A computer study: *Geophys. Prosp.*, **32**, 187–197.
- Levin, S. A., and Lee, S. Y. C., 1990, Comment on 'Efficient 2D and 3D shot record re-datuming', by N. A. Kinneking, V. Budejicky, C. P. A. Wapenaar, and A. J. Berkhout, (GPR-37-5-493-530) with reply by author: *Geophys. Prosp.*, **38**, 569–576.
- Levy, S., and Clowes, R. M., 1980, Debubbling - A generalized linear inverse approach: *Geophys. Prosp.*, **28**, 840–858.
- Li, X., and Pedersen, L. B., 1994a, Comment on 'Some remarks on the behaviour of the magnetotelluric phase', by G. Fischer (GPR-33-5-716-722) with reply by author: *Geophys. Prosp.*, **42**, 93–97.
- , 1994b, Comment on 'Three-dimensional interpretation of multiple-source bipole-dipole resistivity data using the apparent resistivity tensor', by H. M. Bibby and G. W. Hohmann (GPR-41-6-697-724) and reply by authors: *Geophys. Prosp.*, **42**, 525–529.
- Li, X. Y., and Crampin, S., 1993a, Approximations to shear-wave velocity and moveout equations in anisotropic media: *Geophys. Prosp.*, **41**, 833–858.
- , 1993b, Variation of reflection and transmission coefficients with crack strike and crack density in anisotropic media: *Geophys. Prosp.*, **41**, 859–882.
- Li, Y., and Oldenburg, D. W., 1991, Aspects of charge accumulation in DC resistivity experiments: *Geophys. Prosp.*, **39**, 803–826.
- Liao, Q., and McMechan, G. A., 1995, 2.5d full-wavefield viscoacoustic inversion: *Geophys. Prosp.*, **43**, 1043–1059.
- Lile, O. B., Backe, K. R., Elvebakk, H., and Buan, J. E., 1994, Resistivity measurements on the sea bottom to map fracture zones in the bedrock underneath sediments: *Geophys. Prosp.*, **42**, 813–826.
- Lines, L. R., and Clayton, R. W., 1977, A new approach to Vibroseis deconvolution: *Geophys. Prosp.*, **25**, 417–433.
- Lines, L. R., Clayton, R. W., and Ulrych, T. J., 1980, Impulse response models for noisy Vibroseis data: *Geophys. Prosp.*, **28**, 49–59.

- Lines, L. R., and Treitel, S., 1984, Tutorial - A review of least-squares inversion and its application to geophysical problems: *Geophys. Prosp.*, **32**, 159–186.
- Lines, L. R., and Ulrych, T. J., 1977, The old and the new in seismic deconvolution and wavelet estimation: *Geophys. Prosp.*, **25**, 512–540.
- Liu, E., Crampin, S., and Roth, B., 1992, Modelling channel waves with synthetic seismograms in an anisotropic in-seam seismic survey: *Geophys. Prosp.*, **40**, 513–540.
- Liu, G., 1994, Tectonic modelling in the Bjornoya West basin of the western Barents Sea: *Geophys. Prosp.*, **42**, 277–302.
- Liu, H. P., and Peselnick, L., 1986, Improved phase-ellipse method for in-situ geophone calibration: *Geophys. Prosp.*, **34**, 537–544.
- Loewenthal, D., 1976, Reply to comments on 'A study on the poles and zeroes of Stefanescu's raised kernel function', by Loewenthal, D. (GPR-23-03-0459-0470): *Geophys. Prosp.*, **24**, 207–208.
- , 1994, Comment on 'Aspects of 1D seismic modelling using the Goupillaud principle', by Evert Slob and Anton Ziolkowski (GPR-41-2-135-148) and reply by authors: *Geophys. Prosp.*, **42**, 89–92.
- Loewenthal, D., Lee, S. S., and Gardner, G. H. F., 1985, Deterministic estimation of a wavelet using impedance type technique: *Geophys. Prosp.*, **33**, 956–969.
- Loinger, E., 1983a, A linear model for velocity anomalies: *Geophys. Prosp.*, **31**, 98–118.
- , 1983b, Reply to comments on 'A linear model for velocity anomalies', by Loinger, E. (GPR-31-01-0098-0118): *Geophys. Prosp.*, **31**, 842.
- Longbottom, J., Walden, A. T., and White, R. E., 1988, Principles and application of maximum kurtosis phase estimation: *Geophys. Prosp.*, **36**, 115–138.
- Losito, G., and Finzi-Contini, G., 1981, Laboratory instrumentation to study changes of electrical conductivity of rocks with changes of frequency temperature and pressure: *Geophys. Prosp.*, **29**, 923–931.
- Lou, M., and Crampin, S., 1993, Modelling guided waves in cross-hole surveys in uncracked and cracked rock: *Geophys. Prosp.*, **41**, 241–266.
- Lucas, A. L., 1983, Comment on 'A linear model for velocity anomalies', by Loinger, E. (GPR-31-01-0098-0118): *Geophys. Prosp.*, **31**, 840–841.
- Lyness, D., 1985, The gravimetric detection of mining subsidence: *Geophys. Prosp.*, **33**, 567–576.
- Lytle, R. J., Lager, D. L., Laine, E. F., Salisbury, J. D., and Okada, J. T., 1981, Fluid-flow monitoring using electromagnetic probing: *Geophys. Prosp.*, **29**, 627–638.

- MacBeth, C., and Crampin, S., 1991a, Comparison of signal processing techniques for estimating the effects of anisotropy: *Geophys. Prosp.*, **39**, 357–386.
- , 1991b, Examination of a spectral method for measuring the effects of anisotropy: *Geophys. Prosp.*, **39**, 667–690.
- MacBeth, C., and Yardley, G. S., 1992, Optimal estimation of crack-strike: *Geophys. Prosp.*, **40**, 849–872.
- Maeland, E., 1988, Artefacts in zero-offset migration: *Geophys. Prosp.*, **36**, 633–643.
- , 1993, On the construction of the 3D band-limited extrapolation operator in the space-frequency domain: *Geophys. Prosp.*, **41**, 645–658.
- Majumdar, R. K., and Datta, S., 1981, Induced-polarization and resistivity model studies over thin dykes: *Geophys. Prosp.*, **29**, 438–450.
- Maliotis, G., and Khan, M. A., 1981, A comparison of induced-polarization transient shapes over disseminated and massive sulfide sheets in the lower pillow lavas of Cyprus: *Geophys. Prosp.*, **29**, 906–922.
- Mallick, K., and Jain, S. C., 1979, Resistivity sounding on a layered transitional earth: *Geophys. Prosp.*, **27**, 869–875.
- Mallick, K., and Verma, R. K., 1979, Time-domain electromagnetic sounding - Computation of multilayer response and the problem of equivalence in interpretation: *Geophys. Prosp.*, **27**, 137–155.
- Malmqvist, L., 1978, Some applications of induced-polarization technique for different geophysical prospecting purposes: *Geophys. Prosp.*, **26**, 97–121.
- Malzac, J., and Rousseau, A., 1978, A processing density to calculate marine Bouguer gravity free of topographic variations in case of unknown bottom density: *Geophys. Prosp.*, **26**, 853–867.
- Mansinha, L., 1984, Zero-phase forward filters for resistivity sounding: *Geophys. Prosp.*, **32**, 1155–1166.
- , 1986, Reply to comments on 'Zero-phase forward filters for resistivity sounding', by Mansinha, L. (GPR-32-06-1155-1166): *Geophys. Prosp.*, **34**, 1289–1291.
- Marcak, H., 1980, Significance of information uncertainty in setting up the interpretative patterns of geophysical data: *Geophys. Prosp.*, **28**, 95–111.
- March, D. W., 1991, Editorial: *Geophys. Prosp.*, **39**, 721–722.
- Martinez, R. D., and McMechan, G. A., 1991a, Tau-p seismic data for viscoelastic media - Part 1: Modelling: *Geophys. Prosp.*, **39**, 141–156.
- , 1991b, Tau-p seismic data for viscoelastic media - Part 2: Linearized inversion: *Geophys. Prosp.*, **39**, 157–182.

- Masne, D. L., and Vasseur, G., 1981, Electromagnetic field of sources at the surface of a homogeneous conducting half-space with horizontal anisotropy - Application to fissured media: *Geophys. Prosp.*, **29**, 803–821.
- Matias, M. J. S., and Habberjam, G. M., 1984, A field example of the use of anisotropy parameters derived from resistivity soundings: *Geophys. Prosp.*, **32**, 725–739.
- Mazzotti, A., 1991, Amplitude, phase and frequency versus offset applications: *Geophys. Prosp.*, **39**, 863–886.
- Mazzotti, A., Melis, A. M., Ravagnan, G., and Bernasconi, G., 1994, AVO signatures of actual and synthetic reflections from different petrophysical targets: *Geophys. Prosp.*, **42**, 463–476.
- McCann, D. M., Andrew, E. M., and McCann, C., 1985, Seismic sources for shallow reflection surveying: *Geophys. Prosp.*, **33**, 943–955.
- McGee, T. M., 1991, Modelling 1-D wave propagation in a system of absorbing layers: *Geophys. Prosp.*, **39**, 29–50.
- McGillivray, P. R., and Oldenburg, D. W., 1990, Methods for calculating Fréchet derivatives and sensitivities for the non-linear inverse problem: A comparative study: *Geophys. Prosp.*, **38**, 499–524.
- McKay, A. G., 1991, Comment on 'The use of marine seismic profiling for environmental assessment' by T. M. McGee (GPR-38-8-861-880): *Geophys. Prosp.*, **39**, 967–972.
- McMechan, G. A., 1983, Migration by extrapolation of time-dependent boundary values: *Geophys. Prosp.*, **31**, 413–420.
- Meissner, R., and Hegazy, M. A., 1981, The ratio of the primary to the secondary reflection-coefficient as a possible future method to estimate oil and gas reservoirs: *Geophys. Prosp.*, **29**, 533–540.
- Meister, J., and Dresen, L., 1987, Hybrid seismic modelling - A technique to combine physical and computer methods for vertical-wave incidence: *Geophys. Prosp.*, **35**, 815–831.
- Mendel, J. M., 1977, A quantitative evaluation of Ott and Meders prediction error filter: *Geophys. Prosp.*, **25**, 692–698.
- , 1980, Generalized Kunetz-type equations: *Geophys. Prosp.*, **28**, 240–256.
- , 1981, A time-domain approach to the normal-incidence inverse problem: *Geophys. Prosp.*, **29**, 742–757.
- Menichetti, V., and Guillen, A., 1983, Simultaneous interactive magnetic and gravity inversion: *Geophys. Prosp.*, **31**, 929–944.

- Meredith, J. A., Toksoz, M. N., and Cheng, C. H., 1993, Secondary shear waves from source boreholes: *Geophys. Prosp.*, **41**, 287–312.
- Merrick, N. P., Odins, J. A., and Greenhalgh, S. A., 1978, A blind-zone solution to the problem of hidden layers within a sequence of horizontal or dipping refractors: *Geophys. Prosp.*, **26**, 703–721.
- de Meyer, F., 1984, Two structural models for the western flank of the Brabant-massif: *Geophys. Prosp.*, **32**, 37–50.
- Meyer, H. G., 1991, Some remarks on noise stability in dynamic inversion of reflection seismic data: *Geophys. Prosp.*, **39**, 1005–1014.
- Michelena, R. J., Muir, F., and Harris, J. M., 1993, Anisotropic travelttime tomography: *Geophys. Prosp.*, **41**, 381–412.
- Michette, A. G., Darling, A. M., Fiddy, M. A., Ward, W. A., and Franklin, E., 1984, Resolution enhancement of well-log and seismic data: *Geophys. Prosp.*, **32**, 564–580.
- Mickus, K. L., and Peeples, W. J., 1992, Inversion of gravity and magnetic data for the lower surface of a 2.5 dimensional sedimentary basin: *Geophys. Prosp.*, **40**, 171–194.
- Militzer, H., Rosler, R., and Losch, W., 1979, Theoretical and experimental investigations for cavity research with geoelectrical resistivity methods: *Geophys. Prosp.*, **27**, 640–652.
- Milkereit, B., 1987, Decomposition and inversion of seismic data - An instantaneous slowness approach: *Geophys. Prosp.*, **35**, 875–894.
- Minasian, R. S., 1979, Prospecting for subsurface water in the central volcanic highland of Armenia by geophysical methods: *Geophys. Prosp.*, **27**, 808–814.
- Mishra, D. C., 1978, Harmonic inversion of an aeromagnetic anomaly from a remanently magnetized pre-Cambrian schist belt Karnataka India: *Geophys. Prosp.*, **26**, 572–580.
- Mitchell, K. L., 1983, Comment on 'The amplitude and phase response of a seismic vibrator', by Lerwill, W. E. (GPR-29-04-0503-0528): *Geophys. Prosp.*, **31**, 843–844.
- Mjelde, R., 1992, Reflection and polarization of tube waves as seen in VSP data: *Geophys. Prosp.*, **40**, 605–618.
- Mohammed, S. A. G., and Habberjam, G. M., 1977, An example of the application of the rules of composition in resistivity interpretation: *Geophys. Prosp.*, **25**, 52–60.
- Mohsen, A. A., and Hashish, E. A., 1994, The fast Hankel transform: *Geophys. Prosp.*, **42**, 131–139.

- Molano, C. E., Salamanca, M., and van Overmeeren, R. A., 1990, Numerical modelling of standard and continuous vertical electrical soundings: *Geophys. Prosp.*, **38**, 705–718.
- Monk, D. J., 1993, Wave-equation multiple suppression using constrained gross-equalization: *Geophys. Prosp.*, **41**, 725–736.
- Moran, J. H., and Chemali, R. E., 1979, More on the Laterolog device: *Geophys. Prosp.*, **27**, 902–930.
- Morelli, C., 1976, Modern standards for gravity surveys: *Geophys. Prosp.*, **24**, 198–199.
- Morgan, F. D., 1987, Comments on 'The application of very-high-frequency (VHF) measurements to earthquake prediction', by Singh, R. P., et al (GPR-33-08-1232-1239): *Geophys. Prosp.*, **35**, 618–619.
- Morgan, P., Boulos, F. K., and Swanberg, C. A., 1983, Regional geothermal exploration in Egypt: *Geophys. Prosp.*, **31**, 361–376.
- Moscicki, W. J., 1987, Temperature anomalies over underground cavities: *Geophys. Prosp.*, **35**, 392–423.
- Mosegaard, K., 1985, Insufficiently sampled Q-values - A cause of wavelet distortion in the generation of synthetic seismograms: *Geophys. Prosp.*, **33**, 817–827.
- Mosegaard, K., and Vestergaard, P. D., 1991, A simulated annealing approach to seismic model optimization with sparse prior information: *Geophys. Prosp.*, **39**, 599–612.
- Mufti, I. R., 1980, Finite-difference evaluation of apparent resistivity curves: *Geophys. Prosp.*, **28**, 146–166.
- , 1985, Seismic modeling in the implicit mode: *Geophys. Prosp.*, **33**, 619–656.
- Mundry, E., 1978, The thin-layer problem in geoelectrical prospecting: *Geophys. Prosp.*, **26**, 581–594.
- , 1984a, Geoelectrical model calculations for two-dimensional resistivity distributions: *Geophys. Prosp.*, **32**, 124–131.
- , 1984b, On the interpretation of airborne electromagnetic data for the two-layer case: *Geophys. Prosp.*, **32**, 336–346.
- Mundry, E., and Blohm, E. K., 1987, Frequency electromagnetic sounding using a vertical magnetic dipole: *Geophys. Prosp.*, **35**, 110–123.
- Mundry, E., and Zschau, H. J., 1983, Geoelectrical models involving layers with a linear change in resistivity and their use in the investigation of clay deposits: *Geophys. Prosp.*, **31**, 810–828.

- Murat, M. E., and Rudman, A. J., 1992, Automated first arrival picking: A neural network approach: *Geophys. Prosp.*, **40**, 587–604.
- Murthy, Y. V. S., and Mallick, K., 1984, Interpretation of Landsat multispectral scanner (MSS) data in an iron-ore-bearing-zone in Goa India: *Geophys. Prosp.*, **32**, 282–291.
- Murty, B. V. S., Ghyasuddin, M., and Reddy, P. V., 1982, Subsurface gravity measurements and density mapping in the Mailaram copper mines Andhra-Pradesh India: *Geophys. Prosp.*, **30**, 444–453.
- Nabulsi, K. A., and Wait, J. R., 1982, Transient coupling between finite circuits on an anisotropic conducting half-space: *Geophys. Prosp.*, **30**, 470–485.
- Naess, O. E., 1979, Superstack - An interactive stacking algorithm: *Geophys. Prosp.*, **27**, 16–28.
- Nagendra, R., Rao, I. B. R., and Bhimasankaram, V. L. S., 1980, Influence of a conducting shield in the one loop version of the transient pulse induction method: *Geophys. Prosp.*, **28**, 269–282.
- Naik, S. B. R., Kumar, G. N., and Raghava, M. S. V., 1980, The correlation refraction method as applied to weathered zone studies in a granite terrain: *Geophys. Prosp.*, **28**, 18–29.
- Negi, J. G., and Dimri, V. P., 1979, On Wiener filter and maximum entropy method for multichannel complex systems: *Geophys. Prosp.*, **27**, 156–167.
- Negi, J. G., Gupta, O. P., and Joshi, M. S., 1987, Corrections for conductivity estimates in induction prospecting of sulphide dykes in a layered environment: *Geophys. Prosp.*, **35**, 718–734.
- Neumann, G., 1981, Determination of lateral inhomogeneities in reflection seismics by inversion of travelttime residuals: *Geophys. Prosp.*, **29**, 161–177.
- Newman, G. A., and Alumbaugh, D. L., 1995, Frequency-domain modelling of airborne electromagnetic responses using staggered finite differences: *Geophys. Prosp.*, **43**, 1021–1042.
- Newman, P., 1985, Continuous calibration of marine seismic sources: *Geophys. Prosp.*, **33**, 224–232.
- Newman, P. J., and Worthington, M. H., 1982, In-situ investigation of seismic body wave attenuation in heterogeneous media: *Geophys. Prosp.*, **30**, 377–400.
- van Ngoc, P., Boyer, D., and Chouteau, M., 1978, Mapping of apparent pseudo-resistivities by telluric-telluric profiling associated with magnetotellurics: *Geophys. Prosp.*, **26**, 218–246.
- Nickel, H., Sender, F., Thierbach, R., and Weichart, H., 1983, Exploring the interior of salt-domes from boreholes: *Geophys. Prosp.*, **31**, 131–148.

- Nicollin, F., and Kofman, W., 1994, Ground-penetrating radar sounding of a temperate glacier; modelling of a multilayered medium: *Geophys. Prosp.*, **42**, 715–734.
- Nielsen, P., If, F., Berg, P., and Skovgaard, O., 1994, Using the pseudospectral technique on curved grids for 2D acoustic forward modelling: *Geophys. Prosp.*, **42**, 321–341.
- Nielsen, P. H., 1978, Calculation of synthetic reflection seismograms in the frequency-domain: *Geophys. Prosp.*, **26**, 399–406.
- , 1990, Comment on 'A review of least-squares inversion and its application to geophysical problems', by L. R. lines and S. Treitel, (GPR-32-2-159-186) with reply by author: *Geophys. Prosp.*, **38**, 101–103.
- Nilsen, A., and Gjevnik, B., 1978, Inversion of reflection data: *Geophys. Prosp.*, **26**, 421–432.
- Nissen, J., 1987, Comment on 'Frequency electromagnetic sounding using a vertical magnetic dipole', by Mundry, E., et al (GPR-35-01-0110-0123): *Geophys. Prosp.*, **35**, 934.
- Niwas, S., 1991, Transformation of line-source resistivity data to point-source data and vice versa using the matrix method: *Geophys. Prosp.*, **39**, 95–104.
- Niwas, S., and Israil, M., 1987, A simple method of interpretation of resistivity sounding data using exponential approximation of the kernel function: *Geophys. Prosp.*, **35**, 548–567.
- Nobes, D. C., Hamilton, T. S., and Cartwright, P., 1990, Structure of the southwestern Fraser River delta as determined from geoelectrical sounding: *Geophys. Prosp.*, **38**, 525–544.
- Nooteboom, J. J., 1978, Signature and amplitude of linear air-gun arrays: *Geophys. Prosp.*, **26**, 194–201.
- Normark, E., 1993, Residual statics estimation by stack-power maximization in the frequency domain: *Geophys. Prosp.*, **41**, 551–564.
- Normark, E., and Mosegaard, K., 1993, Residual statics estimation: Scaling temperature schedules using simulated annealing: *Geophys. Prosp.*, **41**, 565–578.
- Oblogina, T. I., and Fedynsky, V. V., 1980, Seismic and gravity two-dimensional inhomogeneous model of the earth's crust: *Geophys. Prosp.*, **28**, 592–600.
- O'Brien, P. N. S., 1978, Presidential address - Education first training later: *Geophys. Prosp.*, **26**, 501–508.
- Ogilvy, A. A., Berry, B. L., and Kuzmina, E. N., 1979, The study of the genesis of surface waters by observing their electrical resistivities: *Geophys. Prosp.*, **27**, 790–797.

- Ogilvy, A. A., and Bogoslovsky, V. A., 1979, The possibilities of geophysical methods applied for investigating the impact of man on the geological medium: *Geophys. Prosp.*, **27**, 775–789.
- Ogilvy, A. A., Bogoslovsky, V. A., and Kuzmina, E. N., 1980, Geoelectric models in engineering geophysics: *Geophys. Prosp.*, **28**, 945–955.
- Ogilvy, R. D., 1987, Interpretation of transient electromagnetic common-loop anomalies by response characteristics: *Geophys. Prosp.*, **35**, 454–473.
- Ogilvy, R. D., Cuadra, A., Jackson, P. D., and Monte, J. L., 1991, Detection of an air-filled drainage gallery by the VLF resistivity method: *Geophys. Prosp.*, **39**, 845–860.
- Ogilvy, R. D., and Lee, A. C., 1991, Interpretation of VLF-EM in-phase data using current density pseudosections: *Geophys. Prosp.*, **39**, 567–580.
- Ogunade, S. O., and Dosso, H. W., 1980, The inductive response of a horizontal conducting cylinder buried in a uniform earth for a uniform inducing field: *Geophys. Prosp.*, **28**, 601–609.
- Okabe, M., 1982, Analytical expressions for gravity due to homogeneous revolutional compartments in the Gaussian divergence approach: *Geophys. Prosp.*, **30**, 166–187.
- , 1985a, Reply to comments on 'Boundary element method for the arbitrary inhomogeneities problem in electrical prospecting', by Okabe, M. (GPR-29-01-0039-0059): *Geophys. Prosp.*, **33**, 472.
- , 1985b, Reply to comments on 'Reciprocal averaging techniques in the geoelectrical boundary element approach', by Okabe, M. (GPR-30-05-0653-0672): *Geophys. Prosp.*, **33**, 472.
- Olorunfemi, M. O., and Griffiths, D. H., 1985, A laboratory investigation of the induced-polarization of the Triassic Sherwood-sandstone of Lancashire and its hydrogeological applications: *Geophys. Prosp.*, **33**, 110–127.
- Olorunfemi, M. O., Olarewaju, V. O., and Avci, M., 1986, Geophysical investigation of a fault zone - Case-history from Ile Ife southwest Nigeria: *Geophys. Prosp.*, **34**, 1277–1284.
- Olsson, O., 1980, VLF anomalies from a perfectly conducting half-plane below an overburden: *Geophys. Prosp.*, **28**, 415–434.
- , 1981a, Reply to comments on 'Numerical VLF modeling', by Kaikkonen, P. (GPR-27-04-0815-0834): *Geophys. Prosp.*, **29**, 303–307.
- , 1981b, Reply to comments on 'VLF anomalies from a perfectly conducting half-plane below an overburden', by Olsson, O. (GPR-28-03-0415-0434): *Geophys. Prosp.*, **29**, 307.

- , 1983, Computation of VLF response over half-plane and wedge models: *Geophys. Prosp.*, **31**, 171–191.
- Olsson, O., Falk, L., Forslund, O., Lundmark, L., and Sandberg, E., 1992, Borehole radar applied to the characterization of hydraulically conductive fracture zones in crystalline rock: *Geophys. Prosp.*, **40**, 109–142.
- O'Neill, D. J., and Merrick, N. P., 1984, A digital linear filter for resistivity sounding with a generalized electrode array: *Geophys. Prosp.*, **32**, 105–123.
- Ooe, M., and Ulrych, T. J., 1979, Minimum entropy deconvolution with an exponential transformation: *Geophys. Prosp.*, **27**, 458–473.
- Oristaglio, M. L., and Worthington, M. H., 1980, Inversion of surface and borehole electromagnetic data for two-dimensional electrical conductivity models: *Geophys. Prosp.*, **28**, 633–657.
- van Overmeeren, R. A., 1980, Tracing by gravity of a narrow buried graben structure detected by seismic refraction for ground-water investigation in north Chile: *Geophys. Prosp.*, **28**, 392–407.
- Ozdemir, H., 1981, Optimum hyperbolic moveout filters with applications to seismic data: *Geophys. Prosp.*, **29**, 702–714.
- , 1982, A frequency-domain mapping approximation of moveout filters with applications: *Geophys. Prosp.*, **30**, 292–317.
- , 1985, Maximum likelihood estimation of seismic reflection coefficients: *Geophys. Prosp.*, **33**, 828–860.
- Ozdemir, H., and Saatcilar, R., 1990, Tutorial: Efficient multichannel filtering of seismic data: *Geophys. Prosp.*, **38**, 1–22.
- Pal, B. P., and Dasgupta, S. P., 1984, Electrical potential due to a point current source over an inhomogeneous anisotropic earth: *Geophys. Prosp.*, **32**, 943–954.
- Palacky, A. J., 1983, Tutorial - Research applications and publications in electrical and electromagnetic methods: *Geophys. Prosp.*, **31**, 861–872.
- Palacky, G. J., 1991, Application of the multifrequency horizontal-loop EM method in overburden investigations: *Geophys. Prosp.*, **39**, 1061–1082.
- Palacky, G. J., Ritsema, I. L., and de Jong, S. J., 1981, Electromagnetic prospecting for groundwater in pre-Cambrian terrains in the republic of Upper Volta: *Geophys. Prosp.*, **29**, 932–955.
- Palmer, D., 1983, Comment on 'Curved raypath interpretation of seismic refraction data', by Greenhalgh, S. A., et al (GPR-29-06-0853-0882): *Geophys. Prosp.*, **31**, 542–543.

- , 1991, The resolution of narrow low-velocity zones with the generalized reciprocal method: *Geophys. Prosp.*, **39**, 1031–1060.
- Paparnis, D. S., 1988, Comments on 'Geophysical detection of mineral conductors in tropical terrains with target conductors partly embedded in the conductive overburden', by Barongo, J. O. (GPR-35-05-0568-0589): *Geophys. Prosp.*, **36**, 92–93.
- Parasnis, D. S., 1980, Presidential address - A Popperian look at geophysics: *Geophys. Prosp.*, **28**, 667–675.
- , 1984, Comments on 'A theorem for direct-current regimes and some of its consequences', by Roy, A. (GPR-26-02-0442-0463): *Geophys. Prosp.*, **32**, 139–141.
- Passalacqua, H., 1983, Electromagnetic fields due to a thin resistive layer: *Geophys. Prosp.*, **31**, 945–976.
- Patella, D., 1977, Resistivity sounding on a multilayered earth with transitional layers part I - Theory: *Geophys. Prosp.*, **25**, 699–729.
- , 1978a, Reply to comments on 'A new parameter for the interpretation of induced-polarization field prospecting (time-domain)', by Patella, D. (GPR-21-02-0315-0329): *Geophys. Prosp.*, **26**, 643–653.
- , 1978b, Reply to comments on 'An interpretation theory for induced-polarization - Vertical soundings', by Patella, D. (GPR-20-03-0561-0579): *Geophys. Prosp.*, **26**, 643.
- , 1978c, Reply to comments on 'Comments on papers discussing the principles underlying the computation of induced-polarization parameters in a heterogeneous medium', by Eskola, L. (GPR-26-03-0644): *Geophys. Prosp.*, **26**, 658–661.
- , 1978d, Resistivity sounding on a multilayered earth with transitional layers part II - Theoretical and field examples: *Geophys. Prosp.*, **26**, 130–156.
- , 1979, Definition and application of the frequency-effect transform function to the interpretation of induced-polarization soundings: *Geophys. Prosp.*, **27**, 628–639.
- , 1980a, Gravity interpretation using the Hankel-transform: *Geophys. Prosp.*, **28**, 744–749.
- , 1980b, The interpretation of the vertical fault problem in geoelectrics using Hankel-integral: *Geophys. Prosp.*, **28**, 961–966.
- , 1980c, The quantitative interpretation of dipole soundings by means of the resistivity transform-function: *Geophys. Prosp.*, **28**, 956–960.
- , 1982, Reply to comments on 'The quantitative interpretation of dipole soundings by means of the resistivity transform-function', by Patella, D. (GPR-28-06-0956-0960): *Geophys. Prosp.*, **30**, 237–239.

- , 1986, Low-pass filtering of noisy Schlumberger sounding curves part I - Theory: *Geophys. Prosp.*, **34**, 109–123.
- , 1987, Tutorial on interpretation of magnetotelluric measurements over an electrically dispersive one-dimensional earth: *Geophys. Prosp.*, **35**, 1–11.
- Patella, D., and Schiavone, D., 1977, Comparative analysis of time-domain and frequency-domain in the induced-polarization prospecting method: *Geophys. Prosp.*, **25**, 496–511.
- Patella, D., and Siniscalchi, A., 1994, Two-level magnetovariational measurements for the determination of underground resistivity distributions: *Geophys. Prosp.*, **42**, 417–444.
- Patella, D., and Tramacere, A., 1986, Geoelectric axial dipole sounding curves for a class of two-dimensional earth structures: *Geophys. Prosp.*, **34**, 424–444.
- Patra, H. P., 1970, Central frequency sounding in shallow engineering and hydrogeological problems: *Geophys. Prosp.*, **18**, 236–254.
- Peacock, S., McCann, C., Sothcott, J., and Astin, T. R., 1994, Seismic velocities in fractured rocks: An experimental verification of Hudson's theory: *Geophys. Prosp.*, **42**, 27–80.
- Pedersen, L. B., 1977, Interpretation of potential field data - A generalized inverse approach: *Geophys. Prosp.*, **25**, 199–230.
- , 1979, Constrained inversion of potential field data: *Geophys. Prosp.*, **27**, 726–748.
- , 1982, The magnetotelluric impedance tensor - Its random and bias errors: *Geophys. Prosp.*, **30**, 188–210.
- , 1985, The gravity and magnetic fields from ellipsoidal bodies in the wavenumber domain: *Geophys. Prosp.*, **33**, 263–281.
- Pedersen, L. B., Qian, W., Dynesius, L., and Zhang, P., 1994, An airborne tensor VLF system. from concept to realization: *Geophys. Prosp.*, **42**, 863–883.
- Pedersen, L. B., Rasmussen, T. M., and Dyrelius, D., 1990, Construction of component maps from aeromagnetic total field anomaly maps: *Geophys. Prosp.*, **38**, 795–804.
- Peltoniemi, M., 1981a, Comments on 'Numerical VLF modeling', by Kaikkonen, P. (GPR-27-04-0815-0834): *Geophys. Prosp.*, **29**, 298–302.
- , 1981b, Comments on 'VLF anomalies from a perfectly conducting half-plane below an overburden', by Olsson, O. (GPR-28-03-0415-0434): *Geophys. Prosp.*, **29**, 302.
- Peng, C., Cheng, C. H., and Toksoz, M. N., 1993, Borehole effects on downhole seismic measurements: *Geophys. Prosp.*, **41**, 883–912.

- , 1994, Cased borehole effects on downhole seismic measurements: *Geophys. Prosp.*, **42**, 777–811.
- Pereyra, V., 1992, Two-point ray tracing in general 3D media: *Geophys. Prosp.*, **40**, 267–288.
- Peric, M., 1981, Exploration of Burundi nickeliferous laterites by electrical methods: *Geophys. Prosp.*, **29**, 274–287.
- Petiau, G., and Dupis, A., 1980, Noise temperature coefficient and long-time stability of electrodes for telluric observations: *Geophys. Prosp.*, **28**, 792–804.
- Pilkington, M., Gregotski, M. E., and Todoeschuck, J. P., 1994, Using fractal crustal magnetization models in magnetic interpretation: *Geophys. Prosp.*, **42**, 677–692.
- Pilkington, M., and Todoeschuck, J. P., 1992, Natural smoothness constraints in cross-hole seismic tomography: *Geophys. Prosp.*, **40**, 227–242.
- Pitt, P. L., Smith, R. D., Sheffler, G. C., Warren, R. D., Clements, R. M., and Hamilton, T. S., 1988, A pulsed plasma jet acoustic source for profiling the ocean floor: *Geophys. Prosp.*, **36**, 523–536.
- Poddar, M., 1982a, Interpretation of pulse electromagnetic anomalies over Gani conductors Kurnool India: *Geophys. Prosp.*, **30**, 86–100.
- , 1982b, A rectangular loop source of current on a two-layered earth: *Geophys. Prosp.*, **30**, 101–114.
- , 1983, Electromagnetic sounding near a large-square loop-source of current: *Geophys. Prosp.*, **31**, 508–523.
- Poddar, M., and Rathor, B. S., 1983, Very-low-frequency (VLF) survey of the weathered layer in southern India: *Geophys. Prosp.*, **31**, 524–560.
- Poggiagliolmi, E., Berkhout, A. J., and Boone, M. M., 1982, Phase unwrapping possibilities and limitations: *Geophys. Prosp.*, **30**, 281–291.
- Pohanka, V., 1988, Optimum expression for computation of the gravity field of a homogeneous polyhedral body: *Geophys. Prosp.*, **36**, 733–751.
- Polakov, M. K., Brodov, L. J., Mironova, L. V., Michon, D., Garotta, R., Layotte, P. C., and Coppens, F., 1980, Combined use of longitudinal and transverse waves in reflection seismics: *Geophys. Prosp.*, **28**, 185–207.
- Posthumus, B. J., 1993, Deghosting using a twin streamer configuration: *Geophys. Prosp.*, **41**, 267–286.
- Pous, J., Marcuello, A., and Queralt, P., 1987, Resistivity inversion with a priori information: *Geophys. Prosp.*, **35**, 590–603.
- Pratt, R. G., 1990, Inverse theory applied to multi-source cross-hole tomography. part 2: Elastic wave-equation method: *Geophys. Prosp.*, **38**, 311–312.

- Pratt, R. G., and Worthington, M. H., 1990, Inverse theory applied to multi-source cross-hole tomography. part 1: Acoustic wave-equation method: *Geophys. Prosp.*, **38**, 287–310.
- Qian, B., 1987, Analysis and improvement of the primary field waveform of the ground TEM method: *Geophys. Prosp.*, **35**, 197–204.
- Qian, W., 1994, On small-scale near-surface distortion in controlled source tensor electromagnetics: *Geophys. Prosp.*, **42**, 501–520.
- Qin, S., 1994, An analytic signal approach to the interpretation of total field magnetic anomalies: *Geophys. Prosp.*, **42**, 665–675.
- Rader, D., Schott, W., Dresen, L., and Ruter, H., 1985, Calculation of dispersion curves and amplitude-depth distributions of Love channel waves in horizontally-layered media: *Geophys. Prosp.*, **33**, 800–816.
- Rafison, B. J., 1988, Application of petrophysical measurements to the prediction of seismic responses of differing lithology or pore fluids: *Geophys. Prosp.*, **36**, 847–856.
- Raghava, M. S. V., Jawahar, G., and Sherbakova, T. V., 1977, An ultrasonic profiling investigation on some fresh and weathered granites of Hyderabad India: *Geophys. Prosp.*, **25**, 768–779.
- Raghava, M. S. V., and Kumar, G. N., 1979, The blind-zone problem in multiple refraction-layer overburden situations: *Geophys. Prosp.*, **27**, 474–479.
- Raghuwanshi, S. S., and Singh, B., 1986, Resistivity sounding on a horizontally stratified multi-layered earth: *Geophys. Prosp.*, **34**, 409–423.
- Rai, S. S., and Bhattacharya, B. B., 1986, Quantitative interpretation of Pulse EM measurements over a weathered kimberlite diatreme: *Geophys. Prosp.*, **34**, 220–231.
- Rai, S. S., and Sarma, G. S., 1986, In-loop Pulse EM response of a stratified earth: *Geophys. Prosp.*, **34**, 232–239.
- Rai, S. S., and Verma, S. K., 1982, Quantitative interpretation of horizontal loop electromagnetic measurements using a permeable sphere model: *Geophys. Prosp.*, **30**, 486–500.
- , 1984, Nomograms to interpret Crone pulse-electromagnetic (PEM) data using a dipping sheet model: *Geophys. Prosp.*, **32**, 740–749.
- Raikes, S. A., and White, R. E., 1984, Measurements of earth attenuation from down-hole and surface seismic recordings: *Geophys. Prosp.*, **32**, 892–919.
- Rajan, N. S., Mohan, N. L., and Narasimha, C., 1986, Comment on 'A note on the use of a nomogram for self-potential anomalies', by Bhattacharya, B. B., et al (GPR-29-01-0102-0107): *Geophys. Prosp.*, **34**, 1292–1293.

- Ramm, A. G., 1986, Inversion of induction logging measurements: *Geophys. Prosp.*, **34**, 293–301.
- Rao, B. N., and Pal, P. C., 1980, Factor analysis for interpreting petrophysical data on Roro ultramafics Singhbhum-district India: *Geophys. Prosp.*, **28**, 112–118.
- Rao, B. S. R., Rao, T. K. S. P., and Murthy, A. S. K., 1977, A note on magnetized spheres: *Geophys. Prosp.*, **25**, 746–757.
- Rao, C. R., Vijayakumar, V., Virupakshi, G., and Rao, M. B. S. V., 1985, A note on the interpretation of magnetic anomalies of infinite thin sheets by using relation figures: *Geophys. Prosp.*, **33**, 746–752.
- Rao, C. V., Pramanik, A. G., Kumar, G. V. R. K., and Raju, M. L., 1994, Gravity interpretation of sedimentary basins with hyperbolic density contrast: *Geophys. Prosp.*, **42**, 825–839.
- Rao, D. B., Prakash, M. J., and Babu, N. R., 1990, 3D and 2-1/2D modelling of gravity anomalies with variable density contrast: *Geophys. Prosp.*, **38**, 411–422.
- Rasmussen, K. L., and Sharma, P. V., 1979, Bicubic spline interpolation - A quantitative test of accuracy and efficiency: *Geophys. Prosp.*, **27**, 394–408.
- Rasmussen, R., and Pedersen, L. B., 1979, End corrections in potential field modeling: *Geophys. Prosp.*, **27**, 749–760.
- Rathor, B. S., 1978a, Induced-polarization response of a polarizable inhomogeneous sphere: *Geophys. Prosp.*, **26**, 550–561.
- , 1978b, Quasi-static electromagnetic fields of a horizontal electrical dipole on the surface of a polarizable half-space: *Geophys. Prosp.*, **26**, 175–183.
- , 1978c, Transient electromagnetic field of a polarizable half-space due to various current pulses: *Geophys. Prosp.*, **26**, 337–351.
- Reilly, J. M., 1991, Integrated interpretation, 3-D map migration and VSP modelling project, northern U.K. Southern Gas Basin: *Geophys. Prosp.*, **39**, 253–278.
- Reiter, E. C., Toksoz, M. N., and Purdy, G. M., 1993, A semblance-guided median filter: *Geophys. Prosp.*, **41**, 15–42.
- Repsold, H., 1977, Comments on 'New results in resistivity well-logging', by Roy, A. (GPR-23-03-0426-0448): *Geophys. Prosp.*, **25**, 553–559.
- Reshef, M., Landa, E., and Ravid, T., 1991, Elastic parameter estimation by coherency optimization: *Geophys. Prosp.*, **39**, 241–252.
- Reust, D. K., 1993, Enhanced servovalve technology for seismic vibrators: *Geophys. Prosp.*, **41**, 43–60.
- Rietsch, E., 1977a, Computerized analysis of Vibroseis signal similarity: *Geophys. Prosp.*, **25**, 541–552.

- , 1977b, Vibroseis signals with prescribed power spectrum: *Geophys. Prosp.*, **25**, 613–620.
- , 1980, Estimation of the signal-to-noise ratio of seismic data with an application to stacking: *Geophys. Prosp.*, **28**, 531–550.
- , 1981, Reduction of harmonic distortion in vibratory source records: *Geophys. Prosp.*, **29**, 178–188.
- , 1988, The maximum entropy approach to the inversion of one-dimensional seismograms: *Geophys. Prosp.*, **36**, 365–382.
- van Rijssen, E. P. F., and Herman, G. C., 1991, Resolution analysis of band-limited and offset-limited seismic data for plane-layered subsurface models: *Geophys. Prosp.*, **39**, 61–76.
- Ristow, D., and Kosbahn, B., 1979, Time-varying prediction filtering by means of updating: *Geophys. Prosp.*, **27**, 40–61.
- Robinson, E. A., 1977, Reply to comments on 'Dynamic predictive deconvolution', by Robinson, E. A. (GPR-23-04-0779): *Geophys. Prosp.*, **25**, 572.
- Robinson, E. A., and Treitel, S., 1977, The spectral function of a layered system and the determination of the waveforms at depth: *Geophys. Prosp.*, **25**, 434–459.
- Rocroi, J. P., and Koulikov, A. V., 1985, The use of vertical-line sources in electrical prospecting for hydrocarbon: *Geophys. Prosp.*, **33**, 138–154.
- Roksandic, M. M., 1978, Seismic facies analysis concepts: *Geophys. Prosp.*, **26**, 383–398.
- den Rooijen, H. P. G. M., 1991, Stacking of P-SV seismic reflection data using dip moveout: *Geophys. Prosp.*, **39**, 585–598.
- Rosler, R., and Schallar, M., 1978, Geoelectric sounding in gradient media and equivalent layer systems: *Geophys. Prosp.*, **26**, 122–129.
- Rouhiainen, P. J., 1987, Engineering geophysical studies of the Loviisa nuclear power plant site Finland: *Geophys. Prosp.*, **35**, 1015–1029.
- Rowbotham, P. S., and Goult, N. R., 1993, Imaging capability of cross-hole seismic reflection surveys: *Geophys. Prosp.*, **41**, 927–941.
- Roy, A., 1977, The concept of apparent resistivity in Laterolog Seven: *Geophys. Prosp.*, **25**, 730–737.
- , 1978, A theorem for direct-current regimes and some of its consequences: *Geophys. Prosp.*, **26**, 442–463.
- , 1980, On some resistivity log interpretation charts: *Geophys. Prosp.*, **28**, 453–494.

- , 1981a, Comments on 'The offset system of electrical resistivity sounding and its use with a multicore cable', by Barker, R. D. (GPR-29-01-0128-0143): *Geophys. Prosp.*, **29**, 956–957.
- , 1981b, Reply to comments on 'A theorem for direct-current regimes and some of its consequences', by Roy, A. (GPR-26-02-0442-0463): *Geophys. Prosp.*, **29**, 312–315.
- , 1983a, Reply to comments on 'A theorem for direct-current regimes and some of its consequences', by Roy, A. (GPR-26-02-0442-0463): *Geophys. Prosp.*, **31**, 196.
- , 1983b, Reply to comments on 'Bedrock depth from surface potential measurements', by Roy, A. (GPR-16-04-0447): *Geophys. Prosp.*, **31**, 1003.
- , 1984, Reply to comments on 'A theorem for direct-current regimes and some of its consequences', by Roy, A. (GPR-26-02-0442-0463): *Geophys. Prosp.*, **32**, 142–143.
- Roy, A., and Aina, A. O., 1986, Some new magnetic transformations: *Geophys. Prosp.*, **34**, 1219–1232.
- Roy, A., and Apparao, A., 1976, Laboratory results in resistivity logging: *Geophys. Prosp.*, **24**, 123–140.
- , 1978a, Reply to comments on 'Laboratory results in resistivity logging', by Roy, A., et al (GPR-24-01-0123): *Geophys. Prosp.*, **26**, 485.
- , 1978b, Reply to comments on 'New results in resistivity well-logging', by Roy, A. (GPR-23-03-0426): *Geophys. Prosp.*, **26**, 481–485.
- Roy, A., and Poddar, M., 1981, A simple derivation of Seigel's time-domain induced-polarization formula: *Geophys. Prosp.*, **29**, 432–437.
- Roy, K. K., and Elliott, H., 1978a, Comments on 'A new parameter for the interpretation of induced-polarization field prospecting (time-domain)', by Patella, D. (GPR-21-02-0315-0329): *Geophys. Prosp.*, **26**, 642.
- , 1978b, Comments on 'An interpretation theory for induced-polarization - Vertical soundings', by Patella, D. (GPR-20-03-0561-0579): *Geophys. Prosp.*, **26**, 638–642.
- Roy, K. K., and Elliott, H. M., 1980, Model studies on some aspects of resistivity and membrane polarization behaviour over a layered earth: *Geophys. Prosp.*, **28**, 759–775.
- Roy, K. K., and Rao, K. P., 1977, Limiting depth of detection in line electrode systems: *Geophys. Prosp.*, **25**, 758–767.
- Ruhl, T., Kopp, C., and Ristow, D., 1995, Fourier finite-difference migration for steeply dipping reflectors with complex overburden: *Geophys. Prosp.*, **43**, 919–938.

- Ruhl, T., and Luschen, E., 1990, Inversion of first-break traveltimes of deep seismic reflection profiles: *Geophys. Prosp.*, **38**, 247–266.
- Ruotoistenmaki, T., 1993, The magnetic anomaly of 3D sources having arbitrary geometry and magnetization: *Geophys. Prosp.*, **41**, 413–434.
- Russell, R. D., and Barker, A. S., 1991, Seismo-electric exploration: Expected signal amplitudes: *Geophys. Prosp.*, **39**, 105–118.
- Ruter, H., Kohler, K., and Arnetzl, H., 1985, Possibilities of using vertical geophone arrays (CVA) in reflection seismology (continuous-vertical-array): *Geophys. Prosp.*, **33**, 503–518.
- Ruter, H., and Schepers, R., 1978, Investigation of the seismic response of cyclically layered Carboniferous rock by means of synthetic seismograms: *Geophys. Prosp.*, **26**, 29–47.
- , 1985, Is it possible to increase the resolution in seismic exploration for coal by using high-frequency signals: *Geophys. Prosp.*, **33**, 1160–1173.
- Safar, M. H., 1977, Reply to comments on 'Calibration of marine sources using a hydrophone of unknown sensitivity', by Safar, M. H. (GPR-24-02-0328-0333): *Geophys. Prosp.*, **25**, 188–193.
- , 1978a, On the minimization of the distortion caused by the geophone-ground coupling: *Geophys. Prosp.*, **26**, 538–549.
- , 1978b, Reply to comments on 'The radiation of acoustic waves from an air-gun', by Safar, M. H. (GPR-24-04-0756): *Geophys. Prosp.*, **26**, 464–476.
- , 1980, An efficient method of operating the air-gun: *Geophys. Prosp.*, **28**, 85–94.
- , 1981, Discussion of 'Interaction effects in marine seismic source arrays', by Sinclair, J. E., et al (GPR-28-03-0323-0332): *Geophys. Prosp.*, **29**, 470–475.
- , 1983a, Test results of a new type of efficient small airgun array: *Geophys. Prosp.*, **31**, 343–350.
- , 1983b, The use of airgun pressure pulses for calibrating a low-frequency standard hydrophone: *Geophys. Prosp.*, **31**, 334–342.
- , 1984a, Comment on 'Development of more efficient airgun arrays - Theory and experiment', by Johnston, R. C. (GPR-30-06-0752-0773): *Geophys. Prosp.*, **32**, 497–501.
- , 1984b, On the determination of the downgoing P-waves radiated by the vertical seismic vibrator: *Geophys. Prosp.*, **32**, 392–405.
- , 1984c, On the equalization of the transformerless seismic streamer response: *Geophys. Prosp.*, **32**, 228–235.

- , 1985a, Comment on 'Interaction between airguns', by Vaage, S., et al (GPR-32-04-0676-0689): *Geophys. Prosp.*, **33**, 1063–1066.
- , 1985b, On the calibration of the water-gun pressure signature: *Geophys. Prosp.*, **33**, 97–109.
- , 1985c, On the improvement in penetration achieved by using extended marine source arrays: *Geophys. Prosp.*, **33**, 359–368.
- Safar, M. H., and Hosken, J. W. J., 1980, On the response of marine seismic streamer systems: *Geophys. Prosp.*, **28**, 513–530.
- Safar, M. H., and Newman, P., 1981, Low-frequency standard hydrophone for calibrating line hydrophone arrays (seismic streamers) and marine seismic sources: *Geophys. Prosp.*, **29**, 730–741.
- Sambridge, M. S., Tarantola, A., and Kennett, B. L. N., 1991, An alternative strategy for non-linear inversion of seismic waveforms: *Geophys. Prosp.*, **39**, 723–736.
- Sampaio, E. S., 1976, Electrical sounding of a half-space whose resistivity or its inverse function varies linearly with depth: *Geophys. Prosp.*, **24**, 112–122.
- Sams, M. S., and Williamson, P. R., 1994, Backus averaging, scattering and drift: *Geophys. Prosp.*, **42**, 541–564.
- Sams, M. S., Worthington, M. H., King, M. S., and Khanshir, M. S., 1993, A comparison of laboratory and field measurements of P-wave anisotropy: *Geophys. Prosp.*, **41**, 189–206.
- Sandberg, S. K., 1993, Examples of resolution improvement in geoelectrical soundings applied to groundwater investigations: *Geophys. Prosp.*, **41**, 207–228.
- Santini, R., and Zambrano, R., 1981, A numerical method of calculating the kernel function from Schlumberger apparent resistivity data: *Geophys. Prosp.*, **29**, 108–127.
- dos Santos, W. L. B., Ulrych, T. J., and de Lima, O. A. L., 1988, A new approach for deriving pseudovelocity logs from resistivity logs: *Geophys. Prosp.*, **36**, 83–91.
- Sarwar, A. K. M., and Smith, D. L., 1987, Wave-scattering deconvolution by seismic inversion: *Geophys. Prosp.*, **35**, 491–501.
- Sasaki, Y., 1992, Resolution of resistivity tomography inferred from numerical simulation: *Geophys. Prosp.*, **40**, 453–464.
- Sasaki, Y., Matsuo, K., and Yokoi, K., 1994, Resistivity inversion of cross-hole and borehole-to-surface EM data using axially symmetric models: *Geophys. Prosp.*, **42**, 745–754.
- Sato, H. K., and Sampaio, E. S., 1980, Electrical soundings of a half-space with a monotonic continuous variation of the resistivity with depth: *Geophys. Prosp.*, **28**, 967–976.

- Sattlegger, J., 1982, Migration of seismic interfaces: *Geophys. Prosp.*, **30**, 71–85.
- Sattlegger, J. W., Rhode, J., Egbers, H., Dohr, G. P., Stiller, P. K., and Echterhoff, J. A., 1981, INMOD - Two-dimensional inverse modeling algorithm based on ray-theory: *Geophys. Prosp.*, **29**, 229–240.
- Sattlegger, J. W., Stiller, P. K., Echterhoff, J. A., and Hentschke, M. K., 1980, Common offset plane migration (COPMIG): *Geophys. Prosp.*, **28**, 859–871.
- Schenkel, C. J., and Morrison, H. F., 1990, Effects of well casing on potential field measurements using downhole current sources: *Geophys. Prosp.*, **38**, 663–686.
- Scherbaum, F., 1986, Comment on 'Stabilization of normal-incidence seismogram inversion removing the noise-induced bias', by Ferber, R. G. (GPR-33-02-0212-0223): *Geophys. Prosp.*, **34**, 240.
- , 1987, Levinson inversion of earthquake geometry SH-transmission seismograms in the presence of noise: *Geophys. Prosp.*, **35**, 787–802.
- Schimschal, U., 1991, Integrated exploration for low-temperature geothermal resources in the Honey Lake basin, California: *Geophys. Prosp.*, **39**, 279–291.
- Schleicher, J., Tygel, M., and Hubral, P., 1993, Parabolic and hyperbolic paraxial two-point traveltimes in 3D media: *Geophys. Prosp.*, **41**, 495–514.
- Schmoller, R., 1977, Comments on 'Hidden layer problem in seismic refraction work', by Banerjee, B., et al (GPR-23-04-0642-0652): *Geophys. Prosp.*, **25**, 791–792.
- Schoenberg, M., 1983, Reflection of elastic waves from periodically stratified media with interfacial slip: *Geophys. Prosp.*, **31**, 265–292.
- , 1991, Layered permeable systems: *Geophys. Prosp.*, **39**, 219–240.
- , 1994, Transversely isotropic media equivalent to thin isotropic layers: *Geophys. Prosp.*, **42**, 885–915.
- Schoenberg, M., and Costa, J., 1991, The insensitivity of reflected SH waves to anisotropy in an underlying layered medium: *Geophys. Prosp.*, **39**, 985–1004.
- Schoenberg, M., and Douma, J., 1988, Elastic-wave propagation in media with parallel fractures and aligned cracks: *Geophys. Prosp.*, **36**, 571–590.
- Schulz, R., 1985, Interpretation and depth of investigation of gradient measurements in direct-current geoelectrics: *Geophys. Prosp.*, **33**, 1240–1253.
- Schulz, R., and Tezkan, B., 1988, Interpretation of resistivity measurements over two-dimensional structures: *Geophys. Prosp.*, **36**, 962–975.
- Schwarz, E. J., and Wright, N., 1988, The detection of buried placer deposits by ground magnetic survey: *Geophys. Prosp.*, **36**, 919–932.

- Scriba, H., 1981, Computation of the electric potential in three-dimensional structures: *Geophys. Prosp.*, **29**, 790–802.
- Seara, J. L., and Conaway, J. G., 1980, On the properties of the reciprocal geoelectric section: *Geophys. Prosp.*, **28**, 135–145.
- Seigel, H., 1978, Reply to comments on 'Comments on papers discussing the principles underlying the computation of induced-polarization parameters in a heterogeneous medium', by Eskola, L. (GPR-26-03-0644): *Geophys. Prosp.*, **26**, 654–657.
- Sengpiel, K. P., 1988, Approximate inversion of airborne electromagnetic data from a multilayered ground: *Geophys. Prosp.*, **36**, 446–459.
- Shatilo, A. P., 1992, Seismic phase unwrapping: Methods, results, problems: *Geophys. Prosp.*, **40**, 211–226.
- Shih, R. C., and Levander, A. R., 1994, Layer-stripping reverse-time migration: *Geophys. Prosp.*, **42**, 211–227.
- Shiva, M., and Mendel, J. M., 1983, Non-normal incidence inversion - Existence of solution: *Geophys. Prosp.*, **31**, 888–914.
- Shraibman, V. I., Zhdanov, M. S., and Vitvitsky, O. V., 1980, Correlation methods of transformation and interpretation of geophysical anomalies: *Geophys. Prosp.*, **28**, 919–934.
- Shtivelman, V., 1984, A hybrid method for wave-field computation: *Geophys. Prosp.*, **32**, 236–257.
- Shtivelman, V., Landa, E., and Gelchinsky, B., 1986, Phase and group-time sections and possibilities for their use in seismic interpretation of complex media: *Geophys. Prosp.*, **34**, 508–536.
- Sinclair, J. E., 1981, Reply to discussion of 'Interaction effects in marine seismic source arrays', by Sinclair, J. E., et al (GPR-28-03-0323-0332): *Geophys. Prosp.*, **29**, 476–477.
- Sinclair, J. E., and Bhattacharya, G., 1980, Interaction effects in marine seismic source arrays: *Geophys. Prosp.*, **28**, 323–332.
- Singh, R. P., 1985, Effect of inclined anisotropic substratum on magnetotelluric response: *Geophys. Prosp.*, **33**, 369–376.
- Singh, R. P., and Rankin, D., 1985, The application of very-high-frequency (VHF) measurements to earthquake prediction: *Geophys. Prosp.*, **33**, 1232–1239.
- , 1987, Reply to comments on 'The application of very-high-frequency (VHF) measurements to earthquake prediction', by Singh, R. P., et al (GPR-33-08-1232-1239): *Geophys. Prosp.*, **35**, 620–621.

- Singh, S., 1978a, Comments on 'Analysis of the gravity effect of two-dimensional trapezoidal prisms using Fourier transform', by Bhimasankaram, V. L. S., et al (GPR-25-02-0334-0341): *Geophys. Prosp.*, **26**, 291–292.
- , 1978b, An iterative method for detailed depth determination from refraction data for an uneven interface: *Geophys. Prosp.*, **26**, 303–311.
- , 1984, High-frequency shallow seismic reflection mapping in tin mining: *Geophys. Prosp.*, **32**, 1033–1044.
- , 1986, Reflection-window mapping of shallow bedrock: *Geophys. Prosp.*, **34**, 492–507.
- Sinha, A. K., 1983, Airborne resistivity mapping using a multifrequency electromagnetic system: *Geophys. Prosp.*, **31**, 627–648.
- Sjogren, B., 1979, Refractor velocity determination - Cause and nature of some errors: *Geophys. Prosp.*, **27**, 507–538.
- , 1980, The law of parallelism in refraction shooting: *Geophys. Prosp.*, **28**, 716–743.
- Sjogren, B., Ofsthus, A., and Sandberg, J., 1979, Seismic classification of rock mass qualities: *Geophys. Prosp.*, **27**, 409–442.
- Slob, E., and Ziolkowski, A., 1993, Aspects of 1D seismic modelling using the Goupilaud principle: *Geophys. Prosp.*, **41**, 135–148.
- Smit, A. W., 1983, Presidential address: *Geophys. Prosp.*, **31**, 1–708.
- Smith, D. T., 1986, Comment on 'Acoustic modeling of the seafloor', by Berge, A. M., et al (GPR-34-01-0011-0029): *Geophys. Prosp.*, **34**, 141–142.
- Smith, G. C., and Gidlow, P. M., 1987, Weighted stacking for rock property estimation and detection of gas: *Geophys. Prosp.*, **35**, 993–1014.
- Smith, R. S., Walker, P. W., Polzer, B. D., and West, G. F., 1988, The time-domain electromagnetic response of polarizable bodies - An approximate convolution algorithm: *Geophys. Prosp.*, **36**, 772–785.
- Smith, R. S., and Whitaker, S. A., 1993, Line current filtering of fixed-loop transient electromagnetic data: *Geophys. Prosp.*, **41**, 969–982.
- Sollid, A., and Arntsen, B., 1994, Cost-effective 3D one-pass depth migration: *Geophys. Prosp.*, **42**, 755–776.
- Song, L., and Vozoff, K., 1985, The complex resistivity spectra of models consisting of two polarizable media of different intrinsic properties: *Geophys. Prosp.*, **33**, 1029–1062.
- Sorin, V., Keydar, S., and Landa, E., 1993, 3D kinematic inversion from a set of line profiles: *Geophys. Prosp.*, **41**, 535–550.

- Spagnolini, U., 1991, Adaptive picking of refracted first arrivals: *Geophys. Prosp.*, **39**, 293–312.
- , 1994, Compound events decomposition and the interaction between AVO and velocity information: *Geophys. Prosp.*, **42**, 241–259.
- Spies, B. R., 1980, A field occurrence of sign reversals with the transient electromagnetic method: *Geophys. Prosp.*, **28**, 620–632.
- Spitz, S., 1981, Electric-polarization boundary conditions above laterally non-uniform conductors for a simple induction mechanism: *Geophys. Prosp.*, **29**, 578–588.
- Steenland, N. C., 1985, Comment on 'Interpretation of aeromagnetic data from the Norwegian-sector of the North Sea', by Hospers, J., et al (GPR-32-05-0929-0942): *Geophys. Prosp.*, **33**, 903.
- Stefanovic, D. B., 1984, Presidential address - Meaning of interpretation: *Geophys. Prosp.*, **32**, 995–997.
- Stephan, A., Schniggenfittig, H., and Strack, K. M., 1991, Long-offset transient EM sounding north of the Rhine-Ruhr coal district, Germany: *Geophys. Prosp.*, **39**, 505–526.
- Stewart, R. R., 1984, Vertical-seismic-profile (VSP) interval velocities from travelttime inversion: *Geophys. Prosp.*, **32**, 608–628.
- Stoffa, P. L., Diebold, J. B., and Buhl, P., 1982, Velocity analysis for wide-aperture seismic data: *Geophys. Prosp.*, **30**, 25–57.
- Stolt, R. H., 1984, Comment on 'A simple exact method of three-dimensional migration - Theory', by Jakubowicz, H., et al (GPR-31-01-0034-0056): *Geophys. Prosp.*, **32**, 347–349.
- Stoyer, C. H., 1990, Efficient computation of transient sounding curves for wire segments of finite length using an equivalent dipole approximation: *Geophys. Prosp.*, **38**, 87–100.
- Strack, K. M., Ibrahim, A. W., Keller, G. V., and Stoyer, C. H., 1982, A method for the determination of the thermal conductivity of sandstones using a variable state approach: *Geophys. Prosp.*, **30**, 454–469.
- Straub, A., 1984, Comments on 'A numerical method of calculating the kernel function from Schlumberger apparent resistivity data', by Santini, R., et al (GPR-29-01-0108-0127): *Geophys. Prosp.*, **32**, 502–504.
- Strick, E., 1982, Application of the general complex compliance model to the direct-detection problem: *Geophys. Prosp.*, **30**, 401–412.
- Stumpel, H., Kahler, S., Meissner, R., and Milkereit, B., 1984, The use of seismic shear-waves and compressional-waves for lithological problems of shallow sediments: *Geophys. Prosp.*, **32**, 662–675.

- Sutton, G. R., and Moore, B. J., 1987, Inversion of an unmigrated stacked section to determine an interval velocity model: *Geophys. Prosp.*, **35**, 895–906.
- Symes, W. W., and Kern, M., 1994, Inversion of reflection seismograms by differential semblance analysis: Algorithm structure and synthetic examples: *Geophys. Prosp.*, **42**, 565–614.
- Szaraniec, E., 1976, Comments on 'A study on the poles and zeroes of Stefanescu's raised kernel function', by Loewenthal, D. (GPR-23-03-0459-0470): *Geophys. Prosp.*, **24**, 205–206.
- , 1977, Horizontally stratified medium as a reference large scale system: *Geophys. Prosp.*, **25**, 302–307.
- , 1979, Towards unification of geophysical problems for horizontally stratified media: *Geophys. Prosp.*, **27**, 576–583.
- , 1980, Direct resistivity interpretation by accumulation of layers: *Geophys. Prosp.*, **28**, 257–268.
- , 1982, Uncertain resistivity sounding and equivalent models: *Geophys. Prosp.*, **30**, 127–137.
- , 1983, Comment on 'Further thoughts on Popperian geophysics - The example of deconvolution', by Ziolkowski, A. (GPR-30-02-0155-0165): *Geophys. Prosp.*, **31**, 538–539.
- , 1984a, Odd-depth structures for deterministic deconvolution and seismogram testing: *Geophys. Prosp.*, **32**, 812–818.
- , 1984b, Reply to comments on 'A numerical method of calculating the kernel function from Schlumberger apparent resistivity data', by Santini, R., et al (GPR-29-01-0108-0127): *Geophys. Prosp.*, **32**, 505–506.
- , 1985a, Comments on 'Further thoughts on Popperian geophysics - The example of deconvolution', by Ziolkowski, A. (GPR-30-02-0155-0165): *Geophys. Prosp.*, **33**, 895–899.
- , 1985b, On direct recovery of the impulse response: *Geophys. Prosp.*, **33**, 498–502.
- , 1994, Comment on 'Aspects of 1D seismic modelling using the Goupillaud principle', by Evert Slob and Anton Ziolkowski (GPR-41-2-135-148) and reply by authors: *Geophys. Prosp.*, **42**, 81–87.
- Szarka, L., 1983, Exploration of high-resistivity basement using electrical and magnetic fields of quasi-static point sources: *Geophys. Prosp.*, **31**, 829–839.
- , 1987, Geophysical mapping by stationary electric and magnetic field components - A combination of potential gradient mapping and magnetometric resistivity (MMR) methods: *Geophys. Prosp.*, **35**, 424–444.

- , 1992, Comment on 'Aspects of charge-accumulation in DC resistivity experiments' (GPR-39-6-803-826) by Y. Li and D. W. Oldenburg: *Geophys. Prosp.*, **40**, 823–828.
- , 1994, Comment on 'Definitions of apparent resistivity for the presentation of magnetotelluric sounding data', by A. T. Basokur (GPR-42-2-141-149) with reply by author: *Geophys. Prosp.*, **42**, 987–992.
- Szulyouszky, I., 1987, Detection of thin beds with the pseudo acoustic impedance section: *Geophys. Prosp.*, **35**, 221–235.
- Tabbagh, A., Benderitter, Y., Andrieux, P., Decriaud, J. P., and Guerin, R., 1991, VLF resistivity mapping and verticalization of the electric field: *Geophys. Prosp.*, **39**, 1083–1098.
- Tabbagh, A., Hesse, A., and Grard, R., 1993, Determination of electrical properties of the ground at shallow depth with an electrostatic quadropole: Field trials on archeological sites: *Geophys. Prosp.*, **41**, 579–598.
- Tal-Ezer, H., Kosloff, D., and Koren, Z., 1987, An accurate scheme for seismic forward modelling: *Geophys. Prosp.*, **35**, 479–490.
- Tal-Virsky, B. B., and Tabakov, A. A., 1983, High-resolution prediction of acoustic impedances below bottom-of-hole: *Geophys. Prosp.*, **31**, 225–236.
- Taner, M. T., 1980, Long-period sea-floor multiples and their suppression: *Geophys. Prosp.*, **28**, 30–48.
- Tang, R., Carswell, A., and Moon, W., 1984, Velocity analysis in the P-x-plane from a slant stack wavefield: *Geophys. Prosp.*, **32**, 1016–1032.
- Tang, X. M., and Cheng, C. H., 1993, Borehole Stoneley wave propagation across permeable structures: *Geophys. Prosp.*, **41**, 165–188.
- Tao, G., and King, M. S., 1993, Porosity and pore structure from acoustic well logging data: *Geophys. Prosp.*, **41**, 435–452.
- Tarantola, A., 1984, Linearized inversion of seismic reflection data: *Geophys. Prosp.*, **32**, 998–1015.
- Tarantola, A., Jobert, G., Trezeguet, D., and Denelle, E., 1988, The non-linear inversion of seismic waveforms can be performed either by time extrapolation or by depth extrapolation: *Geophys. Prosp.*, **36**, 383–416.
- Tarantolo, P. J., and Unterberger, R. R., 1978, Radar detection of boreholes in advance of mining: *Geophys. Prosp.*, **26**, 359–382.
- Tariel, P., and Michon, D., 1984, On vertical-seismic-profile processing: *Geophys. Prosp.*, **32**, 775–789.
- Tarif, P., and Bourbie, T., 1987, Experimental comparison between spectral ratio and rise time techniques for attenuation measurement: *Geophys. Prosp.*, **35**, 668–680.

- Tejero-Andrade, A., Gonzalez-Villalvaso, and Leon-Sanchez, R., 1986, Comment on 'Zero-phase forward filters for resistivity sounding', by Mansinha, L. (GPR-32-06-1155-1166): *Geophys. Prosp.*, **34**, 1285–1288.
- Telford, W. M., 1977, Characteristics of audio and sub-audio telluric signals: *Geophys. Prosp.*, **25**, 321–333.
- Tessmer, G., and Behle, A., 1988, Common reflection point data-stacking technique for converted waves: *Geophys. Prosp.*, **36**, 671–688.
- , 1991, Conversion points and traveltimes of converted waves in parallel dipping layers: *Geophys. Prosp.*, **39**, 387–406.
- Tessmer, G., Krajewski, P., Fertig, J., and Behle, A., 1990, Processing of PS-reflection data applying a common conversion-point stacking technique: *Geophys. Prosp.*, **38**, 267–286.
- Thanassoulas, C., Tselentis, G. A., and Kolios, N., 1987, Geothermal prospecting by geoelectric soundings in NE Greece: *Geophys. Prosp.*, **35**, 83–97.
- Theimer, B. D., Nobes, D. C., and Warner, B. G., 1994, A study of the geoelectrical properties of peatlands and their influence on ground-penetrating radar surveying: *Geophys. Prosp.*, **42**, 179–209.
- Thomas, L., and Koelle, A., 1978, Transformation of dipole soundings obtained along a crooked line: *Geophys. Prosp.*, **26**, 631–643.
- Thore, P., and de Bazelaire, E., 1991, Analysis of the common midpoint gather by decomposition into elementary wavefronts: *Geophys. Prosp.*, **39**, 453–472.
- Thornton, B. S., and Sutton, G. R., 1986, A new approach to the inversion of seismic data: *Geophys. Prosp.*, **34**, 208–219.
- Tillard, S., 1994, Radar experiments in isotropic and anisotropic geological formations (granite and schists): *Geophys. Prosp.*, **42**, 615–636.
- Tonn, R., 1991, The determination of the seismic quality factor Q from VSP data: A comparison of different computational methods: *Geophys. Prosp.*, **39**, 1–28.
- Trappe, H., 1988, Seismic attenuation in the vicinity of the geothermal anomaly at Urach obtained from near-vertical reflection profiles: *Geophys. Prosp.*, **36**, 149–166.
- Trappe, H., Wever, T., and Meissner, R., 1988, Crustal reflectivity pattern and its relation to geological provinces: *Geophys. Prosp.*, **36**, 265–281.
- Tree, E. L., Lugg, R. D., and Brummitt, J. G., 1986, Why waterguns: *Geophys. Prosp.*, **34**, 302–329.
- Trushkin, D. V., Shushakov, O. A., and Legchenko, A. V., 1994, The potential of a noise-reducing antenna for surface NMR groundwater surveys in the Earth's magnetic field: *Geophys. Prosp.*, **42**, 855–862.

- Tsay, L. J., 1976, Continuation of total intensity anomaly on aeromagnetic profiles with constant elevation change: *Geophys. Prosp.*, **24**, 70–78.
- , 1978, A spatial analysis of upward-continuation of potential field data: *Geophys. Prosp.*, **26**, 822–840.
- Tsutsui, T., 1992, Pseudoreflection profiling method: An efficient complement to CDP method: *Geophys. Prosp.*, **40**, 15–30.
- Tufekcic, D., 1978, A prediction of sedimentary environment from marine seismic data: *Geophys. Prosp.*, **26**, 329–336.
- Tyapkin, K. F., 1980, A study of abyssal fractures in the Ukrainian shield by geophysical methods: *Geophys. Prosp.*, **28**, 935–944.
- Ulrych, T. J., Bassrei, A., and Lane, M., 1990, Minimum relative entropy inversion of 1D data with applications: *Geophys. Prosp.*, **38**, 465–488.
- Unterberger, R. R., 1978, Radar propagation in rock salt: *Geophys. Prosp.*, **26**, 312–328.
- Urbancic, T. I., and Bailey, R. C., 1988, Statistical techniques applied to borehole geophysical data in gold exploration: *Geophys. Prosp.*, **36**, 752–771.
- Ursin, B., 1977, Seismic velocity estimation: *Geophys. Prosp.*, **25**, 658–666.
- , 1978, Attenuation of coherent noise in marine seismic exploration using very long arrays: *Geophys. Prosp.*, **26**, 722–749.
- , 1979, Seismic signal detection and parameter estimation: *Geophys. Prosp.*, **27**, 1–15.
- , 1982, Time-to-depth migration using wavefront curvature: *Geophys. Prosp.*, **30**, 261–280.
- , 1986, Complete inversion of zero-offset seismic data: *Geophys. Prosp.*, **34**, 1213–1218.
- , 1988, The spectral function of a vertically inhomogeneous medium: *Geophys. Prosp.*, **36**, 1–5.
- Ursin, B., and Arntsen, B., 1985, Computation of zero-offset vertical-seismic-profiles including geometrical spreading and absorption: *Geophys. Prosp.*, **33**, 72–96.
- Ursin, B., and Dahl, T., 1992, Seismic reflection amplitudes: *Geophys. Prosp.*, **40**, 483–512.
- Ursin, B., and Holberg, O., 1985, Maximum-likelihood of seismic impulse responses: *Geophys. Prosp.*, **33**, 233–251.
- Ursin, B., and Zheng, Y., 1985, Identification of seismic reflections using singular-value decomposition: *Geophys. Prosp.*, **33**, 773–799.

- Vaage, S., Haugland, K., and Utheim, T., 1983, Signatures from single airguns: *Geophys. Prosp.*, **31**, 87–97.
- Vaage, S., and Ursin, B., 1987, Computation of signatures of linear airgun arrays: *Geophys. Prosp.*, **35**, 281–287.
- Vaage, S., Ursin, B., and Haugland, K., 1984, Interaction between airguns: *Geophys. Prosp.*, **32**, 676–689.
- , 1985, Reply to comments on 'Interaction between airguns', by Vaage, S., et al (GPR-32-04-0676-0689): *Geophys. Prosp.*, **33**, 1067.
- Vakhromeyev, G. S., and Baryshev, A. S., 1984, The classification of physico-geological models of mineral deposits: *Geophys. Prosp.*, **32**, 63–78.
- Vakhromeyev, G. S., and Davydenko, A. Y., 1987, Calculation of potential fields for stochastic models of heterogenous geological objects: *Geophys. Prosp.*, **35**, 288–311.
- Valla, P., 1992, Fixed loop source EM modelling results using 2D finite elements: *Geophys. Prosp.*, **40**, 885–907.
- Verma, O. P., 1981, Electromagnetic response of fold models in a uniform field: *Geophys. Prosp.*, **29**, 451–461.
- Verma, R. K., 1980, Equivalence in electromagnetic (frequency) sounding: *Geophys. Prosp.*, **28**, 776–791.
- Verma, R. K., Bandopadhyay, T. K., and Bhui, N. C., 1982, Use of electrical resistivity methods for the study of coal seams in parts of the Raniganj coalfield India: *Geophys. Prosp.*, **30**, 115–126.
- Verma, R. K., and Bandyopadhyay, T. K., 1983, Use of the resistivity method in geological mapping - Case-histories from Raniganj coalfield India: *Geophys. Prosp.*, **31**, 490–507.
- Verma, R. K., Majumdar, R., Ghosh, D., Ghosh, A., and Gupta, N. C., 1976, Results of gravity survey over Raniganj coalfield India: *Geophys. Prosp.*, **24**, 19–30.
- Verma, R. K., and Mallick, K., 1984, Detectability of an intermediate layer by perpendicular and vertical coplanar electromagnetic sounding systems employing different primary excitations: *Geophys. Prosp.*, **32**, 88–104.
- Vestergaard, P. D., and Mosegaard, K., 1991, Inversion of post-stack seismic data using simulated annealing: *Geophys. Prosp.*, **39**, 613–624.
- Vetter, W. J., 1981, A forward generated synthetic-seismogram for equal-delay layered media models: *Geophys. Prosp.*, **29**, 363–373.
- , 1987, Vertical heterogeneity and moveout in the one-dimensional medium: *Geophys. Prosp.*, **35**, 700–717.

- Vogelsang, D., 1981, Relations of IP decay-curve statistics and geology: *Geophys. Prosp.*, **29**, 288–297.
- , 1987, Examples of electromagnetic prospecting for karst and fault systems: *Geophys. Prosp.*, **35**, 604–617.
- de Voogd, N., 1978, The phase property of a finite realization of random noise and its influence on deconvolution: *Geophys. Prosp.*, **26**, 509–524.
- de Vries, D., and Berkhout, A. J., 1984, Influence of velocity errors on the focusing aspects of migration: *Geophys. Prosp.*, **32**, 629–648.
- Wait, J. R., 1979, Comments on 'Comments on papers discussing the principles underlying the computation of induced-polarization parameters in a heterogeneous medium', by Eskola, L. (GPR-26-03-0644-0653): *Geophys. Prosp.*, **27**, 292.
- Wait, J. R., and Debroux, P., 1984, Induced-polarization in electromagnetic inductive schemes: *Geophys. Prosp.*, **32**, 1147–1154.
- Wait, J. R., and Williams, J. T., 1985, Electromagnetic and induced-polarization response of a steel well casing for a four-electrode surface array part I - Theory: *Geophys. Prosp.*, **33**, 723–735.
- van der Wal, L. F., and Berkhout, A. J., 1984, Influence of amplitude and phase errors on migration results: *Geophys. Prosp.*, **32**, 425–453.
- Walden, A. T., 1990, Improved low-frequency decay estimation using the multitaper spectral analysis method: *Geophys. Prosp.*, **38**, 61–86.
- , 1991a, Making AVO sections more robust: *Geophys. Prosp.*, **39**, 915–942.
- , 1991b, Wavelet estimation using the multitaper method: *Geophys. Prosp.*, **39**, 625–642.
- , 1993, Simulation of realistic synthetic reflection sequences: *Geophys. Prosp.*, **41**, 313–322.
- Walden, A. T., and Hosken, J. W. J., 1985, An investigation of the spectral properties of primary reflection coefficients: *Geophys. Prosp.*, **33**, 400–435.
- , 1988, Tutorial - Choosing the averaging interval when calculating primary reflection coefficients from well-logs: *Geophys. Prosp.*, **36**, 799–824.
- Walden, A. T., and Nunn, K. R., 1988, Correcting for coloured primary reflectivity in deconvolution: *Geophys. Prosp.*, **36**, 282–297.
- Walden, A. T., and White, R. E., 1984, On errors of fit and accuracy in matching synthetic-seismograms and seismic traces: *Geophys. Prosp.*, **32**, 871–891.
- , 1992, Some fads and fallacies in seismic data analysis: *Geophys. Prosp.*, **40**, 289–306.

- Waltham, D., 1992, Plane-wave constraints in 2D filter design: *Geophys. Prosp.*, **40**, 343–358.
- Waltham, D. A., and Boyce, J. F., 1986, Signal-to-noise ratio enhancement in seismic multifold data using Bayesian statistics: *Geophys. Prosp.*, **34**, 56–72.
- Wang, R. J., 1977, Adaptive predictive deconvolution of seismic data: *Geophys. Prosp.*, **25**, 342–381.
- Wang, X., and Waltham, D., 1995, The stable-beam seismic modelling method: *Geophys. Prosp.*, **43**, 939–961.
- Wapenaar, C. P. A., and Berkhout, A. J., 1985, Wavefield extrapolation techniques for inhomogeneous media which include critical-angle events part I - Methods using the one-way wave-equations: *Geophys. Prosp.*, **33**, 1138–1159.
- , 1986a, Wave-field extrapolation techniques for inhomogeneous media which include critical angle events part II - Methods using the two-way wave equation: *Geophys. Prosp.*, **34**, 147–179.
- , 1986b, Wave-field extrapolation techniques for inhomogeneous media which include critical angle events part III - Applications in modeling migration and inversion: *Geophys. Prosp.*, **34**, 180–207.
- Wapenaar, C. P. A., Cox, H. L. H., and Berkhout, A. J., 1992, Elastic redatuming of multicomponent seismic data: *Geophys. Prosp.*, **40**, 465–482.
- Wapenaar, C. P. A., and Haime, G. C., 1990, Elastic extrapolation of primary seismic P- and S-waves: *Geophys. Prosp.*, **38**, 23–60.
- Wapenaar, C. P. A., Herrmann, P., Verschuur, D. J., and Berkhout, A. J., 1990, Decomposition of multicomponent seismic data into primary P- and S-wave responses: *Geophys. Prosp.*, **38**, 633–662.
- Ward, R. W., and Reining, J. B., 1979, Cubic spline approximation of inaccurate RMS velocity data: *Geophys. Prosp.*, **27**, 443–457.
- Weaver, J. T., 1985, Comment on 'Generalization and optimization of the finite-difference method for magnetotelluric (MT) modeling', by Doucet, D., et al (GPR-32-02-0292-0316): *Geophys. Prosp.*, **33**, 303–307.
- Wen, J., and McMechan, G. A., 1987, Three-dimensional kinematic migration in variable velocity media: *Geophys. Prosp.*, **35**, 250–266.
- Wensink, W. A., 1993, Dielectric properties of wet soils in the frequency range 1-3000 MHz: *Geophys. Prosp.*, **41**, 671–696.
- Wensink, W. A., Hofman, J., and van Deen, J. K., 1991, Measured reflection strengths of underwater pipes irradiated by a pulsed horizontal dipole in air: Comparison with continuous plane-wave scattering theory: *Geophys. Prosp.*, **39**, 543–566.

- Werner, H., and Krey, T., 1979, Combisweep - A contribution to sweep techniques: *Geophys. Prosp.*, **27**, 78–105.
- Western, P. G., and Ball, G. J., 1992, 3D prestack depth migration in the Gulf of Suez: A case history: *Geophys. Prosp.*, **40**, 379–402.
- White, J. E., Martineau-Nicoletis, and Monash, C., 1983, Measured anisotropy in Pierre Shale: *Geophys. Prosp.*, **31**, 709–725.
- White, J. E., and Welsh, E., 1988, Borehole coupling of seismic waves in a permeable solid: *Geophys. Prosp.*, **36**, 417–429.
- White, P. A., and Scott, D. M., 1988, Examination of sounding curve extrapolation used by the offset Wenner system: *Geophys. Prosp.*, **36**, 194–200.
- White, R. E., 1977, The performance of optimum stacking filters in suppressing uncorrelated noise: *Geophys. Prosp.*, **25**, 165–178.
- , 1980, Partial coherence matching of synthetic-seismograms with seismic traces: *Geophys. Prosp.*, **28**, 333–358.
- Whiteley, R. J., 1992, Comment on 'The resolution of narrow low-velocity zones with the generalized reciprocal method' by Derecke Palmer (GPR-39-8-1031-1060), with reply by author: *Geophys. Prosp.*, **40**, 925–935.
- Wiest, B., and Edelmann, H. A. K., 1984, Static corrections for shear-wave sections: *Geophys. Prosp.*, **32**, 1091–1102.
- Williams, J. T., and Wait, J. R., 1985, Electromagnetic and induced-polarization response of a steel well casing for a four-electrode surface array part II - Numerical results: *Geophys. Prosp.*, **33**, 736–745.
- Wilson, C. R., 1986, The Abel-Fourier method of Hankel transformation - Applications to seismic data: *Geophys. Prosp.*, **34**, 545–568.
- Wright, C., and Johnson, P., 1982, On the generation of P-wave and S-wave energy in crystalline rocks: *Geophys. Prosp.*, **30**, 58–70.
- Wyller, J., Wellander, N., Larson, F., and Parasnis, D., 1992, Burger's equation as a model for the IP phenomenon: *Geophys. Prosp.*, **40**, 325–342.
- Wynn, J. C., and Zonge, K. L., 1977, Electromagnetic coupling: *Geophys. Prosp.*, **25**, 29–51.
- Xu, B., and Noel, M., 1993, On the completeness of data sets with multielectrode systems for electrical resistivity survey: *Geophys. Prosp.*, **41**, 791–801.
- Xu, X., 1990, Downhole synthetic seismic profiles in elastic media: *Geophys. Prosp.*, **38**, 139–168.
- Yaramanci, U., 1994, Relation of in situ resistivity to water content in salt rocks: *Geophys. Prosp.*, **42**, 229–239.

- Yaramanci, U., and Flach, D., 1992, Resistivity of rock-salt in Asse (Germany) and petrophysical aspects: *Geophys. Prosp.*, **40**, 85–100.
- Yardley, G. S., and Crampin, S., 1991, Extensive-dilatancy anisotropy: Relative information in VSPs and reflection surveys: *Geophys. Prosp.*, **39**, 337–356.
- Yilmaz, O., Nolen-Hoeksema, R. C., and Nur, A., 1994, Pore pressure profiles in fractured and compliant rocks: *Geophys. Prosp.*, **42**, 693–714.
- Young, T. K., Monash, C. B., and Turpening, R. M., 1984, Computer modeling of vertical-seismic-profiling: *Geophys. Prosp.*, **32**, 851–870.
- Yunxuan, Z., 1993, Radon transform application to the improved gridding of airborne geophysical survey data: *Geophys. Prosp.*, **41**, 459–494.
- Zagorac, Z., 1970, Diagrams for the evaluation of proton magnetometer readings: *Geophys. Prosp.*, **18**, 277–280.
- Zanzi, L., 1990, Inversion of refracted arrivals: A few problems: *Geophys. Prosp.*, **38**, 339–364.
- Zelei, A., and Saghy, G., 1980, Residual static corrections - Iterative solution analysis: *Geophys. Prosp.*, **28**, 175–184.
- Zeng, H., Zhang, Q., and Liu, J., 1994, Location of secondary faults from cross-correlation of the second vertical derivative of gravity anomalies: *Geophys. Prosp.*, **42**, 841–854.
- Zeng, X., and MacBeth, C., 1993, Algebraic processing techniques for estimating shear-wave splitting in near-offset VSP data: Theory: *Geophys. Prosp.*, **41**, 1033–1066.
- Zhao, S. K., and Yedlin, M. J., 1991, Chebyshev expansions for the solution of the forward gravity problem: *Geophys. Prosp.*, **39**, 783–802.
- Zhou, B., Greenhalgh, S. A., and Zhe, J., 1993, Numerical seismogram computations for inhomogeneous media using a short, variable length convolutional differentiator: *Geophys. Prosp.*, **41**, 751–766.
- Zhou, B., Mason, I. M., and Greenhalgh, S. A., 1995, Accurate and efficient shot-gather dip moveout processing in the log-stretch domain: *Geophys. Prosp.*, **43**, 963–978.
- Ziolkowski, A., 1977a, Comments on 'Calibration of marine sources using a hydrophone of unknown sensitivity', by Safar, M. H. (GPR-24-02-0328-0333): *Geophys. Prosp.*, **25**, 186–187.
- , 1977b, Comments on 'The radiation of acoustic waves from an air-gun', by Safar, M. H. (GPR-24-04-0756-0772): *Geophys. Prosp.*, **25**, 560–563.
- , 1982, Further thoughts on Popperian geophysics - The example of deconvolution: *Geophys. Prosp.*, **30**, 155–165.

- , 1983, Reply to comments on 'Further thoughts on Popperian geophysics - The example of deconvolution', by Ziolkowski, A. (GPR-30-02-0155-0165): *Geophys. Prosp.*, **31**, 540–541.
- , 1985, Reply to comments on 'Further thoughts on Popperian geophysics - The example of deconvolution', by Ziolkowski, A. (GPR-30-02-0155-0165): *Geophys. Prosp.*, **33**, 900–902.
- Ziolkowski, A., and Lerwill, W. E., 1979, A simple approach to high resolution seismic profiling for coal: *Geophys. Prosp.*, **27**, 360–393.
- Ziolkowski, A. M., 1980, Source array scaling for wavelet deconvolution: *Geophys. Prosp.*, **28**, 902–918.
- , 1986, The scaling of airgun arrays including depth dependence and interactions: *Geophys. Prosp.*, **34**, 383–408.
- Ziolkowski, A. M., Lerwill, W. E., March, D. W., and Peardon, L. G., 1980, Wavelet deconvolution using a source scaling law: *Geophys. Prosp.*, **28**, 872–901.