

Lecture Notes on
Nonlinear Inversion and Tomography:
I. Borehole Seismic Tomography

From a Series of Lectures by

James G. Berryman
University of California
Lawrence Livermore National Laboratory
Livermore, CA 94550

Originally Presented at

Earth Resources Laboratory
Massachusetts Institute of Technology

July 9–30, 1990

Revised and Expanded

October, 1991

Index

Glossary

acoustic – pertaining to sound waves in a gas or fluid (such as air or water), generally limited to compressional waves.

backprojection – a one-step, approximate reconstruction method.

block – an element of a three-dimensional region whose properties are to be reconstructed. Usually, the properties are assumed to constant within the block.

cell – an element of a two-dimensional or three-dimensional region whose properties are to be reconstructed. Usually, the properties are assumed to be constant within the cell.

consistent – a system of equations with at least one solution satisfying all the physical constraints on a model.

determined – a linear system with as many equations as unknowns (assuming that the equations are linearly independent). If the equations are consistent, there is generally a unique physical solution to such a system.

elastic – pertaining to sound waves in a solid, and explicitly including both compressional and shear waves.

feasible – pertaining to a part of a set (especially the set of all possible

models) that satisfies all known physical constraints, such as positivity. Any model that is not feasible is infeasible.

homogeneous – constant, that is a physical property constant on the scale of investigation.

image – a picture showing qualitative differences in a physical property of some region.

imaging – the process of producing an image.

inconsistent – a linear system with no physical (or feasible) solution. For example, the system

$$\begin{pmatrix} 1 & 1 \\ 1 & 2 \end{pmatrix} \begin{pmatrix} s_1 \\ s_2 \end{pmatrix} = \begin{pmatrix} 1 \\ 3 \end{pmatrix}$$

has the unique solution

$$\begin{pmatrix} s_1 \\ s_2 \end{pmatrix} = \begin{pmatrix} -1 \\ 2 \end{pmatrix},$$

but this solution is unphysical because it fails to satisfy the positivity constraint. The cause of inconsistency is usually a major error in data collection, but more subtle interactions between forward modeling and the data can also produce inconsistency.

infeasible – pertaining to a part of a set (especially the set of all possible models) that fails to satisfy any of the physical constraints, such

- as positivity. This set is complementary to the feasible set.
- inhomogeneous** – not constant, that is a physical property varying on the scale of investigation.
- inverse** – the opposite rule. For example, subtraction is the opposite of addition, while division is the opposite of multiplication.
- inversion** – the process of reconstructing a two-dimensional image or three-dimensional map of some physical property in a selected region.
- konoscope** – a device for reconstructing the properties of a three-dimensional region using tomography or inversion.
- map** – a picture or volume representation often showing quantitative differences in a physical property of some region. A map is generally quantitative whereas an image is qualitative. A map is two- or three-dimensional whereas an image is two-dimensional.
- migration** – the process of reconstructing an image of earth reflectivity from seismic reflection data. Also known as **wave equation migration**.
- nonfeasible** – same as infeasible.
- overdetermined** – any linear system with more equations than unknowns. (Caveat: if many of the equations are linearly dependent, then the reduced system may actually be either determined or underdetermined; however, it generally requires much computation to decide if this is so.) Generally no exact solution to such a system exists, so approximate methods of solution such as least-squares are used to find “best” approximate solutions. Inverting for local averages of physical properties may produce an overdetermined mathematical inversion problem.
- pixel** – a picture element, or two-dimensional cell.
- reconstruction** – the act of constructing again from pieces that have been disassembled, as in a puzzle.
- seismic** – pertaining to sound waves in the earth, and explicitly including both compressional and shear waves.
- seismogram** – a record of seismic signals. Seismogram is to seismograph as photograph is to camera.
- seismograph** – a device for measuring seismograms.
- seismography** – the study or observation of seismic signals.
- tomogram** – the reconstructed image of some physical property produced by tomography. Tomogram is to konoscope as photograph is to camera, or as micrograph is to microscope.
- tomograph** – same as tomogram.
- tomography** – the study of cross sections; the process of reconstructing a two-dimensional image of some physical property of a selected plane region.
- underdetermined** – any linear system with fewer equations than unknowns. There are generally many solutions (often an infinite number) to such a system. Inhomogeneous physical systems whose properties may

be described as essentially continuous functions of position may be considered to have an infinite number of unknowns; therefore, any attempt to reconstruct the continuous system from finite data leads to an underdetermined physical inversion problem.

voxel – a volume element, or three-dimensional cell.