

Lecture Notes on
Nonlinear Inversion and Tomography:
I. Borehole Seismic Tomography

From a Series of Lectures by

James G. Berryman
University of California
Lawrence Livermore National Laboratory
Livermore, CA 94550

Originally Presented at

Earth Resources Laboratory
Massachusetts Institute of Technology

July 9–30, 1990

Revised and Expanded

October, 1991

Index

Subject Index

- algebraic reconstruction I-33, I-561ff
- algorithms I-8ff, I-32ff, I-96ff
 - Kaczmarz I-61ff
 - Nelder-Mead I-77, I-78, I-98
 - simplex I-77
- ART I-33, I-61ff
- backprojection I-5ff, I-7, I-30ff, I-93
- bending methods I-69, I-76ff
- best approximate inverse I-47, I-90
- best approximate solution I-47, I-90
- best linear unbiased estimate I-27
- BLUE I-27
- borehole seismic tomography I-96ff
- BST I-98ff
- Cauchy's inequality I-32
- completeness I-35
- complex conductivity I-116ff
- concave functional I-14, I-15
- conductivity I-109ff
- cone I-13
- conjugacy I-49, I-56, I-88
- conjugate directions I-33, I-56
- conjugate gradients I-33, I-57
- Conoco I-11
- constraints
 - Dirichlet I-107
 - feasibility I-110, I-112
 - Fermat I-112
 - relaxed I-17, I-91ff
 - Thomson I-112
- convex functional I-14
- convex programming I-18ff
- convex set I-13, I-16
- correlation matrix I-26ff, I-31
- coverage matrix I-24, I-28, I-90
- coverage vector I-90
- damped least-squares I-24ff, I-52, I-88
 - gradient I-52, I-88
 - Laplacian I-52, I-88
 - norm I-24ff, I-88
 - weighted I-52, I-88
- damping parameter I-25
- data vector I-5
- diffraction tomography I-10ff
- Dirichlet's principle I-110, I-112
- duality I-90ff
- dual variational principle I-112
- effective resolution matrix I-54
- eikonal equation I-73ff, I-74
- EIT I-108ff
- electrical impedance tomography I-108ff
- fat rays I-86ff
- feasibility I-16
 - analysis I-12
 - constraints I-12, I-97, I-98
 - convex sets I-16
 - Dirichlet I-110
 - Fermat I-111
 - global I-15, I-21, I-114, I-115
 - local I-15, I-116
 - relaxed I-17, I-91
 - sets I-15ff
 - Thomson I-112
- Fermat's principle I-1ff, I-69, I-76, I-112
- forward problem I-9, I-107
- Gauss-Seidel method I-33, I-68
- generalized inverse I-33ff, I-44ff, I-46, I-47

- ghostbusting I-86
- ghosts I-80ff
- global feasibility I-15, I-21, I-114, I-115
- gradient damping I-52, I-88
- gradient descent method I-26, I-60
- Gram-Schmidt orthogonalization I-66

- Hamilton-Jacobi theory I-4
- harmonic mean I-7
- hit parameter I-7, I-24
- homogeneous functional I-14
- Huygen's principle I-69

- illumination I-7, I-24
- infeasible I-12, I-21, I-22, I-32
- inverse eigenvalue problem I-112ff
- inverse matrix I-32ff
- inversion I-5
 - full waveform I-10
 - linear I-5, I-69
 - nonlinear I-5, I-10, I-69
- iteration I-33, I-59, I-96
 - Richardson I-59
 - simple I-59
- iteratively reweighted least-squares I-52

- Jacobi's method I-33, I-68

- Kaczmarz's algorithm I-61ff

- Laplacian damping I-52, I-88
- least-action principle I-4
- least-squares I-19ff, I-46
 - damped I-24ff, I-88
 - iteratively reweighted I-52
 - linear I-18
 - nonlinear I-11, I-19, I-22ff
 - scaled I-21
 - waveform I-10
 - weighted I-19ff, I-27ff, I-51ff, I-93ff
- least-time principle I-2ff
- Legendre transform I-116
- length matrix I-7, I-28ff
- Levenberg-Marquardt method I-24ff
- linear
 - dependence I-86
 - functional I-13
 - inversion I-7ff, I-10, I-69
 - shifted I-14, I-114
 - tomography I-7ff, I-10, I-69
- local feasibility I-15, I-114, I-115

- matrix
 - correlation I-26ff, I-31
 - coverage I-7, I-24, I-28, I-90ff
 - effective resolution I-54
 - generalized inverse I-33ff, I-44ff, I-46, I-47
 - inverse I-32ff
 - length I-7, I-28ff
 - Moore-Penrose inverse I-33ff, I-44ff, I-46, I-47
 - pseudoinverse I-33ff, I-44ff, I-46, I-47
 - ray-path I-5
 - resolution I-35ff, I-48
 - square I-32
- model I-1ff
 - damped least-squares I-24, I-88
 - nonlinear least-squares I-22
 - scaled least-squares I-20
 - slowness I-1ff
 - vector I-5
- Moore-Penrose pseudoinverse I-33ff, I-44ff, I-46, I-47

- Nelder-Mead algorithm I-77, I-78, I-98
- neural network method I-60
- nonconvex inversion I-116ff
- nonlinear
 - inversion I-7, I-69
 - least-squares I-19ff, I-22, I-107
 - tomography I-7, I-69
- norm damping I-25, I-52, I-88
- normal equations I-19ff
- numerical methods
 - conjugate directions I-33, I-56ff
 - conjugate gradients I-33, I-57ff
 - Gauss-Seidel I-33, I-68
 - Jacobi I-33, I-68
 - Nelder-Mead I-77ff, I-98
 - Rayleigh-Ritz I-112ff

- overdetermined I-20, I-33, I-81
- parallel computing I-107
- pixels I-5
- Poisson's equation I-109
- poorly conditioned matrix I-32ff
- power dissipation I-109
- preconditioning I-49, I-59
- principle
 - least-action I-5
 - least-time I-2ff
- programming I-18
 - convex I-18
 - linear I-18
 - nonlinear I-18
- projection matrix I-61
- projection method I-61ff
- projection operator I-61
- pseudoinverse I-33ff, I-44ff, I-46, I-47
- rank I-32
- rank deficient I-32
- ray equations I-70ff
- ray-path matrix I-5
- Rayleigh quotient I-112, I-113
- Rayleigh-Ritz method I-112
- ray tracing methods
 - bending I-69, I-76ff
 - finite difference I-69, I-73
 - shooting I-69, I-70ff
- reconstruction I-5, I-98ff
- regularization I-8, I-33, I-53ff
- relative traveltime I-106
- relaxed feasibility set I-17, I-91ff
- resolution matrix I-35ff
 - data I-35ff, I-39, I-40, I-41, I-50
 - effective I-54ff
 - model I-34ff, I-39, I-40, I-41, I-50, I-51
- Richardson iteration I-59
- scaled least-squares I-21
- Schoedinger equation I-112
- Schwartz inequality I-119
- shifted linear functional I-14, I-116
- shooting methods I-69, I-70ff
- simple iteration I-59
- simplex I-77
- simultaneous iterative reconstruction I-33, I-61, I-64ff
- single cell ghost I-80
- singular value decomposition I-33, I-34ff
- SIRT I-33, I-61, I-64ff
- slowness I-1ff
- slowness vector I-5
- Snell's law I-2ff, I-68, I-77
- stochastic inverse I-27, I-31
- straight rays I-8, I-69
- stripes I-82ff
- Sturm-Liouville equation I-112
- SVD I-33, I-34ff
- Thomson's principle I-112
- tomography I-5
 - diffraction I-10ff
 - linear I-8, I-70
 - nonlinear I-8, I-10, I-70
 - seismic I-5
 - traveltime I-5
 - waveform I-10
- traveltime I-2, I-10, I-14
 - computation I-75
 - diffraction vs I-10
 - functional I-15
 - linear I-2, I-12
 - nonlinear I-2, I-12
 - vector I-5
- unbiased estimator I-7, I-27, I-95
- underdetermined I-20, I-33, I-81
- variational principle I-2ff, I-110, I-112, I-117
- vector
 - coverage I-90
 - data I-5
 - model I-5
 - slowness I-5
 - traveltime I-5
- Vidale's formula I-75
- voxels I-5

wave

slowness I-1ff

speed I-1ff

velocity I-1ff

waveform inversion I-10ff

weighted least-squares I-19ff, I-27ff, I-51ff,
 I-88, I-93ff